SAORSTÁT ÉIREANN

ROINN RIALTAIS AITIÚLA AGUS SLÁINTE PUIBLÍ.

(Department of Local Government and Public Health).

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

FOR THE YEAR

1927.

DUBLIN:
PUBLISHED BY THE STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
EASON & SON, LTD., 40-41 LOWER SACKVILLE STREET, DUBLIN.

1928.

Price One Shilling and Ninepence, Net.

CONTENTS.

REPORT :—

	Page
INTRODUCTORY REMARKS	vii
GENERAL SUMMARY	
Population, Marriages, Births and Deaths. Table I.	viii
EMIGRATION AND IMMIGRATION	viii
MARRIAGES :	
Their Number and Proportion to the Population	viii
Number by each mode of celebration in the years 1917-1927. Table II.	ix
Civil Condition of Persons Married	ix
Signatures to Marriage Registers and Certificates	ix
BIRTHS :	
Their Number and Proportion to the Population	ix
Birth-rate in Urban and Rural Areas	ix
Proportion of Illegitimate Births	ix
Number of Births by Quarters	x
Birth-rate in the Provinces	x
Multiple Births	x
DEATHS :	
Their Number and Proportion to the Population	x
Death-rate in the Provinces and in Urban and Rural areas	x
Number and Proportion of Deaths registered during each Quarter	x
Deaths in Institutions	xi
Causes of Death—General Observations	xi
,, Deaths from all causes and from the Principal causes during the years 1917-27 with the respective rates per 100,000 of the Estimated Population, and the numbers and percentages of uncertified deaths. Table III.	xii-xiii
,, Observations on the Mortality from each of the principal causes ...	xiv-xxiii
Deaths from Tuberculous Disease. Table IV.	xv-xvii, xxxii-xxxiii
Deaths from Cancer during 1927, by Sexes, Ages, and Parts Affected. Table V. ...	xvii-xix
Deaths of Women from Diseases Caused by or Associated with Pregnancy or Child-bearing. Tables VI. and VII.	xxi-xxii, xxxii-xxxiii
Violent Deaths	xxiii
Uncertified Deaths	xxiii
Inquests	xxiii
Ages at Death	xxiii–xxiv

DIAGRAM No. 1. *Average Annual Rates for MARRIAGES, BIRTHS and DEATHS by periods from 1864 to 1925.*



DIAGRAM No. 2. *MARRIAGE, BIRTH, and DEATH Rates for each of the Twenty years 1908-1927.*



DIAGRAM No. 3. *Number of Deaths from Twenty-one Principal CAUSES and from all Other Causes, in 1927.*



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1927.

TO THE MINISTER FOR LOCAL GOVERNMENT AND PUBLIC HEALTH.

The general arrangement of the Report is similar to that of the Reports for each year since 1923, when the Births and Deaths shown for the various administrative areas were first corrected for those occurring in institutions. An additional feature of this Report is the insertion of a series of diagrams illustrating the more salient features of Vital Statistics.

GENERAL SUMMARY.

During 1927 there were decreases in the numbers of marriages and births registered, and in the net number of emigrants returned, and an increase in the number of deaths registered, as compared with the preceding year.

The marriages registered during the year numbered 13,418, being 152 less than the number in 1926.

Sixty thousand and fifty-four births were registered, showing a reduction of 1,122 as compared with the preceding year.

The number of deaths was 43,677, being 1,937 more than the number for 1926.

As in 1926, deaths from tuberculosis again declined, so that the number, 4,301, is the lowest ever recorded.

Cancer, on the other hand, continues to increase, the deaths in 1927 numbering 3,113, which is the highest number ever yet registered in one year from this disease.

To heart diseases 5,031 deaths were attributed. This number is higher than in any of the last ten years, and is 375 above the number registered in 1926.

Deaths from both bronchitis and pneumonia also increased, those from bronchitis numbering 2,610, or 177 above the number recorded in 1926, and those from pneumonia, 2,833, or 519 above the number registered in 1926.

The infant mortality in 1927 for the entire area was 71 per 1,000 births, which was 3 per 1,000 below the rate for 1926, viz., 74 per 1,000. The rate for rural areas was 56 per 1,000, and for urban areas 99 per 1,000 births.

TABLE I.—Showing for each of the years 1917-27 the estimated Population; * the number of MARRIAGES, BIRTHS and DEATHS registered, with the rates per 1,000 of the estimated Population represented thereby; and the averages for the ten years, 1917-1926; also particulars relating to Northern Ireland for the year 1927.

YEARS.	*Estimated Population in the middle of each year.	Numbers *Registered*.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1917	3,065,000	14,201	61,421	51,713	4·63	20·04	16·87
1918	3,066,000	14,773	61,092	53,682	4·82	19·93	17·51
1919	3,102,000	17,201	61,829	55,776	5·55	19·93	17·98
1920	3,103,000	17,276	67,015	45,521	5·57	21·60	14·67
1921	3,096,000	15,102	61,010	44,537	4·88	19·71	14·39
1922	3,022,000	15,141	58,849	44,547	5·01	19·47	14·74
1923	3,014,000	15,632	61,690	42,217	5·19	20·47	14·01
1924	3,005,000	14,822	63,402	45,180	4·93	21·10	15·03
1925	2,985,000	13,820	62,069	43,650	4·63	20·79	14·62
1926	2,969,000	13,570	61,176	41,740	4·57	20·60	14·05
Yearly Average, 1917-1926 ...	3,043,000	15,154	61,955	46,856	4·98	20·36	15·39
1927	2,957,000	13.418	60,054	43,677	4·54	20·31	14·77
NORTHERN IRELAND, 1927.							
1927	1,251,000	7,175	26,676	18,216	5·74	21.32	14·56

* See page 68.

EMIGRATION AND IMMIGRATION.

The returns furnished by the Department of Industry and Commerce (Statistics Branch) show the number of emigrants to "places out of Europe and not within the Mediterranean Sea" during the year 1927 as 27,309 and the number of immigrants as 2,084, resulting in a net migration of 25,225 persons in 1927. The 27,309 persons include 23,947 bound for the United States, 1,815 for British North America, 1,036 for Australia, 132 for New Zealand, 106 for British South Africa, 87 for India, and 186 for other countries.

The number of emigrants in 1926 was 30,359, of whom 26,367 left for the United States. The net migration was 28,376 persons.

MARRIAGES.

Marriages registered during the year 1927 numbered 13,418, being equivalent to a rate of 4·54 per 1,000 of the estimated population; this rate is 0·03 below that for the previous year, and 0·44 below the average for the ten years, 1917-26.

Of the 13,418 marriages, 12,501 were of Roman Catholics, as compared with 12,600 in 1926, the remaining marriages numbering 917, as against 970 in 1926. Included in the 917 marriages are 612 celebrated according to the rites and ceremonies of the Church of Ireland, as against 672 in 1926; 163 as compared with 144 in 1926, were in Presbyterian Meeting-houses; 52 as against 48 in 1926 in "Registered Buildings" belonging to various religious denominations; 73 by civil contract in the Registrars' offices, as against 87 in 1926; 5 were according to the usages of the Society of Friends; and 12 as compared with 18 in 1926, were according to the Jewish rites.

The rate per 1,000 of the estimated Roman Catholic population represented by the number of marriages of Roman Catholics was 4·56, or 0·46 below the corresponding average rate for the preceding ten years, and the rate for other marriages was equivalent to 4·19 per 1,000 of all persons other than Roman Catholics in the population, this rate being 0·37 below the corresponding average rate for the ten years, 1917-26.

TABLE II.—MARRIAGES registered in 1927, and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented thereby.

YEARS.	Marriages registered other than Roman Catholic.							Roman Catholic Marriages.	Total Marriages Registered.	Rate per 1,000 of estimated corresponding Population represented by		
	According to the Rites of the Church of Ireland.	In Registered Presbyterian Meeting-houses.	In Registered Buildings.	In the Registrars' Offices.	Society of Friends	Jews.	Total.			Marriages, other than Roman Catholic.	Roman Catholic Marriages	Total Marriages.
1917 ...	995	199	80	93	3	11	1,381	12,820	14,201	4·32	4·67	4·63
1918 ...	1,064	196	79	119	1	10	1,469	13,304	14,773	4·60	4·84	4·82
1919 ...	1,125	239	99	117	3	9	1,592	15,609	17,201	4·93	5·62	5·55
1920 ...	1,140	205	96	161	—	19	1,621	15,655	17,276	5·01	5·63	5·57
1921 ...	970	180	88	155	—	9	1,402	13,700	15,102	4·35	4·94	4·88
1922 ...	856	154	78	127	—	11	1,226	13,915	15,141	4·95	5·02	5·01
1923 ...	752	154	53	83	5	9	1,056	14,576	15,632	4·38	5·26	5·19
1924 ...	709	143	54	65	1	15	987	13,835	14,822	4·21	4·99	4·93
1925 ...	671	112	70	54	2	14	923	12,897	13,820	4·07	4·68	4·63
1926 ...	672	144	48	87	1	18	970	12,600	13,570	4·41	4·58	4·57
Yearly Average 1917-1926	895	173	75	106	1	13	1,263	13,891	15,154	4·56	5·02	4·98
1927 ...	612	163	52	73	5	12	917	12,501	13,418	4·19	4·56	4·54

It will be found from the figures given in the Abstract of Marriages, pages 6-7, that 91·6 per cent. of the total marriages were those of bachelors and spinsters; that 5·2 per cent. were those of widowers and spinsters; that 2·1 per cent. were marriages of bachelors and widows; and that those of widowers and widows formed 1·1 per cent. of the total marriages. Thus, of the men married 6·3 per cent. were widowers, and of the women 3·2 per cent. were widows, or in 84 instances in every 1,000 marriages, one or both of the contracting parties had been in the married state before.

In the year 1927 there were 13,147 or 98·0 per cent. of the husbands, and 13,251 or 98·8 per cent. of the wives, who wrote their names, and the remainder signed by "mark."

Table XIV supplies the rates per 1,000 of the population represented by marriages in the provinces, counties and county boroughs.

BIRTHS.

The number of births registered during the year 1927 was 60,054 (boys 30,606 and girls 29,448) equivalent to 20·31 per 1,000 of the estimated population, this rate being 0·05 below the average of the ten years, 1917-26.

The rate represented by the births registered in Northern Ireland was 21·3 per 1,000 of the estimated population; in England and Wales, 16·6; and in Scotland, 19·8.

For the combined county boroughs and urban districts in Saorstát Éireann, the rate per 1,000 of the population during the year 1927 was 23·9, and for all rural districts it was 18·8 (Table XV).

In 1927 the proportion of male infants born alive in Saorstát Éireann to every 1,000 females was 1,039; this ratio indicates a notable reduction as compared with the ratios of previous years, that of 1926 having been 1,053, while in 1925 the ratio was 1,052; in 1924, 1,066; in 1923, 1,065; in 1922, 1,065; in 1921, 1,056; and in 1920 it was 1,067.

Of the 60,054 births registered during the year 58,296 or 97·1 per cent. were legitimate, and 1,758, or 2·9 per cent. were illegitimate.

For the province of Leinster illegitimacy in 1927 amounted to 3·5 per cent. of the total number of births for that province; Munster 2·8 per cent.; Connaught 1·4 per cent., and Ulster (part of) 3·8 per cent., as compared with 3·4 per cent., 2·9 per cent., 1·3 per cent., and 2·8 per cent. respectively, in 1926.

The male children born in wedlock numbered 29,714 and the female 28,582 or 1,040 of the former to every 1,000 of the latter, and of the illegitimate children 892 were males and 866 females, or 1,030 boys to every 1,000 girls.

It should be stated that the illegitimate birth-rate for Saorstát Éireann compares favourably with that for most other countries.

The following statement shows the total number of infants, by sexes, whose births were registered during each quarter of 1927 :—

—	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Total.
Males	7,526	8,138	7,777	7,165	30,606
Females	7,366	7,696	7,525	6,861	29,448
Total ...	14,892	15,834	15,302	14,026	60,054

Of the total births 51·2 per cent. were registered in the first six months (181 days) and 48·8 per cent. in the second six months (184 days).

For the province of Leinster the birth-rate was 21·61 per 1,000 of the population (Census 1926); for Munster 19·99; for Connaught 18·68, and for Ulster (part of) 18·33.

Multiple Births.

The number of twin births registered during the year 1927 was 706 and the number of triplet births 8. The twin births were 1·18 per cent. of the total births, 1·20 per cent. of the single births and 1·19 per cent. of the total mothers, the respective percentages in the preceding year being 1·25, 1·28, and 1·26.

The infants born in wedlock (58,296) as registered in 1927, include 689 twins, a number equivalent to 1·20 per cent. of the 57,591 married mothers, and 8 triplets, while the illegitimate infants (1,758) include 17 twins, equivalent to 0·98 per cent. of the 1,741 unmarried mothers.

Of the 1,436 infants born alive resulting from multiple births, 735 were males and 701 females.

DEATHS.

The deaths registered during the year 1927 numbered 43,677, affording a rate of 14·77 per 1,000 of the estimated population. The deaths of males amounted to 21,812, or 14·55 per 1,000 of the estimated male population, the deaths of females numbering 21,865, equivalent to 15·00 per 1,000 of the estimated female population.

The mortality from all causes in 1927 is 0·72 per 1,000 above that for 1926, but 0·62 per 1,000 below the average for the ten years 1917-26.

The death rate from all causes for Northern Ireland was 14·6 per 1,000, for England and Wales, 12·3 per 1,000 and for Scotland, 13·5 per 1,000.

Table XIV. gives the rates from all causes by provinces, counties and county boroughs.

From this it will be seen that the rate for the province of Leinster was 15·72 per 1,000 of the population of the province, for Munster 14·45 per 1,000, for Connaught 13·38 per 1,000 and for Ulster (part of) 14·01 per 1,000. The rates for counties and county boroughs varied from 12·83 for Mayo county, to 17·77 for Wexford county.

For urban areas (county boroughs and urban districts) the mortality from all causes in 1927 was 15·88 per 1,000 of the population and for the rural districts 14·31 per 1,000 (Table XV.).

The following statement shows, by sexes, the number of deaths of persons registered during each quarter of the year 1927.

—	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Total.
Males	6,597	5,938	4,376	4,901	21,812
Females ...	6,813	5,878	4,275	4,899	21,865
Total ...	13,410	11,816	8,651	9,800	43,677

Of the total deaths 25,226, or 57·8 per cent., were recorded during the first six months and 18,451, or 42·2 per cent., in the second six months.

The annual rate per 1,000 of the population represented by deaths registered in the first quarter of the year was 18·1; in the second quarter, 16·0; in the

third, 11·7; and in the fourth, 13·3, as compared with 18·5, 16·3, 12·3, and 14·5, respectively, for the first, second, third and fourth quarters of the ten years, 1917-26.

DEATHS IN INSTITUTIONS.

The Abstract commencing on page 28 gives particulars relating to deaths by certain causes in institutions, and for each county and county borough. Of the 43,677 deaths, 3,389, or 7·7 per cent. took place in general and special hospitals, 1,125, or 2·6 per cent. in mental hospitals, 6,369, or 14·6 per cent. in county homes and hospitals or in workhouse hospitals, county infirmaries and district hospitals, and 32,794 occurred elsewhere.

CAUSES OF DEATH.

In the table which follows, the numbers of deaths from some of the principal diseases are shown for the years 1926 and 1927, also the averages for the ten years, 1917-1926.

Causes.	Number of Deaths registered			Causes.	Number of Deaths registered		
	Years.		Average 10 years 1917-26		Years.		Average 10 years 1917-26
	1927.	1926.			1927.	1926.	
Enteric Fever ...	98	126	143	Tuberculous Disease ...	4,301	4,362	5,164
Typhus ...	11	8	20	Cancer	3,113	3,021	2,710
Measles ...	175	519	282	Heart Disease ...	5,031	4,656	4,756
Scarlet Fever ...	81	134	82	Bronchitis	2,610	2,433	3,341
Whooping-cough	448	258	414	Pneumonia ...	2,833	2,314	2,737
Diphtheria ...	218	197	259	Diarrhœa and Enteritis under two years of age	493	815	632
Dysentery ...	13	6	15	Puerperal Septic Diseases ...	77	115	107
Influenza ...	2,099	654	2,294	Other Accidents and Diseases of Pregnancy and Childbirth ...	194	184	196
Encephalitis Lethargica ...	57	43	24				
Meningococcal Meningitis ...	12	17	24				

The total number of deaths registered in 1927 is 1,937 more than the number registered in 1926. The causes which contributed increases, as will be seen from the above table, were influenza, with an increase of 1,445; pneumonia, with an increase of 519; heart disease, increase 375; whooping-cough, increase 190; bronchitis, increase 177; cancer, increase 92; diphtheria, increase 21; encephalitis lethargica, increase 14; other accidents and diseases of pregnancy and childbirth, increase 10; dysentery, increase 7; and typhus, increase 3.

On the other hand, the following diseases caused fewer deaths in 1927 than in 1926:—measles (decrease 344); diarrhoea and enteritis of children under 2 years (decrease 322); tuberculosis (decrease 61); scarlet fever (decrease 53); puerperal sepsis (decrease 38); enteric fever (decrease 28); and meningococcal meningitis (decrease 5).

A comparison of these two groups shows that a considerable decrease occurred among the principal epidemic diseases* as a whole, so that the increase in the total number of deaths was chiefly due to influenza, and heart and respiratory diseases.

The rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are shown in Table XIV., which gives the information by provinces, counties and county boroughs; from this table it will be seen that the rate in all areas in 1927 was 0·52 per 1,000 of the population, the rates varying from 0·11 per 1,000 for Cavan county; 0·14 per 1,000 for Meath county, 0·16 per 1,000 for Kildare county, and 0·17 per 1,000 for Sligo county to 1·59 per 1,000 for Dublin county borough, 0·84 per 1,000 for Louth county, 0·79 per 1,000 for Waterford county borough, and 0·72 per 1,000 for Dublin county.

Table XV. shows that the mortality rate from this group of causes for all urban areas (county boroughs and urban districts) was 0·98 per 1,000 of the population, being approximately 3 times the rate for rural districts—0·33 per 1,000.

* See note (*) on p. xxxii.

TABLE III.—Showing the number of Deaths from all Causes, from some of the eleven years, 1917-1927, with the average Annual Number for the ten years, by the number of Deaths from these causes, and the percentage of Uncertified year 1927.

NOTE.—The Classification of Causes of Death adopted for 1921–7 is in accordance with the International as far as possible, in order to afford comparison with those for 1921–7. The numbers in brackets

YEAR.	Total Number of Deaths.	Enteric Fever (1)	Typhus (2)	Small-pox (6)	Measles (7)	Scarlet Fever (8)	Whooping-cough (9)	Diphtheria (10)	Dysentery (16)	Influenza (11)	Encephalitis Lethargica (23)	Meningococcal Meningitis (including Cerebro-spinal Fever), (24)	Tuberculosis of the Respiratory System (31)	Other Tuberculosis (32–7)	Cancer, Malignant Disease (43–9)	Diabetes (57)	Cerebral Hæmorrhage (74)
(1). NUMBER																	
SAORSTÁT																	
1917 ...	51,713	191	38	—	372	74	375	187	17	1,004	—	44	5,320	1,346	2,633	252	1,500
1918 ...	53,682	190	29	—	437	56	499	152	12	6,788	—	46	5,142	1,350	2,618	209	1,287
1919 ...	55,776	132	24	—	99	64	287	185	29	7,468	4	25	4,532	1,307	2,672	209	1,438
1920 ...	45,521	180	30	—	227	109	795	378	18	696	17	21	3,975	1,147	2,588	235	1,375
1921 ...	44,537	140	17	—	141	110	216	461	27	648	31	23	3,864	960	2,609	215	1,263
1922 ...	44,547	96	18	—	458	73	201	401	9	1,812	19	11	3,694	920	2,523	239	1,303
1923 ...	42,217	142	19	—	171	66	454	285	15	621	16	17	3,524	944	2,730	224	1,365
1924 ...	45,180	123	5	—	198	65	621	186	4	2,073	55	28	3,692	890	2,903	212	1,329
1925 ...	43,650	105	9	—	198	70	429	158	13	1,171	51	12	3,667	1,006	2,801	222	1,312
1926 ...	41,740	126	8	—	519	134	258	197	6	654	43	17	3,369	993	3,021	226	1,339
Average—ten years 1917-26	46,856	143	20	—	282	82	414	259	15	2,294	24	24	4,078	1,086	2,710	224	1,351
1927 ...	43,677	98	11	—	175	81	448	218	13	2,099	57	12	3,409	892	3,113	232	1,363
NORTHERN																	
1927 ...	18,216	44	2	—	22	46	220	85	1	745	28	8	1,300	467	1,477	120	1,087
(2). RATES PER 100,000 OF																	
SAORSTÁT																	
1917 ...	1,687·2	6·2	1·2	—	12·1	2·4	12·2	6·1	0·6	32·8	—	1·4	173·6	43·9	85·9	8·2	48·9
1918 ...	1,750·9	6·2	1·0	—	14·3	1·8	16·3	5·0	0·4	221·4	—	1·5	167·7	44·0	85·4	6·8	42·0
1919 ...	1,798·1	4·3	0·8	—	3·2	2·1	9·3	6·0	0·9	240·7	0·1	0·8	146·1	42·1	86·1	6·7	46·4
1920 ...	1,467·0	5·8	1·0	—	7·3	3·5	25·6	12·2	0·6	22·4	0·5	0·7	128·1	37·0	83·4	7·6	44·3
1921 ...	1,438·5	4·5	0·5	—	4·6	3·6	7·0	14·9	0·9	20·9	1·0	0·7	124·8	31·0	84·3	6·9	40·8
1922 ...	1,474·1	3·2	0·6	—	15·1	2·4	6·6	13·3	0·3	60·0	0·6	0·4	122·2	30·4	83·5	7·9	43·1
1923 ...	1,400·7	4·7	0·6	—	5·7	2·2	15·1	9·5	0·5	20·6	0·5	0·6	116·9	31·3	90·6	7·4	45·3
1924 ...	1,503·5	4·1	0·2	—	6·6	2·2	20·7	6·2	0·1	69·0	1·8	0·9	122·9	29·6	96·6	7·1	44·2
1925 ...	1,462·3	3·5	0·3	—	6·6	2·3	14·4	5·3	0·4	39·2	1·7	0·4	122·9	33·7	93·9	7·4	44·0
1926 ...	1,405·9	4·2	0·3	—	17·5	4·5	8·7	6·6	0·2	22·0	1·5	0·6	113·5	33·4	101·7	7·6	45·1
Average—ten years, 1917-26	1,538·8	4·7	0·7	—	9·3	2·7	13·6	8·5	0·5	74·9	0·8	0·8	133·9	35·6	89·1	7·4	44·4
1927 ...	1,477·1	3·3	0·4	—	5·9	2·7	15·2	7·4	0·4	71·0	1·9	0·4	115·3	30·2	105·2	7·8	46·1
NORTHERN																	
1927 ...	1,456·1	3·5	0·2	—	1·8	3·7	17·6	6·8	0·1	59·6	2·2	0·6	103·9	37·3	118·1	9·6	86·9

Principal Causes, and the number of Uncertified Deaths registered during each of the 1917-1926 ; (2) the Respective Rates per 100,000 of the estimated Population represented Deaths to Deaths from All Causes; also particulars relating to Northern Ireland for the

Nomenclature as revised in 1920. The figures given in the Reports for the years 1917–20 have been adjusted, below, indicate the position of the Causes of Death in the International List.

Heart Disease (87–90)	Arterio-sclerosis (91b)	Bronchitis (99)	Pneumonia (all Forms) (100-101)	Other Diseases of the Respiratory System (97-8, 102-7)	Ulcer of the Stomach or Duodenum (111)	Diarrhœa and Enteritis under 2 years of age (113)	Appendicitis (117)	Cirrhosis of the Liver (122)	Acute and Chronic Nephritis (128-9)	Puerperal Sepsis (146)*	Other Accidents and Diseases of Pregnancy and Parturition (143b-5 147-50)*	Congenital Debility and Malformation, Premature Birth (159-161)	Violent Deaths. Suicide (165-74)	Violent Deaths. Other Deaths from Violence (175-203)	Other Defined Diseases	Causes ill-defined or unknown (204-5)	Uncertified Deaths	Year.
of Deaths.																		
ÉIREANN.																		
5,255	127	4,544	2,702	837	233	697	150	138	1,203	101	197	2,069	53	1,199	17,515	1,340	14,366	1917
4,603	119	3,761	3,928	726	240	610	133	130	1,111	93	202	1,902	65	926	15,079	1,239	12,319	1918
5,020	149	4,355	3,601	802	222	634	121	113	1,124	96	195	1,953	83	881	16,565	1,387	14,610	1919
4,591	137	3,516	2,626	701	204	571	161	109	1,065	122	204	1,987	61	1,218	15,246	1,211	12,352	1920
4,427	152	3,013	2,303	678	201	883	139	118	1,024	108	194	1,752	79	2,031	14,725	1,985	12,098	1921
4,609	147	3,345	2,792	714	216	443	147	98	996	118	215	1,580	65	1,366	14,320	1,599	11,750	1922
4,643	150	2,866	2,102	681	267	513	164	94	1,043	117	180	1,658	74	1,315	14,117	1,640	11,417	1923
4,792	202	2,926	2,667	763	292	515	159	88	1,062	102	201	1,879	96	833	14,782	1,437	12,208	1924
4,965	197	2,654	2,338	737	270	640	156	90	1,128	105	186	1,783	88	728	14,914	1,447	11,733	1925
4,656	221	2,433	2,314	666	264	815	189	113	1,145	115	184	1,841	97	792	13,745	1,240	10,577	1926
4,756	160	3,341	2,737	731	241	632	152	109	1,090	107	196	1,840	76	1,129	15,101	1,452	12,343	Average 1917-1926
5,031	230	2,610	2,833	684	271	493	185	106	1,117	77	194	1,698	96	749	14,066	1,016	10,916	1927
IRELAND.																		
2,529	204	1,108	1,253	259	132	303	107	28	457	48	80	857	80	398	4,579	142	1,747	1927
the Estimated Population.																		
ÉIREANN.																		
171·5	4·2	148·3	88·2	27·3	7·6	22·7	4·9	4·5	39·3	3·3	6·4	67·5	1·7	39·1	571·5	43·7	† 27·8	1917
150·1	3·9	122·7	128·1	23·7	7·8	19·9	4·3	4·3	36·2	3·0	6·6	62·0	2·1	30·2	491·8	40·4	22·9	1918
161·8	4·8	140·4	116·1	25·9	7·2	20·4	3·9	3·6	36·2	3·1	6·3	63·0	2·7	28·4	534·0	44·7	26·2	1919
148·0	4·4	113·3	84·6	22·6	6·6	18·4	5·2	3·5	34·3	3·9	6·6	64·0	2·0	39·3	491·3	39·0	27·1	1920
143·0	4·9	97·3	74·4	21·9	6·5	28·5	4·5	3·8	33·1	3·5	6·3	56·6	2·5	65·6	475·6	64·1	27·2	1921
152·5	4·9	110·7	92·4	23·6	7·1	14·7	4·9	3·2	33·0	3·9	7·1	52·3	2·2	45·2	473·9	52·9	26·4	1922
154·0	5·0	95·1	69·7	22·6	8·9	17·0	5·4	3·1	34·6	3·9	6·0	55·0	2·5	43·6	468·4	54·4	27·0	1923
159·5	6·7	97·4	88·8	25·4	9·7	17·1	5·3	2·9	35·3	3·4	6·7	62·5	3·2	27·7	491·9	47·8	27·0	1924
166·3	6·6	88·9	78·3	24·7	9·0	21·5	5·2	3·0	37·8	3·5	6·3	59·7	3·0	24·4	499·6	48·5	26·9	1925
156·8	7·4	81·9	77·9	22·4	8·9	27·5	6·4	3·8	38·6	3·9	6·2	62·0	3·3	26·7	463·0	41·8	25·3	1926
156·4	5·3	109·6	89·8	24·0	7·9	20·8	5·0	3·6	35·8	3·5	6·4	60·5	2·5	37·0	496·1	47·7	26·4	Average 1917-1926
170·1	7·8	88·3	95·8	23·1	9·2	16·7	6·3	3·6	37·8	2·6	6·5	57·4	3·2	25·3	475·8	34·4	25·0	1927
IRELAND.																		
202·2	16·3	88·6	100·2	20·7	10·6	24·2	8·6	2·2	36·5	3·8	6·4	68·5	6·4	31·8	365·8	11·4	9·6	1927

* Deaths from Phlegmasia Alba Dolens and Puerperal Embolism were formerly included with deaths from Puerperal Sepsis, *i.e.*, in the Annual Reports for the years 1917–1925. They are in the above table included with deaths from other diseases of Parturition.

† Per cent. of total deaths.

Enteric Fever.—There were 98 deaths from enteric fever (of males 60 and of females 38), including one from paratyphoid fever, recorded during the year 1927. This is 28 below the number recorded in 1926, and 45 below the average (143) for the ten years 1917–26. Eighteen deaths appertained to urban areas and 80 to rural (see abstract commencing on page 60).

Typhus.—Eleven deaths from typhus were registered, as against 8 in 1926 and an average of 20. Of the 11 deaths in 1927, 5 were those of males and 6 of females.

Small-Pox.—No deaths from small-pox occurred during the year, nor during any of the preceding ten years.

Measles.—One hundred and seventy-five deaths were caused by measles (90 of males and 85 of females). This number only amounts to one-third of the number (519), recorded during the preceding year, and is 107 below the average for the ten years, 1917–26, viz., 282. Of the 175 deaths, 129 were those of children under 5 years of age, including 74 under 2 years.

Scarlet Fever.—Deaths from this disease amounted to 81 during the year 1927, as compared with 134 in 1926, and an average of 82 for the ten years ending with the latter year. Of the 81 deaths, 43 were those of males and 38 of females.

Whooping-Cough.—Deaths from whooping-cough numbered 448. This number closely approaches the average (414) for the preceding 10 years, but as the mortality from this disease, as from all epidemic diseases, fluctuates between wide extremes from year to year, it differs considerably from the numbers of previous individual years. Thus, in 1920, there were 795 deaths from whooping-cough, but in 1921, the number fell to 216, and further declined in 1922 to 201, but in 1923 the number again rose, reaching 454, and still further in 1924, to 621, falling, however, in 1925, when the number was 429, and again in 1926, when it was 258.

Of the 448 deaths (of males 211 and of females 237) 416 were those of children under 5 years of age, 204 of the latter being infants under one year of age.

The deaths recorded for urban areas numbered 263 and for rural areas 185; in 1926 these numbers were 117 and 141 respectively, so that the increase in 1927 over 1926 occurred largely in urban districts, the increase in those districts being 125 per cent., while in rural districts it was only 31 per cent.

Diphtheria.—The number of deaths from this disease (218) is 21 above the number registered during 1926, but 41 below the average (259) for the ten years 1917–26. The deaths in 1927 comprise 107 of males and 111 of females; of the total number, 117 deaths were those of children under 5 years of age and 68 were between 5 and 10 years, so that 185 or 85 per cent. of all the deaths from diphtheria were those of children under ten years of age.

Dysentery.—To this cause 13 deaths were attributed, as compared with an average of 15 for the preceding ten years.

Diarrhœa and Enteritis (Children under 2 years).—The number of deaths of children attributed to this cause during the year 1927 was 493; with the exception of the number in 1922, when 443 deaths were registered, this is the smallest number from this cause during any of the last eleven years; it is 139 less than the average (632) for the ten years 1917–26, and 322 less than the number in 1926.

Of the 493 deaths (271 of males and 222 of females) 165, or 34 per cent. appertained to Dublin county borough.

The mortality among children in 1927 from diarrhœa and enteritis for all urban areas based on the births recorded therefor was 15·5 per 1,000 and for rural areas the corresponding rate was 4·4 per 1,000, the respective rates for the preceding year being 26·6 and 6·4.

Influenza.—Deaths from influenza numbered 2,099 in 1927; of these 985 were of males, and 1,114 of females—the rates per 1,000 of the population represented by these figures being 0·71, 0·66, and 0·76 respectively.

In common with other epidemic diseases, deaths from this disease vary very widely in number in successive years. Thus, the number for 1927 is more than three times the number registered in 1926 (654). Similarly, in 1921, 648 deaths from influenza were registered, but in 1922 the number rose to 812, in 1923 it fell to 621, in 1924 it rose to 2,073, and in 1925 a fall again occurred, the number being 1,171, and a further fall took place in 1926, when 654 deaths were registered, as already stated. The average number for the ten years preceding 1927 is 2,294. This period, however, includes the years 1918 and 1919, when an exceptionally high mortality occurred; if the figures for these two years be excluded, it will be found that the average number for the 8 years is 1,085; this is 1,014 below the number registered in 1927.

Forty-three per cent. were registered during the first quarter of the year, 40 in the second, 8 in the third and 9 in the fourth quarter.

Four hundred and fifty-nine deaths from influenza related to urban and 1,640 to rural areas.

Seven hundred and seventy-four of the total deaths from influenza were associated with pulmonary complications, and 1,325 were returned as from influenza without qualification or were from that disease complicated with maladies other than pulmonary.

Erysipelas.—There were 31 deaths (20 of males and 11 of females) from this cause, as compared with 42 in 1926.

Acute Poliomyelitis.—Thirteen deaths were ascribed to this disease, being 2 more than the number recorded in the preceding year.

Encephalitis Lethargica.—The fatal cases of this disease amounted to 57. This is the highest annual number of deaths from this disease since its first recognition in 1919; the previous highest number was in 1924, when 55 deaths were registered. In the two subsequent years the disease declined, 51 deaths being recorded in 1925, and 43 in 1926. Thirty-one of the 57 deaths in 1927 were of males, and 26 of females.

Meningococcal Meningitis.—This disease caused 12 deaths (7 of males and 5 of females) or 5 below the number for 1926, and 12 under the average for the 10 years 1917-26.

Other Epidemic Diseases.—There were 7 deaths (all of males) from malaria, 4 deaths (2 males and 2 females) from mumps, one death (a male) from cholera nostras, and 5 deaths (3 males and 2 females) from varicella.

Tetanus.—The number of deaths from tetanus was 27, those of males being 15 and of females 12, as against a total of 24 (18 of males and 6 of females) in 1926.

TUBERCULOSIS.

Deaths from all forms of tuberculosis registered during the year 1927 numbered 4,301, equivalent to a rate of 1·45 per 1,000 of the population. The corresponding rate in Northern Ireland in 1927 was 1·41 per 1,000, in England and Wales 0·97 per 1,000, and in Scotland 1·00 per 1,000.

The total number of deaths of males from tuberculosis was 2,138, equal to a rate of 1·43 per 1,000 of the male population, and the number of deaths of females, 2,163, equal to a rate of 1·48 per 1,000 of the female population, as will be seen from the table on the next page.

TABLE IV.—Showing by sexes the mortality from tuberculosis during each of the years 1917-27.

Year.	Males.		Females.		Total.		Annual Increase.		Annual Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.	Number.	Per cent.
1917 ...	3,378	2·18	3,288	2·17	6,666	2·17	195	3·0	—	—
1918 ...	3,244	2·09	3,248	2·15	6,492	2·12	—	—	174	2·6
1919 ...	2,846	1·78	2,993	1·99	5,839	1·88	—	—	653	10·1
1920 ...	2,516	1·57	2,606	1·73	5,122	1·65	—	—	717	12·3
1921 ...	2,337	1·46	2,487	1·66	4,824	1·56	—	—	298	5·8
1922 ...	2,316	1·51	2,298	1·54	4,614	1·53	—	—	210	4·4
1923 ...	2,222	1·46	2,246	1·51	4,468	1·48	—	—	146	3·2
1924 ...	2,264	1·49	2,318	1·56	4,582	1·52	114	2·6	—	—
1925 ...	2,307	1·53	2,366	1·61	4,673	1·57	91	2·0	—	—
1926 ...	2,167	1·44	2,195	1·50	4,362	1·47	—	—	311	6·7
Average, 1917-1926,	2,560	1·65	2,604	1·74	5,164	1·70	—	—	*2,304	34·6
1927 ...	2,138	1·43	2,163	1·48	4,301	1·45	—	—	61	13·98

* Decrease in 1926 as compared with 1917.

As this table discloses, a continuous fall in the mortality from tuberculosis has taken place since 1917, with the exception of the years 1924 and 1925, when increases of 2·6 and 2·0 per cent. respectively were recorded. The decrease which occurred in 1926 more than compensated for the increases of those two years, and a further decline taking place in 1927, the deaths for the latter year are the fewest ever recorded.

This result, however, is not due to a reduction in the deaths from tuberculosis of the respiratory system (which increased by 40 deaths), but to a comparatively large decrease (amounting to 101) among deaths from other forms of tuberculosis. Also the decrease in 1927 is confined to rural areas, where 2,612 deaths were registered as compared with 2,752 in 1926, the deaths in urban areas, 1,689, showing an increase as compared with the previous year, when 1,610 deaths occurred.

The following are the numbers of deaths from the different forms of tuberculosis under which such deaths are classified: tuberculosis of the respiratory system, 3,409 (1,663 males, and 1,746 females); tuberculosis of the meninges, 204 (106 males, and 98 females); tuberculosis of the intestines and peritoneum, 234 (125 males and 109 females); tuberculosis of the vertebral column, 66 (33 males and 33 females); tuberculosis of the joints, 55 (29 males and 26 females); tuberculosis of other organs, 101 (63 males and 38 females); and disseminated tuberculosis, 232 (119 males and 113 females).

Diagram No. 4 illustrates the variations in the mortality from tuberculosis in Ireland, England and Wales, and Scotland, since 1908. From this the almost continuous decline in the disease is evident; it is also notable how closely the curve for Saorstát Éireann follows the variations of that for Scotland, whereas the curve for Northern Ireland is very similar to that for England and Wales.

DIAGRAM No. 4 — *Death-rates from* TUBERCULOSIS *in* SAORSTÁT ÉIREANN, NORTHERN IRELAND, ENGLAND & WALES, *and* SCOTLAND, *during the Twenty years, 1908-1927.*



DIAGRAM No. 5 — *Death-rates from* CANCER *in* SAORSTÁT ÉIREANN, NORTHERN IRELAND, ENGLAND & WALES, *and* SCOTLAND, *during the Twenty years, 1908-1927.*



DIAGRAM No. 6 — INFANT MORTALITY *(Deaths of Infants under One year of age per 1,000 Births) in* SAORSTÁT ÉIREANN, NORTHERN IRELAND, ENGLAND & WALES, *and* SCOTLAND, *during the Twenty years 1908-1927, and also in Urban and Rural Districts in Saorstát Éireann from 1922 to 1927.*



The abstracts commencing on page 28 give the details regarding deaths from tuberculosis, by provinces, counties, county boroughs, and urban and rural districts, while Tables XIV. and XV. supply the rates per 1,000 of the population for these areas.

It will be seen from Table XIV. that the highest tuberculosis mortality for county or county borough areas related to the following:—Cork county borough (2·24 per 1,000), Dublin county borough (2·20 per 1,000), Waterford county borough (2·03 per 1,000), and Wexford county (1·85 per 1,000) the counties having the lowest rates in 1927 being Roscommon (0·83), Cavan (0·86), Longford (0·93) and Monaghan (0·97).

Syphilis, &c.—Thirty-one deaths (19 of males and 12 of females) were ascribed to syphilis, this being the same number as in 1926. Of the deaths in 1927, 16 (5 of males and 11 of females) were those of infants under one year of age.

Two deaths (both males) were ascribed to other venereal affections.

There were 19 deaths (17 of males and 2 of females) from general paralysis of the insane; 11 deaths (of males 9 and of females 2) from locomotor ataxy, and 27 deaths (of males 21, and of females 6) from aneurysm.

Purulent Infection, Septicæmia.—Under this heading 146 deaths were returned, (89 being those of males, and 57 of females), as against 111 in the preceding year.

Other Infectious Diseases.—Two deaths (males) from anthrax, and 2 (also males) from mycoses were registered.

Cancer.—Deaths from cancer in 1927 numbered 3,113. This is the highest mortality from cancer yet recorded, being 92 deaths more than in 1926. The increase occurred entirely among males, of whom 1,657 deaths were registered, as compared with 1,558 in 1926, being an increase of 99, whereas among females there were 1,456 deaths registered as against 1,463 in 1926, showing the slight decrease of 7 deaths.

The continual rise in the mortality from cancer is one of the outstanding features demonstrated by vital statistics, especially in recent years, when this disease assumed an important place among the causes of death. The increase has not been continuous from year to year, but successive rises indicate the advance that is being made by the disease. This is particularly the case since 1923. In that year deaths from cancer increased by 8 per cent. as compared with the previous year, and in 1924 they increased by 6 per cent. as compared with 1923. These two increases were followed by a decrease in 1925, amounting to 3·5 per cent., but this was again followed by a further and more than counterbalancing increase in 1926, of 8 per cent. as compared with the previous year. Diagram No. 5 shows the upward trend of the disease from 1908. The actual increases may not be altogether so great as those recorded since the commencement of registration in 1864, on account of possible defective diagnosis and certification in the earlier years; it can scarcely be considered, however, that the mortality as shown since the commencement of the present century is vitiated to any material extent by defective diagnosis. The average annual rate per 1,000 of the mean population represented by deaths from cancer registered in the years 1881–1890 was 0·37, during 1891–1900, it was 0·48, during 1901–1910 it was 0·68, during 1911–1920 it was 0·84, and during 1921–1927 it was 0·94.

The rates per 1,000 of the population represented by all deaths, by deaths of males and by deaths of females from cancer in 1927 were 1·05, 1·11 and 1·00 respectively. The corresponding rates in 1926 were 1·02, 1·04, and 1·00, so that all deaths from cancer increased by 3 per cent. in 1927, deaths of males by 7 per cent., while the mortality among females remained the same.

In Northern Ireland the rate for both sexes was 1·18, for males 1·09, and for females 1·26. In England and Wales the total rate was 1·38, and in Scotland 1·41.

The deaths from cancer in 1927, include 1,014 assigned to urban areas, equivalent to 1·17 per 1,000 of the urban population, the remainder, 2,099, appertaining to rural areas, and being equal to 1·00 per 1,000 of the rural population. The corresponding numbers in 1926 were 995 urban deaths (rate 1·15 per 1,000), and 2,026 rural deaths (rate 0·96 per 1,000).

Of the 3,113 deaths comprised under the description of cancer, 1,605 were returned as from carcinoma, 127 as from sarcoma, and 1,381 as from cancer or malignant disease without specification.

The following Table (V.), shows the deaths from cancer by sexes, ages, and parts affected.

BLE V.—Showing the deaths from CANCER* registered during the year 1927, by Sexes, Ages, and parts affected.

Parts Affected.	MALES. Ages at Death. Under 20	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75 and Upwards	Total.	FEMALES. Ages at Death. Under 20	20–	25–	30–	35–	40–	45–	50–	55–	60–	65–	70–	75 and Upwards	Total.	Total Males and Females
Jaw	·	·	·	1	1	3	6	12	5	12	12	16	11	79	·	·	·	·	·	·	1	1	2	1	·	2	5	12	91
Lip	·	·	1	·	·	·	1	3	5	8	7	9	6	40	·	·	·	·	·	·	·	·	·	·	·	2	4	6	46
Mouth ...	1	·	·	·	·	·	·	1	3	3	8	4	5	25	·	·	·	·	1	·	·	2	2	·	1	1	·	7	32
Tongue ...	·	·	·	1	·	4	8	21	20	24	15	19	5	117	·	·	·	1	·	·	1	2	1	·	2	·	3	10	127
Liver, Gall Bladder	·	·	·	1	5	9	13	14	19	22	24	28	10	145	1	·	·	2	5	7	13	19	19	27	22	27	13	155	300
Oesophagus ...	·	·	·	1	2	6	4	9	12	5	5	6	6	56	·	·	1	·	3	1	·	5	6	2	5	2	1	26	82
Pharynx ...	·	·	·	1	·	·	·	7	4	5	2	4	2	25	·	·	·	·	1	·	·	·	1	1	·	·	2	5	30
Stomach ...	·	·	·	5	6	15	21	52	48	72	77	60	30	386	·	·	1	3	3	16	28	43	37	65	49	40	42	327	713
Intestine ...	·	1	·	1	3	8	11	24	27	34	30	28	17	184	·	1	1	·	4	9	7	20	25	22	25	34	26	174	358
Mesentery ...	·	·	·	·	·	·	·	·	·	·	·	·	2	2	·	·	·	·	·	·	·	1	1	·	3	3	1	9	11
Peritoneum ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	·	1	·	1	·	3	3
Rectum ...	·	1	1	2	1	1	11	10	10	28	30	20	14	129	·	·	·	·	5	2	4	11	8	11	3	13	8	65	194
Ovary	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	3	2	6	2	1	1	1	19	19
Uterus ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	5	9	8	23	15	18	17	17	13	7	134	134
Vagina ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	1	·	1	·	·	3	3
Vulva ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	1	1	·	3	3
Breast ...	·	·	·	·	·	·	·	·	·	·	·	1	1	2	·	·	·	1	9	22	31	26	31	32	26	21	35	234	236
Ear	·	·	·	·	·	·	·	1	1	4	5	1	9	21	·	·	·	·	·	·	·	·	·	·	·	1	2	3	24
Face	·	·	·	·	·	·	·	3	5	3	4	12	7	34	·	·	·	·	·	·	·	1	1	·	5	3	11	21	55
Nose	·	·	·	·	·	·	1	·	·	·	2	·	·	3	·	·	·	·	·	·	·	·	·	1	·	·	2	3	6
Penis	·	·	·	·	1	·	·	·	1	1	1	1	·	5	·	·	·	·	·	·	·	·	·	·	·	·	·	·	5
Scrotum ...	·	·	·	·	·	·	·	·	2	·	·	·	1	3	·	·	·	·	·	·	·	·	·	·	·	·	·	·	3
Other Skin ...	1	·	·	·	·	·	1	·	·	·	1	·	·	3	·	·	·	·	·	·	1	·	·	1	·	·	5	7	10
Arm, Leg ...	1	1	·	2	·	2	·	1	2	3	6	4	3	25	2	·	·	2	1	1	·	1	2	5	5	6	14	39	64
Axilla	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	·	·	1	2	2
Bladder ...	·	·	·	·	·	1	1	2	·	4	3	6	4	21	·	·	·	·	·	·	2	2	·	1	3	3	2	13	34
Brain	·	·	·	·	1	·	1	1	·	1	·	·	·	4	1	·	·	·	·	·	·	1	1	·	·	·	·	3	7
Eye	2	·	·	·	·	·	·	·	·	·	2	1	2	7	1	·	·	·	·	·	·	·	·	1	·	·	·	2	9
Groin	·	·	·	2	·	·	·	·	1	2	·	·	·	5	·	·	·	·	·	·	·	·	1	·	·	1	1	3	8
Kidney ...	1	·	·	·	·	·	1	·	1	·	3	·	·	6	3	·	·	·	·	·	1	1	1	·	·	1	·	7	13
Larynx, Trachea	·	·	·	·	·	4	6	1	5	10	6	2	·	34	·	·	·	·	2	1	4	5	2	3	1	1	·	19	53
Lung	·	·	·	·	·	2	1	·	·	1	·	1	·	5	1	·	·	·	·	1	·	·	2	3	·	2	1	10	15
Mediastinum ...	·	·	·	1	1	1	·	·	3	2	3	2	·	13	·	·	·	·	·	1	·	1	1	1	·	1	·	5	18
Neck	·	·	·	·	1	7	8	8	13	7	3	11	5	63	·	·	·	·	·	·	2	3	1	4	2	3	4	19	82
Pancreas ...	·	·	1	·	2	3	·	1	7	4	7	4	3	32	·	·	·	1	1	1	2	2	2	6	2	1	2	20	52
Parotid ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
Pelvis	·	·	·	·	·	·	·	·	·	·	2	·	1	3	·	·	·	·	·	·	·	2	1	·	1	·	·	4	7
Prostate ...	·	·	·	·	1	·	·	2	1	2	10	9	9	34	·	·	·	·	·	·	·	·	·	·	·	·	·	·	34
Rib, Sternum	·	·	·	1	·	·	1	1	1	1	·	·	·	5	·	·	·	·	·	·	·	·	·	1	1	1	·	3	8
Shoulder ...	·	·	·	·	1	·	·	·	1	·	1	·	·	3	1	·	·	·	1	·	·	·	1	1	1	·	·	5	8
Spinal Column	·	·	·	·	·	·	1	1	·	1	·	·	·	3	·	·	·	·	·	·	1	·	·	1	·	·	·	2	5
Spleen ...	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	1	·	1	·	1	·	·	·	3	3
Testes	1	·	·	1	1	·	·	·	·	·	·	1	·	4	·	·	·	·	·	·	·	·	·	·	·	·	·	·	4
Thorax ...	·	·	·	·	·	·	·	·	·	1	·	1	·	2	·	·	·	·	·	·	·	1	1	1	·	1	·	4	6
Throat ...	·	·	·	·	·	2	7	14	12	10	9	8	2	64	·	1	·	·	·	1	3	·	2	1	2	3	1	14	78
Thyroid ...	·	·	·	·	2	·	2	3	·	·	·	·	1	8	·	·	·	·	·	·	·	1	2	1	1	1	·	6	14
Abdomen ...	·	·	·	1	·	·	1	2	2	4	3	3	5	21	1	·	·	·	·	1	1	3	2	3	·	7	4	22	43
Other and Undefined	·	·	·	1	·	1	2	5	8	4	7	4	4	36	·	1	·	·	·	2	4	5	1	4	4	4	·	25	61
TOTAL ...	7	3	3	22	29	69	109	199	219	278	288	266	165	1,657	12	4	5	15	47	75	132	179	183	221	184	201	198	1,456	3,113

* Including Carcinoma, Sarcoma, and Cancer. Malignant Disease.

Tumours.—Only tumours either definitely stated to have been non-malignant, or as to which, as the result of special enquiries regarding their nature, further information was not obtainable, are included under this heading.

There were 33 deaths from cerebral tumour (of males 22 and of females 11); 18 from tumours of the ovary; 21 from tumours of the uterus; and 48 from tumours of other or unstated sites (20 of males and 28 of females).

The latter included 10 returned as from tumour of the abdomen, 7 of intestine, 5 of bladder, 3 of liver, 3 of mediastinum, 2 of thyroid, 2 of spine, 2 of pituitary body, one of each of the following:—chest, face, gum, lung, maxilla, neck, pelvis, rectum, side, and throat, and 4 were tumours of which the site was unstated.

Rheumatism.—There were 94 deaths (50 of males and 44 of females) from rheumatic fever and 331 deaths (135 of males and 196 of females) from chronic rheumatism, osteo-arthritis and gout.

Diabetes.—To this cause 232 deaths were attributed, 119 being deaths of males and 113 of females. The total deaths are 6 above the number (226) for the year 1926, and 8 above the average for the 10 years 1917-26.

Alcoholism.—Fifteen deaths were ascribed to alcoholism, and of these 13 were those of males. Cirrhosis of the liver caused 106 deaths, 70 being those of males and 36 of females. All except 3 males and 2 females were aged 30 years and upwards.

Other General Diseases.—Among these were 23 deaths from rickets, 219 from pernicious anæmia (105 of males and 114 of females), 85 from other anæmias and chlorosis (32 of males and 53 of females), 49 (7 males and 42 females) from exophthalmic goitre, 13 from other diseases of the thyroid gland (5 of males and 8 of females), one, a female, from tetany, 6 from diseases of thymus (one male and 5 females), 24 (14 of males and 10 of females) from diseases of the adrenals, one, a male, from disease of the spleen, 31 from leukæmia, 21 from lymphadenoma (Hodgkins' disease) and 2 from chronic lead poisoning. Among 30 other deaths under this heading 21 (5 males and 16 females) were returned as occurring from purpura; 2 (both males) from hæmophilia; 2 (one male and one female) from amyloid disease, 2 (a male and a female) from diabetes insipidus, and 3 (2 males and one female) from toxæmia.

Meningitis and Encephalitis.—Deaths from meningitis (not returned as cerebro-spinal or tuberculous) amounted to 337 (deaths of males numbering 170, and of females 167) as compared with 351, 182, and 169 respectively, in 1926.

The number of deaths from encephalitis (not returned as encephalitis lethargica), was 38 as against 42 in 1926.

Cerebral Hæmorrhage.—The number of deaths returned under this heading was 1,363, comprising 560 deaths of males and 803 of females. These figures include the deaths of 44 males and 63 females from cerebral thrombosis and embolism.

The 1,363 deaths are 24 above the number recorded in 1926, and 12 above the average for the 10 years, 1917-26.

Epilepsy.—There were 158 deaths (of males 98, and of females 60) from epilepsy, as compared with 149 in the preceding year.

Convulsions.—The number of deaths ascribed to convulsions was 599 (of males 347, and of females 252); of these, 476, or 79·5 per cent. were those of infants under one year of age, constituting 11·2 per cent. of the deaths from all causes of infants under one year of age registered during the year.

Heart Disease.—To this group, 5,031 deaths (of males 2,439, and of females 2,592) were assigned, equivalent to a rate of 1·76 per 1,000 of the estimated population, and contributing 11·5 per cent. to the mortality from all causes. The number of deaths from heart disease during the year under review is 375 above that for 1926, and 275 above the average (4,756) for the ten years 1917-26.

Of the 5,031 deaths, 23 were ascribed to pericarditis, 131 to acute endocarditis and myocarditis, 98 to angina pectoris, 1,239 to valvular disease, 97 to fatty degeneration, and in 3,443 instances the particular form of heart disease was unstated, or was other than those enumerated above.

Arterio-sclerosis.—There were 230 deaths from arterio-sclerosis, of which 141 were those of males, and 89 of females. This number is 9 above the number registered in 1926, and 70 above the average for the preceding 10 years.

Bronchitis.—The deaths from this cause numbered 2,610 (of males, 1,231 and of females, 1,379), being equivalent to a rate of 0·88 per 1,000 of the population, or 6·0 per cent. of the total number of deaths from all causes. The number of deaths is 177 above the number for 1926, but 731 under the average for the ten years, 1917–26.

Pneumonia.—Deaths from pneumonia (all forms) amounted to 2,833, and afford a rate of 0·96 per 1,000 of the population ; they comprise 1,143 from broncho-pneumonia, 293 from lobar pneumonia, and 1,397 from pneumonia (not otherwise defined).

The 2,833 deaths include 1,561 deaths of males and 1,272 of females, and are 96 above the average for the ten years, 1917-26.

Pleurisy ; Empyema.—The number of deaths classed to empyema regarding which the originating cause other than pleurisy could not be ascertained, was 28 ; the males numbering 22, and the females 6 ; and the deaths registered from other pleurisy were 89, 43 being males, and 46 females.

There were also 4 other deaths returned as having been caused by empyema, but as the result of special enquiries, sufficient information was obtained to enable these to be classified to other causes, viz., to tuberculosis, heart disease, pneumonia, and to swallowing needles, respectively.

Ulcers of the Stomach and Duodenum.—To this cause 271 deaths were attributed, 190 being those of males and 81 of females. The total number is 7 above the number in 1926, and 30 above the average (241) for the ten years, 1917–26.

Appendicitis.—The deaths so classified numbered 185 (of males 119, and of females 66) being 33 above the average (152) for the ten years preceding.

Cirrhosis of the Liver.—Deaths from this cause, viz., 106 (of males 70, and of females 36) are 3 under the average for the ten years 1917-26.

Acute and Chronic Nephritis.—The number of deaths from acute nephritis was 181 (91 of males and 90 of females) and from chronic nephritis 936 (527 of males and 409 of females). The total number of deaths from the acute and chronic disease was 1,117, which number is 28 below that for 1926, but 27 above the average for the ten years 1917-26.

PREGNANCY AND CHILDBIRTH.

The mortality of women during pregnancy and childbirth is classified under three headings, namely (1) septic conditions (2) intrinsic accidents and diseases of pregnancy and childbirth, and (3) diseases or causes associated with pregnancy and childbirth. To the first group 77 deaths were attributed in the year 1927, to the second, 194, and to the third 20 ; altogether the deaths of childbearing women numbered 291. This number, which is 38 below that for the year 1926, represents a rate of 4·84 per 1,000 of the total births registered, as compared with 5·38 in the year 1926, and with 5·50 per 1,000, the average rate for the decade, 1917-26.

Table VII. shows that in the mortality from puerperal septic diseases in 1927, there was a decrease as compared with 1926, the numbers being 77 and 115, respectively, an increase in the mortality from accidents of pregnancy and childbirth, to which 194 deaths were attributed in 1927, as against 184 in 1926. The deaths of women from causes associated with pregnancy and childbirth, which were 30 in the year 1926, fell to 20 in the year under review.

[Table

Tables XIV. and XV. give the rates per 1,000 births for (1) and (2) by provinces, counties and county boroughs and groups of urban and rural areas.

TABLE VI.—Showing the number of deaths of women in 1927 definitely returned as either caused by or associated with PREGNANCY or CHILDBEARING.*

CAUSES OF DEATH.	ALL AGES.	AGES				
		15—	20—	30—	40—	45 yrs. and up
Total	291	4	106	143	33	5
Typhus	1	.	.	1	.	.
Scarlet Fever	1	.	1	.	.	.
Influenza	3	.	.	3	.	.
Anaemia	1	.	.	1	.	.
Myocarditis	4	.	1	1	2	.
Heart Disease (unspecified)	2	.	.	2	.	.
Pneumonia	7	.	3	3	1	.
Tumour of the Uterus	1	.	.	1	.	.
Abortion	9	.	1	7	.	1
Ectopic Gestation	1	.	1	.	.	.
Other accidents of pregnancy	12	1	2	7	1	1
Puerperal hæmorrhage	67	1	22	32	12	.
Other accidents of childbirth	53	.	17	30	5	1
Puerperal sepsis	77	1	34	35	5	2
Phlegmasia alba dolens; embolism	18	.	8	8	2	.
Puerperal albuminuria; convulsions	34	1	16	12	5	.

*These deaths are included in the general tables of Causes of Deaths.

TABLE VII.—Showing the number of deaths of women directly attributable to or associated with PREGNANCY or CHILDBIRTH, during each of the years, 1917-27, and also the rate per 1,000 births registered during each of those years, with the average rate for the ten years 1917-26.

YEARS.	Deaths from Puerperal Septic Diseases.*		Deaths from Accidents of Pregnancy or Childbirth.*		Total Deaths from Puerperal Septic Diseases and Accidents of Pregnancy or Childbirth.		Deaths from causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by or associated with Pregnancy or Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1917 ...	101	1·64	197	3·21	298	4·85	30	0·49	328	5·34
1918 ...	93	1·52	202	3·31	295	4·83	42	0·69	337	5·52
1919 ...	96	1·55	195	3·16	291	4·71	73	1·18	364	5·89
1920 ...	122	1·82	204	3·05	326	4·87	41	0·61	367	5·48
1921 ...	108	1·77	194	3·18	302	4·95	34	0·56	336	5·51
1922 ...	118	2·01	215	3·65	333	5·66	37	0·63	370	6·29
1923 ...	117	1·90	180	2·92	297	4·82	31	0·50	328	5·32
1924 ...	102	1·61	201	3·17	303	4·78	27	0·43	330	5·21
1925 ...	105	1·69	186	3·00	291	4·69	21	0·34	312	5·03
1926 ...	115	1·88	184	3·01	299	4·89	30	0·49	329	5·38
Average, 1917-26	107	1·74	196	3·17	303	4·91	37	0·59	340	5·50
1927 ...	77	1·28	194	3·23	271	4·51	20	0·33	291	4·84

* See note (*) at foot of Table III.

VIOLENCE.

Deaths caused by violence, as registered during the year 1927, amounted to 845, a number equivalent to 0·29 per 1,000 of the estimated population, and 44 below that recorded for 1926, and 360 below the average (1,205) for the ten years, 1917-26.

Of the 845 deaths, 96 were classed to suicide, 42 to homicide, and 3 to execution, leaving 704 to other deaths by violence, the majority of which were definitely stated to have been accidental.

The suicidal cases comprise the deaths of 80 males and 16 females: in 10 cases poisoning was the means adopted to occasion death, carbon monoxide being used in 4 instances, strychnine in 2, lysol in 2, and corrosive sublimate and insecticide respectively, in the remaining two.

Of the 42 homicidal cases, 27 were deaths of males (including 6 infants under one year of age) and 15 of females (including 10 infants under one year of age.)

The deaths by execution comprise 2 males and one female.

Among accidental deaths, 14 were caused by poisons or poisonous gases, 9 being of males and 3 of females: two were attributed to ptomaine poisoning and 2 to strychnine, and one each of the remaining 10 to an anæsthetic, an overdose of aspirin, carbolic disinfectant, carbon-monoxide, corrosive sublimate, "lynox," laudanum, "water glass," whiskey, and to the effects of "poison gas" respectively.

One hundred and thirty-nine deaths (71 of males, and 68 of females) were due to burns and scalds, 78 being those of infants under 5 years of age. Deaths from accidental drowning numbered 156 (125 of males, and 31 of females), and deaths from accidental injury by firearms 10 (all of males).

Deaths caused by vehicles amounted to 138, (104 of males and 34 of females). Eighty-five of these (59 males and 26 females), were due to motor-driven vehicles, as compared with 70 in 1926, 53 in 1925, 46 in 1924, 55 in 1923 and 44 in 1922; 34 (31 males and 3 females), were due to horse-drawn vehicles, 13 (12 males and one female) to railway traffic, 5 (2 males and 3 females) to bicycles, and one (a female) to a road roller.

Uncertified Causes.

Among the 43,677 deaths registered, 10,916 were not certified by medical practitioners, nor were inquests into their causes held. They constitute 25·0 per cent. of the total mortality in 1927, as against an average of 26·4 for the ten years, 1917-26. The number of uncertified deaths in urban areas in 1927 was 4·2 per cent. of the total number of deaths registered therein, the corresponding percentage for rural areas being 34·5.

Inquests.

According to returns furnished by the registrars the number of inquests during the year 1927 was 820, or one inquest for every 53 deaths registered.

AGES AT DEATH.

Of the 43,677 deaths at all ages, 6,396 or 14·6 per cent. were deaths of children under 5 years of age, including 3,483 deaths of males, or 16·0 per cent. of the male mortality at all ages, and 2,913 deaths of females, or 13·3 per cent. of the total number of deaths of females.

The deaths of 19,710 persons aged 65 years or upwards were registered during the year 1927, constituting 45·1 per cent. of the total number of deaths at all ages, and include 9,413 of males, or 43·2 per cent. of the total deaths of males, and 10,297 of females, or 47·1 per cent. of the deaths of females at all ages.

Among the deaths of persons at these ages 15,948, or 36·5 per cent. of the total deaths, were 70 years of age or over.

Deaths of persons aged 95 years or upwards numbered 287 (of males 131, and of females 156) and they include 53 (males 20 and females 33) whose ages at death were returned as 100 years or upwards.

The ages in detail of the persons whose deaths were registered in the year 1927 are given in the Abstracts commencing with page 8.

INFANT MORTALITY.

The number of deaths of infants under one year of age registered during the year 1927 was 4,254, equivalent to a rate of 71 per 1,000 births, as compared with 74 per 1,000 in 1926 and an average of 75 for the ten years 1917-26.

The deaths of male infants numbered 2,381, being equal to 78 per 1,000 births of males, and the deaths of female infants, 1,873, or 64 per 1,000 births of females, the corresponding rates for 1926 being 81 and 68 respectively.

For Northern Ireland the infant mortality in 1927 was 78 per 1,000 births; for England and Wales, the rate was 70; and for Scotland 89 per 1,000 births.

Diagram No. 6 shows the experience of each of these countries in infant mortality since 1908 as compared with Saorstát Éireann.

From Table IX., which gives the infant mortality rates by sexes, ages and causes, it will be seen that mortality from convulsions (7·92 per 1,000), atrophy, debility, marasmus (17·86), premature birth (7·66), pneumonia (7·60) diarrhœa and enteritis (7·18), and bronchitis (4·28) in the aggregate, is equivalent to 52·50 per 1,000 births, or 74 per cent. of the total infant mortality.

Of the deaths of infants, 37·0 per cent. were under one month old, 11·7 per cent. between one and two months; 8·3 per cent. between 2 and 3 months; 18·6 per cent. were aged 3 and under 6 months, and 24·4 in every 100 were 6 and under 12 months old.

Urban and Rural Mortality.

There were 2,045 deaths of infants recorded for urban areas, equivalent to 99 per 1,000 births, and the number of such deaths in rural areas was 2,209, or 56 per 1,000 births.

A reference to Table X. shows that the mortality in urban districts is high when compared with rural districts, especially for urban areas of 10,000 inhabitants and upwards, where the rate is 107 per 1,000 births. The areas which contribute to this result are:—Drogheda, with a rate of 126, Galway (124), Dublin Registration Area (including Dublin county borough, 123) (116), Limerick county borough (102), Cork county borough (83), Waterford county borough (83), Kilkenny (80), Wexford (79), Sligo (76), Dundalk (70), and Tralee (59).

Deaths of infants in urban districts of less than 10,000 inhabitants were equivalent to a rate of 73 per 1,000 births.

The following statement gives the infant mortality for each sex for urban and rural areas:—

Statement showing the INFANT MORTALITY per 1,000 Births, by sexes, and at different periods of life in 1927, in relation to urban and rural areas.

Ages.	Saorstát Éireann											
	Urban Areas. 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas.			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	35·97	40·91	30·97	24·31	26·98	21·43	33·35	37·70	28·87	22·42	24·79	19·93
1–2 Months ...	10·43	10·29	10·57	9·25	11·21	7·14	10·16	10·50	9·82	7·31	8·79	5·76
2–3 „ ...	8·06	9·17	6·92	8·39	10·38	6·25	8·13	9·45	6·77	4·75	5·22	4·26
3–6 „ ...	22·05	22·19	21·90	12·69	13·28	12·05	19·94	20·14	19·73	9·62	10·28	8·93
6–12 „ ...	30·03	33·34	26·68	18·28	15·36	21·43	27·40	29·21	25·53	11·98	13·51	10·38
Under one year	106·54	115·90	97·04	72·92	77·21	68·30	98·98	107·00	90·72	56·08	62·59	49·26

The rate for deaths of infants under one year of age for Belfast in 1927 was 101 per 1,000 births; for Londonderry, 90; for London, 59; for Liverpool, 91; for Edinburgh, 80; and for Glasgow, 107.

In connection with the ages at death, as disclosed by Table XI., the marked difference in the mortality in urban and in rural areas at each age period, and especially at one month old and upwards, is shown.

DEATHS OF ILLEGITIMATE INFANTS.

The number of deaths of illegitimate infants under one year of age registered during the year 1927, was 506, consisting of 284 deaths of males and 222 of females. Based on the number of illegitimate births registered, the resulting mortality rate is 288 per 1,000 births for both sexes, 318 per 1,000 for males and 256 per 1,000 births for females, as compared with 322, 344, and 301, respectively, in 1926. In other words, ten out of every 35 illegitimate infants born alive in 1927, died before the completion of their first year of life.

The illegitimate infant mortality, as derived from the records for 1927, is more than 4 times the mortality among legitimate infants, which was 64 per 1,000 births for both sexes, 71 per 1,000 for males, and 58 per 1,000 births for females.

In Northern Ireland in 1927, the illegitimate infant death-rate was 197 per 1,000 births; and in England and Wales, the illegitimate infant death-rate was 120 per 1,000 births, or about one death to every 8 illegitimate infants born alive. This rate is about twice that for legitimate infants.

Table XII. shows the number of deaths by causes and at different periods of life under one year of age. On account of the smallness of the numbers it was not considered desirable to calculate rates for each age by causes. Rates are, however, given for all causes at each age period. It would appear from this table that at every period of life, the mortality among illegitimate infants is much in excess of that for all infants, as shown in Table IX.

It will be seen from Table XIII. that 236, or 47 per cent. of the total number of deaths of illegitimate infants occurred in Dublin county and city. Of the 94 deaths in the county, 75 took place in institutions, and of the 142 city deaths, the number in institutions was 111. Thus, 50 of the 236 deaths in Dublin county and city did not occur in institutions. Of the latter, 11 were described in the registers of deaths as "nurse children," 5 of these occurring in the city, and 6 in the county.

TABLE VIII.—Showing by certain causes, the MORTALITY AMONG INFANTS UNDER 12 MONTHS old, per 1,000 Births, registered in the eleven years 1917-27.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1917.	1918.	1919.	1920.	1921.	1922.	1923.	1924.	1925.	1926.	1927.
ALL CAUSES	84·07	80·24	84·42	77·51	72·61	68·89	66·43	71·65	67·92	74·41	70·84
Measles (7)	1·09	1·37	0·32	0·63	0·48	1·44	0·50	0·75	0·63	1·59	0·47
Scarlet Fever (8)	0·03	0·05	0·03	0·09	0·05	0·10	0·03	0·08	0·03	0·03	0·08
Whooping Cough (9) ...	2·57	3·00	1·97	5·40	1·57	1·22	3·52	4·12	3·27	1·81	3·40
Diphtheria (10)	0·13	0·15	0·23	0·42	0·35	0·44	0·19	0·18	0·13	0·25	0·29
Influenza (11)	0·59	2·85	5·11	0·57	0·53	1·48	0·65	1·86	0·89	0·54	2·15
Tuberculosis of Nervous System (32).	0·59	0·54	0·41	0·40	0·35	0·37	0·37	0·21	0·48	0·31	0·22
Tuberculosis of Intestines and Peritoneum (33).	0·62	0·31	0·36	0·33	0·36	0·46	0·39	0·24	0·37	0·47	0·48
Other Tuberculous Diseases (31, 34-7).	0·99	0·87	0·83	0·64	0·75	0·82	0·46	0·61	0·50	0·70	1·00
Syphilis (38)	0·33	0·38	0·37	0·63	0·52	0·36	0·28	0·15	0·27	0·28	0·27
Meningitis (71)	0·88	1·01	1·05	0·81	0·93	0·92	0·89	0·70	0·89	1·34	1·19
Convulsions (80)	11·05	10·66	11·03	10·61	8·88	8·75	8·18	8·02	8·12	8·39	7·92
Bronchitis (99)	8·91	6·76	7·50	6·88	4·67	5·30	5·12	4·74	3·75	4·22	4·28
Pneumonia (100-101) ...	5·08	5·97	7·00	6·85	4·93	7·14	5·15	7·26	5·69	6·11	7·60
Inflammation of Stomach (112)	2·02	1·80	2·20	1·69	2·15	2·21	1·86	1·50	1·34	1·60	1·45
Diarrhoea and Enteritis (113)	9·54	8·41	8·75	7·33	12·52	6·49	7·17	7·03	8·89	11·97	7·18
Congenital Malformations (159)	1·90	1·59	1·52	2·09	1·38	1·80	1·85	2·41	2·24	2·16	2·42
Atrophy, Debility, Marasmus (160b).	25·07	22·77	22·53	19·52	20·90	18·15	18·75	20·27	19·48	19·35	17·86
Premature Birth (161) ...	6·28	6·22	7·10	7·46	6·38	6·49	5·92	6·59	6·52	8·04	7·66
Suffocation (Overlying) (180) ...	0·16	0·18	0·27	0·07	0·11	0·07	0·13	0·14	0·10	0·15	0·12
Other Causes	6·24	5·35	5·84	5·09	4·80	4·88	5·02	4·79	4·33	5·10	4.80

TABLE IX.—Showing the MORTALITY, by certain causes, by age-periods and by sexes, AMONG INFANTS UNDER 12 MONTHS OLD, per 1,000 Births registered in the year 1927.

DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.

CAUSES OF DEATH.	Under 24 Hours.	1–7 Days	7–14 Days.	14–21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.	Total under 1 year.
MALES AND FEMALES.											
ALL CAUSES	8·08	7·91	3·65	2·60	3·94	26·18	8·30	5·91	13·17	17·28	70·84
Measles (7)	·	·	·	·	·	·	0·02	0·02	0·03	0·40	0·47
Scarlet Fever (8)	·	·	·	·	·	·	·	·	0·02	0·06	0·08
Whooping Cough (9) ...	·	·	0·03	0·03	0·07	0·13	0·40	0·32	0·87	1·68	3·40
Diphtheria (10)	·	·	·	·	0·02	0·02	0·01	·	·	0·26	0·29
Influenza (11)	·	0·02	0·02	0·05	0·11	0·20	0·23	0·22	0·68	0·82	2·15
Tuberculosis of the Nervous System (32)	·	·	·	·	·	·	0·02	0·02	·	0·18	0·22
Tuberculosis of Intestines and Peritoneum (33)	·	·	·	·	·	·	·	0·07	0·16	0·25	0·48
Other Tuberculous Diseases (31, 34–7)	·	·	·	·	0·02	0·02	0·05	0·14	0·27	0·52	1·00
Syphilis (38)	·	·	·	·	0·05	0·05	0·10	0·03	0·07	0·02	0·27
Meningitis (71)	·	·	0·02	0·02	0·01	0·05	0·07	0·08	0·29	0·70	1·19
Convulsions (80)	0·33	1·22	0·65	0·48	0·62	3·30	0·91	0·62	1·43	1·66	7·92
Bronchitis (99)	·	0·05	0·15	0·10	0·23	0·53	0·52	0·53	0·97	1·73	4·28
Pneumonia (100, 101) ...	·	0·02	0·12	0·08	0·35	0·57	0·87	0·53	1·75	3·88	7·60
Inflammation of Stomach (112)	·	0·02	0·02	0·05	0·10	0·19	0·20	0·31	0·38	0·37	1·45
Diarrhoea and Enteritis (113) ...	0·02	0·06	0·10	0·22	0·32	0·72	1·16	1·00	2·46	1·84	7·18
Congenital Malformations (159)	0·52	0·48	0·37	0·12	0·21	1·70	0·32	0·15	0·17	0·08	2·42
Atrophy, Debility, Marasmus (160b)	3·12	3·08	1·41	0·83	1·13	9·57	2·88	1·48	2·48	1·45	17·86
Premature Birth (161) ...	2·98	2·63	0·46	0·46	0·46	6·99	0·25	0·17	0·17	0·08	7·66
Suffocation (overlying) (180) ...	·	·	·	0·02	0·01	0·03	0·02	0·02	0·05	·	0·12
Other Causes	1·11	0·33	0·30	0·14	0·23	2·11	0·27	0·20	0·92	1·30	4·80
MALES.											
ALL CAUSES	8·50	9·25	4·34	2·58	4·54	29·21	9·38	6·66	13·66	18·89	77·80
Measles (7)	·	·	·	·	·	·	0·03	0·03	0·07	0·49	0·62
Scarlet Fever (8)	·	·	·	·	·	·	·	·	0·03	0·06	0·09
Whooping Cough (9) ...	·	·	0·06	·	0·03	0·09	0·53	0·26	1·11	1·31	3·30
Diphtheria (10)	·	·	·	·	0·03	0·03	·	·	·	0·33	0·36
Influenza (11)	·	·	0·03	0·03	0·07	0·13	0·20	0·33	0·72	1·01	2·39
Tuberculosis of the Nervous System (32)	·	·	·	·	·	·	0·03	·	·	0·20	0·23
Tuberculosis of Intestines and Peritoneum (33) ...	·	·	·	·	·	·	·	0·13	0·26	0·33	0·72
Other Tuberculous Diseases (31, 34–7)	·	·	·	·	·	·	0·03	0·20	0·13	0·59	0·95
Syphilis (38)	·	·	·	·	0·03	0·03	0·07	0·03	·	0·03	0·16
Meningitis (71)	·	·	0·03	·	0·03	0·06	0·10	0·13	0·36	0·56	1·21
Convulsions (80)	0·33	1·40	0·69	0·53	0·75	3·70	1·14	0·65	1·47	2·06	9·02
Bronchitis (99)	·	0·06	0·16	0·16	0·33	0·71	0·62	0·62	1·09	2·02	5·06
Pneumonia (100, 101) ...	·	·	0·10	0·03	0·33	0·46	0·78	0·46	1·86	4·58	8·14
Inflammation of Stomach (112)	·	0·03	·	0·03	0·10	0·16	0·13	0·39	0·42	0·39	1·49
Diarrhœa and Enteritis (113) ...	0·03	0·10	0·10	0·23	0·42	0·88	1·40	1·27	2·35	1·83	7·73
Congenital Malformations (159)	0·39	0·62	0·49	0·13	0·20	1·83	0·43	0·20	0·09	0·06	2·61
Atrophy, Debility, Marasmus, (160b)	3·43	3·67	1·89	0·85	1·34	11·18	3·21	1·63	2·38	1·44	19·84
Premature Birth (161) ...	3·08	3·08	0·46	0·42	0·59	7·63	0·26	0·13	0·17	0·06	8·25
Suffocation (overlying) (180) ...	·	·	·	0·03	·	0·03	0·03	0·03	0·07	·	0·16
Other Causes	1·24	0·29	0·33	0·14	0·29	2·29	0·39	0·17	1·08	1·54	5·47
FEMALES.											
ALL CAUSES	7·64	6·51	2·92	2·61	3·32	23·00	7·17	5·13	12·67	15·63	63·60
Measles (7)	·	·	·	·	·	·	·	·	·	0·31	0·31
Scarlet Fever (8)	·	·	·	·	·	·	·	·	·	0·07	0·07
Whooping Cough (9) ...	·	·	·	0·07	0·10	0·17	0·27	0·38	0·61	2·07	3·50
Diphtheria (10)	·	·	·	·	·	·	0·03	·	·	0·21	0·24
Influenza (11)	·	0·03	·	0·07	0·17	0·27	0·27	0·10	0·65	0·61	1·90
Tuberculosis of the Nervous System (32)	·	·	·	·	·	·	·	0·04	·	0·17	0·21
Tuberculosis of Intestines and Peritoneum (33) ...	·	·	·	·	·	·	·	·	0·07	0·17	0·24
Other Tuberculous Diseases, (31, 34–7).	·	·	·	·	0·03	0·03	0·07	0·10	0·41	0·44	1·05
Syphilis (38)	·	·	·	·	0·07	0·07	0·14	0·03	0·13	·	0·37
Meningitis (71)	·	·	·	0·03	·	0·03	0·03	0·03	0·24	0·85	1·18
Convulsions (80)	0·34	1·02	0·61	0·44	0·47	2·88	0·68	0·58	1·39	1·26	6·79
Bronchitis (99)	·	0·03	0·14	0·03	0·14	0·34	0·41	0·44	0·85	1·43	3·47
Pneumonia (100, 101) ...	·	0·03	0·14	0·14	0·37	0·68	0·95	0·61	1·63	3·16	7·03
Inflammation of Stomach (112)	·	·	0·03	0·07	0·10	0·20	0·27	0·24	0·34	0·34	1·39
Diarrhœa and Enteritis (113) ...	·	0·04	0·10	0·20	0·20	0·54	0·92	0·71	2·58	1·83	6·58
Congenital Malformations (159)	0·64	0·34	0·24	0·10	0·24	1·56	0·20	0·10	0·24	0·10	2·20
Atrophy, Debility, Marasmus (160b)	2·78	2·48	0·92	0·81	0·92	7·91	2·55	1·33	2·58	1·46	15·83
Premature Birth (161) ...	2·89	2·17	0·47	0·51	0·31	6·35	0·24	0·20	0·17	0·10	7·06
Suffocation (overlying) (180) ...	·	·	·	·	0·03	0·03	·	·	0·04	·	0·07
Other Causes	0·99	0·37	0·27	0·14	0·17	1·94	0·14	0·24	0·74	1·05	4·11

TABLE X.—Showing for the year 1927, the INFANT MORTALITY—DEATHS OF INFANTS UNDER ONE YEAR of age per 1,000 Births registered—for each of the undermentioned areas or groups of areas. (Corrected for Births and Deaths in Institutions).

CAUSES OF DEATH.	DUBLIN REGISTRATION AREA.						COUNTY BOROUGHS.			ALL URBAN AREAS.				RURAL DISTRICTS IN PROVINCES.			
	Total.	Dublin Co. Borough.	Blackrock Urban District.	Dún Laoghaire Urban District.	Pembroke Urban District.	Rathmines and Rathgar U. D.	Cork.	Limerick.	Waterford.	10,000 population and upwards.	Under 10,000 population.	Total Urban Areas.	Total Rural Areas.	Leinster.	Munster.	Connaught.	Ulster (part of).
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
ALL CAUSES	115·90	123·23	89·28	95·48	88·59	71·53	82·65	101·71	82·68	106·54	72·92	98·98	56·08	62·30	62·12	42·49	50·88
Measles (7)	0·95	0·93	·	·	3·00	·	·	·	·	0·63	0·43	0·58	0·41	0·26	0·81	0·11	0·19
Scarlet Fever (8) ...	·	·	·	·	·	·	1·09	·	·	0·12	·	0·10	0·08	·	0·22	·	·
Whooping Cough (9) ...	8·05	9·18	·	·	6·02	2·75	·	·	·	6·06	2·58	5·28	2·41	2·88	1·91	2·78	1·98
Diphtheria (10)	1·14	1·28	·	·	·	1·38	0·55	·	1·56	0·87	·	0·68	0·10	0·09	0·22	·	·
Influenza (11)	0·95	0·81	·	5·03	1·50	·	0·55	·	·	0·94	1·51	1·06	2·72	2·53	2·95	3·32	1·39
Tuberculosis of the Nervous System (32) ...	0·38	0·35	·	·	1·50	·	2·19	·	1·56	0·56	·	0·44	0·10	·	0·15	0·21	
Tuberculosis of Intestines and Peritoneum (33) ...	0·76	0·70	·	·	1·50	1·38	0·55	·	1·56	0·87	0·43	0·77	0·33	0·35	0·22	0·42	0·40
Other Tuberculous Diseases (31, 34-7)	0·85	1·05	·	·	·	·	5·47	·	·	1·44	1·07	1·35	0·81	0·88	1·25	0·32	0·40
Syphilis (38)	0·95	1·16	·	·	·	·	·	·	·	0·63	0·21	0·53	0·13	0·17	0·15	·	0·19
Meningitis (71)	2·93	2·91	·	2·51	4·50	2·75	2·19	·	·	2·37	2·58	2·42	0·56	0·88	0·59	0·21	0·40
Convulsions (80) ...	7·57	7·90	11·91	5·03	3·00	8·25	16·42	31·37	7·80	11·05	11·40	11·13	6·24	6·12	7·39	5·89	4·16
Bronchitis (99)	7·48	8·37	·	10·05	3·00	1·37	1·09	10·46	1·56	6·43	4·73	6·05	3·35	3·06	3·32	3·10	4·55
Pneumonia (100-101) ...	20·36	22·44	5·95	12·56	10·51	12·38	8·76	6·65	1·56	15·55	4·95	13·16	4·67	4·63	5·53	2·89	5·74
Inflammation of Stomach (112)	0·66	0·81	·	·	·	·	·	13·30	6·24	2·06	2·58	2·18	1·07	1·22	1·18	0·86	0·79
Diarrhœa and Enteritis (113)	16·29	16·86	5·95	15·07	18·02	11·00	13·14	10·46	24·96	15·49	7·53	13·70	3·76	4·37	5·39	1·82	1·58
Congenital Malformations (159)	5·96	6·51	·	7·54	1·50	4·13	1·09	4·75	3·12	4·68	3·01	4·31	1·42	2·01	1·40	0·96	0·99
Atrophy, Debility, Marasmus (160b)	13·26	13·72	29·76	22·61	7·51	4·13	16·97	12·36	6·24	13·62	19·36	14·91	19·42	21·93	21·40	13·28	19·80
Premature Birth (161) ...	18·37	19·18	29·76	10·05	16·52	12·38	4·93	12·36	20·28	15·61	5·81	13·41	4·64	6·55	4·50	3·32	3·17
Suffocation (overlying) (180)	0·28	0·35	·	·	·	·	0·55	·	·	0·25	0·22	0·24	0·05	·	0·15	·	·
Other Causes	8·71	8·72	5·95	5·03	10·51	9·63	7·11	·	6·24	7·31	4·52	6·68	3·81	4·37	3·39	3·00	5·15

TABLE XI.—Showing for the undermentioned Urban and Rural areas the number of DEATHS OF INFANTS UNDER ONE YEAR of age, sub-divided into ten groups of ages, with the mortality per 1,000 Births in 1927.

(Corrected for Births and Deaths in Institutions).

AREAS.	NUMBER OF DEATHS OF INFANTS AT AGES :—										
	Under 24 Hours.	1–7 Days.	7–14 Days.	14–21 Days.	21 Days and under 1 Month	Total Under 1 Month	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.	Total Under 1 Year.
DUBLIN REGISTRATION AREA	134	92	61	49	73	409	136	87	240	352	1,224
Dublin Co. Borough ...	117	75	51	40	68	351	118	78	204	309	1,060
Blackrock Urban District	2	3	·	2	·	7	2	·	5	1	15
Dún Laoghaire ,, ,, ...	5	3	1	2	2	13	2	1	8	14	38
Pembroke ,, ,, ...	7	6	1	2	·	16	9	4	18	12	59
Rathmines and Rathgar ...	3	5	8	3	3	22	5	4	5	16	52
Cork County Borough ...	17	11	6	5	7	46	8	14	35	48	151
Limerick ,, ,, ...	11	8	6	9	1	35	10	11	29	22	107
Waterford ,, ,, ...	3	12	1	3	1	20	5	5	11	12	53
Urban Areas 10,000 population and upwards	181	144	84	70	97	576	167	129	353	481	1,706
Urban Areas under 10,000 ...	27	49	10	10	17	113	43	39	59	85	339
TOTAL URBAN AREAS ...	208	193	94	80	114	689	210	168	412	566	2,045
TOTAL RURAL DISTRICTS ...	277	282	125	76	123	883	288	187	379	472	2,209
Province of Leinster (Rural)	115	95	30	26	42	308	98	52	102	153	713
,, Munster ,, ...	79	109	47	26	44	305	110	85	162	180	842
,, Connaught ,, ...	53	44	26	10	21	154	44	32	76	91	397
,, Ulster ,, ... (Part of)	30	34	22	14	16	116	36	18	39	48	257
ALL AREAS ...	485	475	219	156	237	1,572	498	355	791	1,038	4,254
	INFANT MORTALITY PER 1,000 BIRTHS.										
DUBLIN REGISTRATION AREA	12·68	8·72	5·77	4·64	6·93	38·74	12·88	8·24	22·74	33·30	115·90
Dublin County Borough ...	13·60	8·72	5·93	4·65	7·90	40·80	13·72	9·07	23·72	35·92	123·23
Blackrock Urban District											89·28
Dún Laoghaire ,, ,,											95·48
Pembroke ,, ,,	8·68	8·68	5·11	4·59	2·55	29·61	9·19	4·59	18·38	21·95	88·59
Rathmines and Rathgar Urban District											71·53
Cork County Borough ...	9·30	6·02	3·28	2·74	3·83	25·17	4·38	7·66	19·16	26·28	82·65
Limerick ,, ,, ...	10·46	7·61	5·70	8·55	0·95	33·27	9·51	10·45	27·57	20·91	101·71
Waterford,, ,, ...	4·68	18·72	1·56	4·68	1·56	31·20	7·80	7·80	17·16	18·72	82·68
Urban Areas 10,000 population and upwards	11·30	8·99	5·25	4·37	6·06	35·97	10·43	8·06	22·05	30·03	106·54
Urban Areas under 10,000 ...	5·81	10·54	2·15	2·15	3·66	24·31	9·25	8·39	12·69	18·28	72·92
TOTAL URBAN AREAS ...	10·07	9·34	4·55	3·87	5·52	33·35	10·16	8·13	19·94	27·40	98·98
TOTAL RURAL DISTRICTS ...	7·03	7·16	3·18	1·93	3·12	22·42	7·31	4·75	9·62	11·98	56·08
Province of Leinster (Rural)	10·05	8·30	2·62	2·27	3·67	26·91	8·56	4·54	8·92	13·37	62·30
,, Munster ,, ...	5·83	8·04	3·46	1·92	3·25	22·50	8·12	6·27	11·95	13·28	62·12
,, Connaught ,, ...	5·67	4·71	2·78	1·07	2·25	16·48	4·71	3·42	8·14	9·74	42·49
,, Ulster ,, ... (Part of)	5·94	6·73	4·35	2·77	3·17	22·96	7·13	3·56	7·72	9·51	50·88
ALL AREAS ...	8·08	7·91	3·65	2·60	3·94	26·18	8·30	5·91	13·17	17·28	70·84

TABLE XII.—Showing the MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in the year 1927.

CAUSES OF DEATH.	Number of Deaths of Illegitimate Infants at Ages										
	Under 24 Hours.	1–7 Days.	7–14 Days.	14–21 Days.	21 Days and under 1 Month	Total under 1 Month	1–2 Mths.	2–3 Mths.	3–6 Mths.	6–12 Mths.	Total under 1 Year.
Measles (7)	.	.	.	.	.	.	1	.	.	1	2
Scarlet Fever (8)	.	.	.	.	.	.	.	.	.	.	.
Whooping Cough (9) ...	.	.	.	.	.	.	1	.	5	6	12
Diphtheria (10)	.	.	.	.	.	.	.	.	.	3	3
Influenza (11)	.	.	.	1	.	1	1	1	1	4	8
Tuberculosis of the Nervous System (32)	.	.	.	.	.	.	.	.	.	1	1
Tuberculosis of Intestines and Peritoneum (33) ...	.	.	.	.	.	.	.	2	5	3	10
Other Tuberculous Diseases (31, 34–7)	.	.	.	.	.	.	1	5	9	10	25
Syphilis (38)	.	.	.	.	2	2	5	1	4	.	12
Meningitis (71)	.	.	.	.	.	.	.	1	1	10	12
Convulsions (80)	.	1	.	1	4	6	6	3	4	4	23
Bronchitis (99)	.	.	.	.	1	1	6	2	3	4	16
Pneumonia (100–101) ...	.	.	1	.	2	3	5	3	6	15	32
Inflammation of Stomach (112)	.	.	.	1	1	2	3	2	4	1	12
Diarrhœa and Enteritis (113)	.	.	.	5	7	12	21	15	28	8	84
Congenital Malformations (159)	3	2	1	.	1	7	2	2	.	.	11
Atrophy, Debility, Marasmus, (160b)	16	11	8	5	8	48	29	20	25	6	128
Premature Birth (161) ...	12	17	1	3	2	35	1	2	.	2	40
Suffocation (overlying) (180) ...	.	.	.	.	.	.	1	.	1	.	2
Other Causes	40	7	3	2	2	54	1	2	8	8	73
All Causes	71	38	14	18	30	171	84	61	104	86	506
Rate per 1,000 Illegitimate Births registered.											
All Causes ...	40·39	21·62	7·96	10·24	17·06	97·27	47·78	34·70	59·16	48·92	287·83

TABLE XIII.—Showing by age-periods, the number of DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR of age registered in each county and county borough during the year 1927, distinguishing deaths in Institutions (public and private).

Counties and County Boroughs by Provinces.	Under 24 Hours	1–7 Days.	7–14 Days.	14–21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1–2 mths.	2–3 mths.	3–6 mths.	6–12 mths.	Total under 1 year	Place of Occurrence.	
												Institutions.	Elsewhere.
SAORSTÁT ÉIREANN	71	38	14	18	30	171	84	61	104	86	506	357	149
Carlow	1	2	.	.	1	4	.	.	4	.	8	4	4
Dublin	5	3	1	2	6	17	15	13	21	28	94	75	19
Dublin Co. Borough ...	17	8	3	4	13	45	31	16	32	18	142	111	31
Kildare	1	1	.	.	.	2	1	.	.	3	6	2	4
Kilkenny	4	1	.	.	.	5	.	.	.	1	6	1	5
Laoighis	1	.	.	.	.	1	.	.	.	.	1	.	1
Longford	3	.	.	.	.	3	.	.	.	.	3	.	3
Louth	.	1	.	.	.	1	1	.	2	2	6	4	2
Meath	4	3	.	.	.	7	.	1	.	.	8	4	4
Offaly	2	.	.	.	.	2	.	.	.	1	3	2	1
Westmeath	1	.	.	.	.	1	.	.	2	1	4	2	2
Wexford	2	1	1	1	.	5	1	2	2	4	14	6	8
Wicklow	1	.	1	.	.	2	2	.	.	.	4	3	1
PROVINCE OF LEINSTER ...	42	20	6	7	20	95	51	32	63	58	299	214	85
Clare	.	.	1	.	.	1	2	4	9	6	22	20	2
Cork	5	2	1	3	2	13	8	8	14	9	52	39	13
Cork Co. Borough ...	.	.	.	.	.	.	.	.	.	.	.	.	.
Kerry	.	2	3	1	3	9	4	2	3	1	19	15	4
Limerick	2	1	.	.	1	4	5	5	3	3	20	15	5
Limerick Co. Borough	.	.	.	.	.	.	.	.	.	.	.	.	.
Tipperary, North Riding	3	1	.	.	.	4	1	.	.	.	5	1	4
Tipperary, South Riding	1	1	1	1	.	4	2	2	3	.	11	5	6
Waterford	1	1	.	.	.	2	2	.	.	1	5	4	1
Waterford Co. Borough	.	1	.	.	.	1	1	.	.	.	2	2	.
PROVINCE OF MUNSTER	12	9	6	5	6	38	25	21	32	20	136	101	35
Galway	4	3	.	.	.	7	1	2	4	3	17	13	4
Leitrim	1	.	1	2	.	4	.	1	.	.	5	4	1
Mayo	.	.	.	.	.	.	1	.	.	.	1	1	.
Roscommon ...	3	2	.	.	1	6	.	1	.	.	7	3	4
Sligo	3	1	.	2	1	7	2	.	.	1	10	5	5
PROVINCE OF CONNAUGHT	11	6	1	4	2	24	4	4	4	4	40	26	14
Cavan	.	.	.	.	.	.	4	1	.	.	5	2	3
Donegal	6	1	1	1	1	10	.	2	4	2	18	10	8
Monaghan	.	2	.	1	1	4	.	1	1	2	8	4	4
PROVINCE OF ULSTER ... (Part of).	6	3	1	2	2	14	4	4	5	4	31	16	15

TABLE XIV.—Showing by Provinces, Counties, and County Boroughs, the Rates for 1927 per 1,000 of the population represented by MARRIAGES, BIRTHS, DEATHS from ALL CAUSES; Deaths from the PRINCIPAL EPIDEMIC DISEASES, and from TUBERCULOSIS; also the Mortality arising out of the PUERPERAL STATE, and INFANT MORTALITY, per 1,000 Births. (Corrected for Births and Deaths in Institutions).

COUNTIES AND COUNTY BOROUGHS BY PROVINCES.	Population, Census 1926	Number of Marriages per 1,000 of Population.	BIRTHS. Total (including Illegitimate) per 1,000 of Population.	BIRTHS. Illegitimate per cent. of Total Births.	Rate per 1,000 of Population Represented by Deaths from All Causes.	Rate per 1,000 of Population Represented by Deaths from Principal Epidemic Diseases*	Rate per 1,000 of Population Represented by Deaths from Tuberculosis.	RATE PER 1,000 BIRTHS Deaths From Puerperal Sepsis	RATE PER 1,000 BIRTHS Deaths from other Accidents and Diseases of Pregnancy and Parturition.	RATE PER 1,000 BIRTHS Deaths of Infants under One Year of age.
SAORSTÁT ÉIREANN† ...	2,971,992	4·54	20·31	2·93	14·77	0·52	1·45	1·28	3·23	71
Carlow	34,476	4·79	21·81	5·19	15·46	0·20	1·60	·	3·99	48
Dublin†	188,961	5·43	18·90	2·65	13·81	0·72	1·52	0·28	3·62	86
Dublin Co. Borough† ...	316,693	7·58	27·08	3·00	17·57	1·59	2·20	1·05	1·63	123
Kildare	58,028	3·91	20·44	5·48	13·94	0·16	1·45	·	2·53	61
Kilkenny	70,990	3·75	20·55	4·18	15·59	0·27	1·51	0·69	2·74	68
Laoighis	51,540	3·41	17·83	3·70	15·41	0·27	1·49	3·26	6·52	58
Longford	39,847	3·21	18·67	2·15	15·68	0·25	0·93	1·34	2·69	50
Louth	62,739	3·54	18·70	3·24	15·24	0·84	1·64	0·85	5·95	84
Meath	62,969	3·13	19·68	3·79	16·31	0·14	1·45	0·81	2·42	74
Offaly	52,592	4·18	19·39	2·65	12·85	0·32	1·35	·	·	51
Westmeath	56,818	3·43	19·75	2·41	12·83	0·33	1·14	·	3·57	46
Wexford	95,848	4·45	19·60	5·48	17·77	0·44	1·85	0·53	3·72	77
Wicklow	57,591	4·05	20·06	4·42	15·61	0·31	1·39	·	1·73	48
PROVINCE OF LEINSTER ...	1,149,092	5·13	21·61	3·47	15·72	0·75	1·68	0·72	2·74	87
Clare	95,064	3·11	19·36	2·55	14·24	0·35	1·37	2·17	4·89	58
Cork	287,257	3·64	17·16	2·68	14·14	0·42	1·39	0·61	4·66	61
Cork Co. Borough ...	78,490	8·13	23·28	2·24	14·97	0·61	2·24	2·74	3·28	83
Kerry	149,171	3·76	20·86	2·22	13·70	0·51	1·31	0·64	3·53	57
Limerick	100,895	3·27	21·07	3·57	14·26	0·45	1·25	3·29	1·88	70
Limerick Co. Borough ...	39,448	9·91	26·67	1·33	15·54	0·63	1·50	0·95	3·80	102
Tipperary, North Riding ...	59,645	4·71	20·47	2·46	14·44	0·29	1·17	·	3·28	66
Tipperary, South Riding ...	81,370	3·54	20·30	4·30	15·40	0·39	1·54	2·42	1·82	77
Waterford	51,915	4·12	19·03	4·25	15·24	0·54	1·27	2·02	2·02	74
Waterford Co. Borough ...	26,647	5·48	24·06	2·81	15·80	0·79	2·03	3·12	1·56	83
PROVINCE OF MUNSTER ...	969,902	4·32	19·99	2·79	14·45	0·46	1·44	1·55	3·46	68
Galway	169,366	3·93	20·39	1·68	12·84	0·41	1·27	0·87	3·76	47
Leitrim	55,907	4·19	17·99	1·19	14·22	0·23	1·25	3·97	2·98	43
Mayo	172,690	3·53	17·66	1·15	12·83	0·26	1·14	0·98	3·93	43
Roscommon	83,556	3·59	18·14	1·19	13·70	0·22	0·83	3·30	2·64	50
Sligo	71,388	4·64	18·24	1·77	14·93	0·17	1·37	0·77	3·84	48
PROVINCE OF CONNAUGHT ...	552,907	3·87	18·68	1·41	13·38	0·29	1·17	1·55	3·58	46
Cavan	82,452	4·16	18·18	2·40	13·78	0·11	0·86	1·33	7·34	45
Donegal	152,508	3·90	18·28	4·84	13·84	0·28	1·21	2·87	2·87	58
Monaghan	65,131	3·95	18·65	3·29	14·72	0·32	0·97	2·47	2·47	51
PROVINCE OF ULSTER (part of)	300,091	3·98	18·33	3·83	14·01	0·24	1·06	2·36	4·08	53

* Enteric Fever, Typhus, Small-pox, Measles, Scarlet Fever, Whooping-Cough, Diphtheria, Dysentery, and Diarrhœal Diseases.
† The rates for Saorstát Éireann, Dublin County and Dublin County Borough, are calculated on the estimated population in the middle of 1927.

TABLE XV.—Showing BIRTH, DEATH, and INFANT MORTALITY RATES for Urban and Rural areas, 1927.

(Corrected for Births and Deaths in Institutions).

URBAN AND RURAL AREAS.	Population, Census 1926	Rate per 1,000 of Population* Represented by Total Births (including Illegitimate).	RATE PER 1,000 OF POPULATION* REPRESENTED BY DEATHS FROM			RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.†	Tuberculosis.	Deaths from Puerperal Sepsis.	Deaths from other Accidents and Diseases of Pregnancy and Parturition.	Deaths of Infants Under one year of Age.
TOTAL, SAORSTÁT EIREANN	2,971,992	20·31	14·77	0·52	1·45	1·28	3·23	71
TOTAL URBAN DISTRICTS ...	861,611	23·93	15·88	0·98	1·96	1·16	2·81	99
TOTAL RURAL DISTRICTS ...	2,110,381	18·82	14·31	0·33	1·25	1·35	3·45	56
URBAN DISTRICTS:								
DUBLIN REGISTRATION AREA	418,981	25·09	16·72	1·36	2·02	0·85	1·70	116
Dublin Co. Borough ...	316,693	27·08	17·57	1·59	2·20	1·05	1·63	123
Blackrock Urban District	9,934	16·80	15·80	0·70	1·90	·	·	89
Dun Laoghaire Urban District	18,987	20·84	15·55	0·31	1·36	·	2·51	95
Pembroke Urban District	33,383	19·82	13·21	0·95	1·46	·	·	89
Rathmines and Rathgar Urban District ...	39,984	18·00	13·76	0·57	1·38	·	4·13	72
URBAN AREAS, 10,000 Population and upwards ...	648,400	24·63	16·20	1·11	2·01	1·12	2·62	107
URBAN AREAS, under 10,000 Population	213,211	21·80	14·91	0·58	1·78	1·29	3·44	73
RURAL DISTRICTS IN PROVINCES:								
LEINSTER	602,440	19·00	15·01	0·37	1·39	0·61	3·15	62
MUNSTER	720,880	18·80	14·16	0·39	1·27	1·40	3·54	62
CONNAUGHT	509,371	18·34	13·33	0·25	1·12	1·71	3·42	42
ULSTER (PART OF) ...	277,690	18·19	14·12	0·23	1·04	2·18	3·96	51

* The rates for all areas except the provincial rates for rural districts are calculated on the estimated population in the middle of 1927. † See Note (*) on page xxxii.

METEOROLOGY.

The following observations taken at 40 Fitzwilliam Square, Dublin, have been kindly furnished by Sir John W. Moore, M.A., M.D., D.P.H., Dublin; D.Sc., Oxon., F.R.C.P.I., F.R.Met.Soc.

1927. Month.	Abs. Max.	Date.	Abs. Min.	Date.	Mean Daily Max.	Mean Daily Min.	Mean Temp.	Rainfall in inches.	Days of Rain.	Mean Height of Barometer	Highest Pressure.	Date.	Lowest. Pressure.	Date.	Prevalent Winds.
	deg.		deg.		deg.	deg.	deg.			ins.	ins.		ins.		
January ...	54·3	9th	26·9	20th	46·2	37·8	42·0	2·117	18	29·694	30·501	10th	28·980	13th	W., W.S.W. S.W.
February	53·2	3rd	26·0	13th	48·0	37·4	42·7	2·485	14	29·955	30·603	6th	28·812	26th	W.
March ...	60·9	19th	33·9	12th	51·1	41·2	46·2	3·078	23	29·628	30·294	12th	28·520	25th	W., W.N.W.
April ...	66·2	20th	33·7	27th	54·4	41·2	47·5	1·233	16	29·953	30·427	12th	29·393	25th	W.S.W., W.
May ...	67·3	24th	34·2	1st	58·9	46·2	52·6	0·764	10	30·059	30·465	11th	29·593	3rd	W., E.
June ...	66·1	18th	42·2	9th	60·7	47·8	54·3	2·493	21	29·892	30·193	22nd	29·502	17th	W., W.S.W.
July ...	72·2	9th	49·6	1st	66·0	54·7	60·4	2·830	18	29·854	30·322	15th	29·367	4th	N.E., S.
August ...	71·0	5th	47·9	30th	65·3	54·0	59·7	6·790	23	29·794	30·302	30th	29·148	21st	W. W.S.W., S.W.
September	70·2	8th	40·2	27th	60·0	48·6	54·3	2·855	22	29·776	30·238	2nd	29·103	24th	W., S.W.
October ...	65·5	25th	36·7	20th	58·0	46·0	52·0	2·789	17	29·970	30·467	12th	28·803	28th	W.
November	64·2	2nd	29·8	9th	49·7	39·7	44·7	2·419	17	29·936	30·541	29th	29·168	6th	W., S.W.
December	52·0	5th	28·9	8th	43·9	37·8	40·9	2·520	15	29·853	30·662	20th	28·493	22nd	S.E., N.E., E.S.E.,
Extremes, & Means	72·2	July 9th	26·0	Feb. 13th	55·2	44·4	49·8	32·373	214 days.	29·864	30·662	Dec. 20th	28·493	Dec. 22nd	W., W.S.W., S.W.

The outstanding features of the weather in Dublin during the year 1927, month by month, were as follows:—

"January was a mild month of generally unsettled weather, frequent rainfall, and prevalent winds from westerly points. An exceptionally warm spell lasted from the 18th to the 22nd. February was a month of average temperature, sharply divided into two periods of widely different types of weather. Quiet anti-cyclonic conditions, with little rainfall, low night screen temperatures often rising many degrees in the daytime, and much fog prevailed until the 19th, after which day rain fell daily. March was mild, the weather generally unsettled, with frequent rainfall and a prevalence of westerly winds.

"April proved of varying moods. In the earlier half the weather was showery. The Eastertide was notable for a welcome and pleasant foretaste of summer. But a return of a polar air current after the 20th, caused the mean temperature of the closing week in Dublin to fall 10·7 degrees below that of the previous Easter week. After an unpromising opening, May proved to be the finest and driest month of the year. An unlovely June was cool, cloudy, dull, and—save for the period from the 10th to the 15th, inclusive—rainy.

"July may best be described as a cloudy, showery month, of average mean temperature. August, 1927, will go down as one of the wettest summer months experienced in Dublin since the record August of 1917. Opening with a fair promise, September proved unsettled, dull, cold and rainy; rain fell daily.

"October presented two absolutely different types of weather. The earlier period—to the 15th—was almost rainless, with cool nights and mild, sunny days; a marked change then took place, and the weather became more and more unsettled. Gales swept across Ireland and Scotland to Norway, causing much damage on land and sea, and entailing much loss of life. November supplied some surprising freaks of weather. It began with a spell of unusual warmth, till the 4th, after which a polar air spread over Great Britain and Ireland. The month finally provided the calms and fogs for which November has a reputation. The outstanding characteristic of December was a very unusual prevalence of easterly winds.

"The rainfall for the year was 32·373 inches, or 5·003 inches above the average annual measurement of the thirty-five years 1881–1915, viz., 27·370 inches. There were 214 rain-days (days on which not less than ·005 inch of rain was measured), or 16 more than the average number in the thirty-five years 1881–1915 (198). A millimetre of rain—roughly ·04 inch—fell on 148 days. Only on three occasions did more than an inch of rain fall on a given day in Dublin—viz., July 20th, 1·050 ins.; August 15th, 1·268 ins.; and October 21st, 1·217 inches. The rainfall in the first six months of 1927 was 12·170 inches on 102 days; in the second six months it was 20·203 inches on 112 days."

Particulars, kindly furnished by the Director, Meteorological Office, London, regarding meteorological observations taken at the Ordnance Survey Office, Phœnix Park, and at Roche's Point, Co. Cork, are published in the Quarterly Returns of Marriages, Births and Deaths.

E. P. McCARRON,

Registrar-General.

5th November, 1928.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1927, in each Province, County, and County Borough, with the results arising from correction for Births and Deaths in Institutions.

PROVINCES, ADMINISTRATIVE COUNTIES AND COUNTY BOROUGHS.	Area* in Statute Acres	Population. Census, 1926	Total Number of Marriages Registered.	Births (Including Illegitimate).				Illegitimate Births.				Deaths.				Excess of Births over Deaths.
				Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
SAORSTAT ÉIREANN ...	17,024,481	2,971,992	13,418	60,054	·	·	60,054	1,758	·	·	1,758	43,677	·	·	43,677	16,377
PROVINCES.																
No. I. **LEINSTER** ...	4,851,136	1,149,092	5,893	25,066	307	78	24,837	926	72	7	861	18,307	284	41	18,064	6,773
II. **MUNSTER** ...	5,962,803	969,902	4,190	19,310	64	141	19,387	513	5	32	540	13,946	40	106	14,012	5,375
III. **CONNAUGHT** ...	4,230,822	552,907	2,140	10,212	26	142	10,328	122	2	26	146	7,271	7	132	7,396	2,932
IV. **ULSTER** (part of) ...	1,979,720	300,091	1,195	5,466	14	50	5,502	197	1	15	211	4,153	6	58	4,205	1,297
I.—PROVINCE OF LEINSTER :—MARRIAGES, BIRTHS, AND DEATHS, 1927.—COUNTIES.																
1. CARLOW ...	221,485	34,476	165	786	4	20	752	34	·	5	39	530	19	22	533	219
2. DUBLIN	219,344	188,961	1,030	2,794	138	931	3,587	19	2	78	95	2,624	554	550	2,620	967
3. DUBLIN CO. BORO'	8,357	316,693	2,407	10,028	1,525	99	8,602	490	236	4	258	6,183	968	368	5,583	3,019
4. KILDARE ...	418,644	58,028	227	1,095	14	105	1,186	48	3	20	65	763	15	61	809	377
5. KILKENNY ...	509,470	70,990	266	1,427	11	43	1,459	51	1	11	61	1,080	12	39	1,107	352
6. LAOIGHIS ...	424,892	51,540	176	887	6	38	919	28	2	8	34	774	8	28	794	125
7. LONGFORD ...	257,935	39,847	128	724	5	25	744	11	·	5	16	600	2	27	625	119
8. LOUTH	202,814	62,739	222	1,152	19	40	1,173	28	1	11	38	905	3	54	956	217
9. MEATH	577,816	62,969	197	1,181	17	75	1,239	43	3	7	47	964	13	76	1,027	212
10. OFFALY ...	493,637	52,592	220	1,003	11	28	1,020	19	·	8	27	645	2	33	676	344
11. WESTMEATH ...	435,604	56,818	195	1,087	9	44	1,122	23	1	5	27	756	48	24	732	390
12. WEXFORD ...	580,894	95,848	427	1,873	30	36	1,879	94	2	11	103	1,676	6	33	1,703	176
13. WICKLOW ...	500,244	57,591	233	1,079	14	90	1,155	38	1	14	51	807	12	104	899	256
II.—PROVINCE OF MUNSTER :—MARRIAGES, BIRTHS AND DEATHS, 1927.—COUNTIES.																
14. CLARE	787,768	95,064	296	1,776	8	72	1,840	42	2	7	47	1,319	4	39	1,354	486
15. CORK	1,840,905	287,257	1,045	4,821	82	190	4,929	159	33	6	132	4,270	344	136	4,062	867
16. CORK CO. BORO'	2,685	78,490	638	1,952	185	60	1,827	10	·	31	41	996	144	323	1,175	652
17. KERRY	1,161,708	149,171	561	3,083	16	44	3,111	64	1	6	69	2,005	1	39	2,043	1,068
18. LIMERICK ...	661,573	100,895	330	2,031	37	132	2,126	83	15	8	76	1,546	187	80	1,439	687
19. LIMERICK CO. BOROUGH.	2,386	39,448	391	1,185	160	27	1,052	3	1	12	14	509	82	186	613	439
20. TIPPERARY, N.R.	493,255	59,645	281	1,191	13	43	1,221	26	1	5	30	812	7	56	861	360
21. TIPPERARY, S.R.	558,034	81,370	288	1,647	32	37	1,652	67	1	5	71	1,271	42	24	1,253	399
22. WATERFORD ...	453,051	51,915	214	960	19	47	988	36	5	11	42	719	14	86	791	197
23. WATERFORD CO. BOROUGH.	1,438	26,647	146	664	40	17	641	23	10	5	18	499	87	9	421	220
III.—PROVINCE OF CONNAUGHT :—MARRIAGES, BIRTHS AND DEATHS, 1927.—COUNTIES.																
24. GALWAY ...	1,467,639	169,366	666	3,445	35	44	3,454	53	3	8	58	2,179	33	28	2,174	1,280
25. LEITRIM ...	376,774	55,907	234	991	7	22	1,006	10	·	2	12	752	1	44	795	211
26. MAYO	1,333,941	172,690	609	3,005	8	53	3,050	25	·	10	35	2,173	2	45	2,216	834
27. ROSCOMMON ...	608,540	83,556	300	1,484	11	43	1,516	11	·	7	18	1,097	6	54	1,145	371
28. SLIGO	443,928	71,388	331	1,287	9	24	1,302	23	·	·	23	1,070	17	13	1,066	236
IV.—PROVINCE OF ULSTER (Part of)—**MARRIAGES, BIRTHS AND DEATHS, 1927.—COUNTIES.**																
29. CAVAN	467,162	82,452	343	1,472	4	31	1,499	28	1	9	36	1,091	·	45	1,136	363
30. DONEGAL ...	1,193,573	152,508	595	2,789	7	6	2,788	133	·	2	135	2,102	5	13	2,110	678
31. MONAGHAN ...	318,985	65,131	257	1,205	6	16	1,215	36	2	6	40	960	17	16	959	256

* Exclusive of the larger rivers, lakes and tideways.

I.—PROVINCE OF LEINSTER.—MARRIAGES, BIRTHS AND DEATHS, 1927.

Superintendent Registrars' Districts, by Counties.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, **less than the deaths** to the extent stated.]

No.	Superintendent Registrars' Districts.	Area* in Statute Acres	Population. Census, 1926.	Total Number of Marriages Registered.	Births (Including Illegitimate).				Illegitimate Births.				Deaths.				Excess of Births over Deaths
					Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
	1. Carlow Co.																
1.	CARLOW ...	221,485	34,476	165	736	4	20	752	34	·	5	39	530	19	22	533	219
	2. Dublin Co.																
2.	BALROTHERY ...	84,405	19,336	81	305	2	57	360	1	·	7	8	288	53	67	302	58
3.	DUBLIN, part of ...	107,990	119,491	653	1,749	142	679	2,286	13	1	48	60	1,699	490	393	1,602	684
4.	RATHDOWN ...	26,949	50,134	296	740	18	219	941	5	1	23	27	637	71	150	716	225
	3. Dublin Co. Borough.																
5.	DUBLIN, part of ...	8,357	316,693	2,407	10,028	1,525	99	8,602	490	236	4	258	6,183	968	368	5,583	3,019
	4. Kildare Co.																
6.	ATHY	130,460	16,690	77	342	20	19	341	30	12	3	21	276	41	22	257	84
7.	CELBRIDGE ...	53,703	8,116	28	106	1	36	141	1	·	7	8	77	·	31	108	33
8.	NAAS	234,481	33,222	122	647	6	63	704	17	·	19	36	410	32	66	444	260
	5. Kilkenny Co.																
9.	CALLAN	62,169	7,370	22	149	1	4	152	4	·	2	6	83	·	31	114	38
10.	CASTLECOMER ...	57,867	8,745	31	180	2	14	192	3	·	8	11	121	·	5	126	66
11.	KILKENNY ...	133,462	23,569	111	505	24	26	507	10	1	10	19	394	61	22	355	152
12.	THOMASTOWN ...	225,444	27,909	86	525	20	28	533	33	17	5	21	429	41	60	448	85
13.	URLINGFORD ...	30,528	3,397	16	68	·	7	75	1	·	3	4	53	·	11	64	11
	6. Laoighis																
14.	ABBEYLEIX ...	200,641	22,199	64	345	9	19	355	2	·	6	8	346	25	39	360	—5
15.	MOUNTMELLICK	224,251	29,341	112	542	13	35	564	26	7	7	26	428	38	44	434	130
	7. Longford Co.																
16.	BALLYMAHON ...	69,834	7,796	17	134	·	9	143	3	·	2	5	104	·	19	123	20
17.	GRANARD ...	84,678	13,335	41	237	1	8	244	2	·	3	5	184	1	22	205	39
18.	LONGFORD ...	103,423	18,716	70	353	11	15	357	6	3	3	6	312	28	13	297	60
	8. Louth Co.																
19.	ARDEE	67,239	11,030	37	192	6	16	202	5	1	9	13	157	1	27	183	19
20.	DROGHEDA ...	41,979	18,278	93	337	15	19	341	11	3	4	12	269	13	22	278	63
21.	DUNDALK ...	93,596	33,431	92	623	7	14	630	12	1	2	13	479	6	22	495	135
	9. Meath Co.																
22.	DUNSHAUGHLIN	106,757	7,776	28	111	1	24	134	2	·	1	3	74	·	28	102	32
23.	KELLS	103,420	13,108	37	265	·	20	285	2	·	7	9	180	1	50	229	56
24.	NAVAN	182,153	22,708	79	414	9	45	450	6	·	11	17	383	58	45	370	80
25.	OLDCASTLE ...	44,099	4,876	14	85	1	5	89	3	·	1	4	60	·	15	75	14
26.	TRIM	141,387	14,501	39	306	42	17	281	30	19	3	14	267	44	28	251	30
	10. Offaly.																
27.	BIRR	248,866	24,401	86	409	5	21	425	2	·	8	10	259	5	35	289	136
28.	EDENDERRY ...	81,156	6,728	28	110	1	11	120	3	·	6	9	88	1	20	107	13
29.	TULLAMORE ...	163,615	21,463	106	484	20	11	475	14	7	1	8	298	31	13	280	195
	11. Westmeath Co.																
30.	ATHLONE ...	98,984	19,004	81	354	7	27	374	1	·	7	8	234	3	12	243	131
31.	DELVIN	110,986	10,342	31	172	1	16	187	1	·	5	6	111	·	19	130	57
32.	MULLINGAR ...	225,634	27,472	83	561	27	27	561	21	12	4	13	411	63	11	359	202
	12. Wexford Co.																
33.	ENNISCORTHY ...	193,384	29,878	148	599	36	24	587	57	25	7	39	581	90	28	519	68
34.	GOREY	130,103	14,358	57	250	9	16	257	7	·	8	15	221	·	28	249	8
35.	NEW ROSS ...	124,397	20,141	86	351	14	13	350	16	1	4	19	336	5	46	377	—27
36.	WEXFORD ...	133,010	31,471	136	673	18	30	685	14	·	16	30	538	30	50	558	127
	13. Wicklow Co.																
37.	BALTINGLASS ...	154,966	10,393	34	177	1	15	191	6	·	4	10	158	·	29	187	4
38.	RATHDRUM ...	262,200	39,394	184	755	20	66	801	29	6	6	29	576	34	80	622	179
39.	SHILLELAGH ...	83,078	7,804	15	147	1	17	163	3	·	9	12	73	1	18	90	73

* See note (*) on page 1.

II.—PROVINCE OF MUNSTER.—MARRIAGES, BIRTHS AND DEATHS, 1927.

Superintendent Registrars' Districts, by Counties.

Superintendent Registrars' Districts.	Area* in Statute Acres	Population. Census, 1926.	Total Number of Marriages Registered.	Births (Including Illegitimate).				Illegitimate Births.				Deaths.				Excess of Births over Deaths
				Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
14. Clare Co.																
No. 40. BALLYVAGHAN ...	71,629	3,495	10	47	·	3	50	·	·	2	2	35	·	10	45	5
41. COROFIN ...	61,381	4,109	14	78	·	7	85	·	·	3	3	44	·	11	55	30
42. ENNIS	113,324	18,732	85	376	8	14	382	2	·	8	10	389	100	14	303	79
43. ENNISTYMON ...	99,600	15,137	47	222	4	11	229	2	2	5	5	165	7	28	186	43
44. KILLADYSERT ...	62,615	7,415	16	126	·	5	131	1	·	3	4	98	·	22	120	11
45. KILRUSH ...	137,507	22,642	72	557	28	5	534	33	25	2	10	314	22	23	315	219
46. SCARRIFF ...	241,712	23,534	52	370	·	59	429	4	·	9	13	274	·	56	330	99
15. Cork Co.																
47. BANDON ...	101,482	15,233	90	275	20	11	266	1	·	4	5	191	1	37	227	39
48. BANTRY	107,277	11,322	45	183	·	5	188	2	·	·	2	171	·	28	199	—11
49. CASTLETOWN ...	74,296	9,362	18	154	1	2	155	1	·	1	2	85	1	13	97	58
50. CLONAKILTY ...	80,994	15,695	59	271	6	11	276	9	4	1	6	276	39	24	261	15
51. CORK, part of ...	167,841	56,090	187	867	84	89	872	74	53	1	22	1,172	548	52	676	196
52. DUNMANWAY ...	103,920	11,377	31	199	1	7	205	2	·	1	3	130	·	23	153	52
53. FERMOY ...	196,733	26,785	108	441	36	13	418	27	14	·	13	373	24	40	389	29
54. KANTURK ...	185,659	21,421	119	428	2	23	449	1	·	6	7	264	1	41	304	145
55. KINSALE ...	80,129	12,659	38	146	2	16	160	·	·	1	1	150	2	35	183	—23
56. MACROOM ...	179,153	19,080	56	293	2	30	321	3	·	9	12	217	·	55	272	49
57. MALLOW ...	169,102	24,468	65	470	11	50	509	22	2	15	35	350	44	57	363	146
58. MIDDLETON ...	109,380	17,883	52	307	5	13	315	8	2	4	10	252	15	27	264	51
59. MILLSTREET ...	74,939	9 585	18	177	6	4	175	5	1	·	4	139	·	9	148	27
60. SKIBBEREEN ...	115,371	20,056	87	312	2	6	316	2	·	3	5	255	4	28	279	37
61. SKULL	57,669	7,060	30	122	·	3	125	·	·	1	1	87	·	10	97	28
62. YOUGHAL ...	36,960	9,181	42	176	2	5	179	2	·	2	4	158	26	18	150	29
16. Cork Co. Borough.																
63. CORK, part of ...	2,685	78,490	638	1,952	185	60	1,827	10	·	31	41	996	144	323	1,175	652
17. Kerry Co.																
64. CAHERCIVEEN ...	198,101	18,224	43	280	·	17	297	5	·	5	10	209	·	24	233	64
65. DINGLE	126,454	15,855	38	293	1	11	303	2	·	6	8	173	·	25	198	105
66. KENMARE ...	198,416	11,432	37	221	1	9	229	·	·	6	6	124	·	37	161	68
67. KILLARNEY ...	251,430	33,257	148	677	28	10	659	28	15	·	13	606	122	12	496	163
68. LISTOWEL ...	165,500	29,552	124	674	9	20	685	10	2	5	13	359	·	40	399	286
69. TRALEE	221,807	40,851	171	938	18	18	938	19	4	4	19	534	31	53	556	382
18. Limerick Co.																
70. CROOM	83,360	10,087	25	262	104	15	173	56	49	1	8	163	48	20	135	38
71. KILMALLOCK ...	164,342	24,284	105	475	5	63	533	5	·	19	24	303	·	70	373	160
72. LIMERICK, part of	142,823	25,417	74	461	15	73	519	13	10	13	16	490	201	39	328	191
73. NEWCASTLE ...	143,840	23,884	80	501	7	34	528	3	·	10	13	415	90	39	364	164
74. RATHKEALE ...	127,199	17,223	46	332	2	43	373	6	·	9	15	175	·	64	239	134
19. Limerick Co. Borough.																
75. LIMERICK, part of	2,386	39,448	391	1,185	160	27	1,052	3	1	12	14	509	82	186	613	439
20. Tipperary N.R.																
76. BORRISOKANE ...	109,667	9,213	35	159	·	7	166	·	·	4	4	94	·	17	111	55
77. NENAGH ...	183,392	20,792	92	425	7	17	435	2	·	3	5	289	2	36	323	112
78. ROSCREA ...	57,541	7,586	35	157	6	8	159	5	3	3	5	124	21	9	112	47
79. THURLES ...	142,655	22,054	119	450	16	27	461	19	6	3	16	305	17	27	315	146
21. Tipperary S.R.																
80. CARRICK-ON-SUIR	26,118	6,893	23	175	·	7	182	2	·	·	2	108	6	19	121	61
81. CASHEL	222,782	26,000	89	496	28	22	490	49	18	3	34	426	57	25	394	96
82. CLOGHEEN ...	117,415	12,348	38	190	·	18	208	2	·	6	8	149	·	39	188	20
83. CLONMEL ...	47,305	13,777	55	306	16	9	299	9	·	3	12	273	84	15	204	95
84. TIPPERARY ...	144,414	22,352	83	480	31	24	473	5	·	10	15	315	7	38	346	127
22. Waterford Co.																
85. DUNGARVAN ...	144,323	18,287	75	370	27	5	348	26	8	1	19	345	32	17	330	18
86. KILMACTHOMAS ...	64,595	6,321	16	116	3	18	131	7	·	3	10	66	·	28	94	37
87. LISMORE ...	97,178	10,802	53	176	3	18	191	1	·	3	4	119	1	24	142	49
88. WATERFORD, part of	146,955	16,505	70	298	7	27	318	2	·	7	9	189	6	42	225	93
23. Waterford Co. Borough.																
89. WATERFORD, part of	1,438	26,647	146	664	40	17	641	23	10	5	18	499	87	9	421	220

* See note (*) on page 1.

III.—PROVINCE OF CONNAUGHT.—MARRIAGES, BIRTHS AND DEATHS, 1927.

Superintendent Registrars' Districts, by Counties.

Superintendent Registrars' Districts.	Area* in Statute Acres.	Population. Census, 1926.	Total Number of Marriages Registered.	Births (Including Illegitimate).				Illegitimate Births.				Deaths.				Excess of Births over Deaths
				Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	Total Number Registered.	Transferred from Area.	Transferred to Area.	Net Number.	
24. Galway Co.																
No. 90. BALLINASLOE ...	125,574	15,064	65	290	1	31	320	7	·	9	16	195	59	47	183	137
91. CLIFDEN ...	193,692	13,760	32	242	·	20	262	2	·	2	4	163	2	39	200	62
92. GALWAY ...	198,512	34,294	154	891	134	15	772	35	28	4	11	661	199	33	495	277
93. GLENNAMADDY ...	82,958	11,639	33	239	1	4	242	·	·	·	·	150	·	18	168	74
94. GORT	106,321	10,750	92	215	·	25	240	·	·	8	8	93	·	39	132	108
95. LOUGHREA ...	198,917	19,257	53	348	4	21	365	5	2	3	6	225	66	37	196	169
96. MOUNT BELLEW	102,407	12,652	39	219	2	9	226	·	·	3	3	141	·	21	162	64
97. OUGHTERARD ...	173,438	14,494	54	264	2	10	272	1	·	3	4	169	·	25	194	78
98. PORTUMNA ...	77,262	8,356	44	171	2	4	173	·	·	1	1	82	·	19	101	72
99. TUAM	208,558	29,100	100	566	3	19	582	3	·	2	5	300	15	58	343	239
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,587	10,422	52	204	2	4	206	1	·	1	2	141	4	28	165	41
101. MANORHAMILTON,	177,423	21,791	80	401	7	13	407	9	4	1	6	337	24	9	322	85
102. MOHILL	135,764	23,694	102	386	4	11	393	·	·	4	4	274	·	34	308	85
26. Mayo Co.																
103. BALLINA ...	255,629	29,941	126	583	2	14	595	6	·	6	12	357	·	50	407	188
104. BALLINROBE ...	147,105	18,293	69	330	·	5	335	·	·	1	1	243	·	33	276	59
105. BELMULLET ...	179,761	13,720	25	253	·	4	257	·	·	1	1	116	·	13	129	128
106. CASTLEBAR ...	141,211	23,879	60	398	16	6	388	12	10	2	4	464	182	5	287	101
107. CLAREMORRIS ...	110,789	20,573	73	346	2	12	356	2	·	4	6	230	·	37	267	89
108. SWINEFORD ...	151,542	35,982	170	569	·	14	583	4	·	2	6	486	5	43	524	59
109. WESTPORT ...	347,904	30,302	86	526	4	14	536	1	·	4	5	277	·	49	326	210
27. Roscommon Co.																
110. BOYLE	122,372	18,656	67	309	·	10	319	2	·	2	4	250	·	17	267	52
111. CASTLEREAGH ...	163,690	27,152	107	435	3	18	450	2	·	4	6	318	1	39	356	94
112. ROSCOMMON ...	322,478	37,748	126	740	13	20	747	7	3	4	8	529	36	29	522	225
28. Sligo Co.																
113. DROMORE WEST	97,543	10,834	62	201	2	5	204	3	·	3	6	124	1	23	146	58
114. SLIGO	220,516	44,698	188	834	13	22	843	20	4	·	16	734	54	8	688	155
115. TOBERCURRY ...	125,869	15,856	81	252	2	5	255	·	·	1	1	212	·	20	232	23

IV.—PROVINCE OF ULSTER (Part of).—MARRIAGES, BIRTHS AND DEATHS, 1927.

Superintendent Registrars' Districts by Counties.

29. Cavan Co.																
116. BAILIEBOROUGH	113,901	21,473	91	370	3	22	389	4	·	3	7	245	·	54	299	90
117. BAWNBOY ...	102,420	12,232	38	205	2	7	210	1	·	2	3	143	·	17	160	50
118. CAVAN	250,841	48,747	214	897	13	16	900	23	3	6	26	703	51	25	677	223
30. Donegal Co.																
119. BALLYSHANNON	41,628	8,848	35	157	7	5	155	5	·	2	7	134	8	11	137	18
120. DONEGAL ...	160,441	16,552	52	282	2	4	284	17	1	1	17	229	12	23	240	44
121. DUNFANAGHY ...	126,123	14,252	51	304	6	4	302	8	·	2	10	170	·	11	181	121
122. GLENTIES ...	258,505	30,081	100	475	2	5	478	7	·	1	8	335	1	30	364	114
123. INISHOWEN ...	160,021	25,035	86	443	2	5	446	11	·	3	14	345	·	18	363	83
124. LETTERKENNY ...	160,377	18,909	89	373	·	12	385	24	·	5	29	282	51	27	258	127
125. MILLFORD ...	112,089	16,884	66	287	1	3	289	7	·	3	10	208	·	19	227	62
126. STRANORLAR ...	174,389	21,947	116	468	22	3	449	54	15	1	40	399	72	13	340	109
31. Monaghan Co.																
127. CARRICKMACROSS	65,680	13,740	36	238	·	6	244	5	·	2	7	149	·	29	178	66
128. CASTLEBLAYNEY	63,834	13,932	79	311	14	5	302	24	11	2	15	302	62	15	255	47
129. CLONES	64,288	12,352	47	190	2	7	195	3	·	7	10	141	·	27	168	27
130. MONAGHAN ...	125,183	25,107	95	466	2	10	474	4	1	5	8	368	39	29	358	116

* See note (*) on page 1.

ABSTRACT OF MARRIAGES.

ABSTRACT OF MARRIAGES.—Marriages **registered**

Provinces and Counties.	Total Marriages.	Total Marriages other than Roman Catholic.	Total Roman Catholic Marriages.	Details of Marriages other than Roman Catholic.						Total Marriages Registered in the Quarter ending the last day of			
				According to the Rites of the Church of Ireland.	In Registered Presbyterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	March.	June.	September.	December.
SAORSTÁT ÉIREANN ...	13,418	917	12,501	612	163	52	73	5	12	3,830	3,038	3,439	3,081
PROVINCES.													
LEINSTER	5,893	506	5,387	369	39	32	49	5	12	1,340	1,378	1,807	1,368
MUNSTER	4,190	125	4,065	88	4	12	21	.	.	1,437	958	875	920
CONNAUGHT	2,140	45	2,095	39	5	.	1	.	.	691	490	484	475
ULSTER (part of) ...	1,195	241	954	116	115	8	2	.	.	362	242	273	318

I.—PROVINCE OF LEINSTER—

CARLOW	165	10	155	10	.	.	.	.	.	42	45	42	36
DUBLIN	1,030	167	863	116	19	10	22	.	.	195	269	328	238
DUBLIN CO. BOROUGH	2,407	194	2,213	125	14	16	25	2	12	476	584	828	519
KILDARE	227	7	220	7	.	.	.	.	.	39	54	62	72
KILKENNY	266	5	261	5	.	.	.	.	.	89	38	84	55
LAOIGHIS	176	12	164	11	.	1	.	.	.	50	34	38	54
LONGFORD	128	5	123	5	.	.	.	.	.	51	29	13	35
LOUTH	222	8	214	6	2	.	.	.	.	57	46	62	57
MEATH	197	6	191	6	.	.	.	.	.	50	37	56	54
OFFALY ...	220	15	205	14	1	.	.	.	.	59	50	59	52
WESTMEATH	195	10	185	7	1	1	1	.	.	63	45	47	40
WEXFORD	427	28	399	24	.	1	.	3	.	114	90	126	97
WICKLOW	233	39	194	33	2	3	1	.	.	55	57	62	59

II.—PROVINCE OF MUNSTER.—

CLARE	296	1	295	.	1	.	.	.	.	102	97	38	59
CORK	1,045	48	997	40	.	4	4	.	.	372	237	218	218
CORK CO. BOROUGH ...	638	29	609	20	3	5	1	.	.	137	195	182	124
KERRY	561	4	557	4	.	.	.	.	.	265	98	87	111
LIMERICK	330	8	322	2	.	2	4	.	.	130	49	56	95
LIMERICK CO. BOROUGH	391	17	374	4	.	1	12	.	.	117	94	94	86
TIPPERARY, N.R. ...	281	8	273	8	.	.	.	.	.	125	44	47	65
TIPPERARY, S.R. ...	288	6	282	6	.	.	.	.	.	103	53	59	73
WATERFORD ...	214	2	212	2	.	.	.	.	.	56	60	44	54
WATERFORD CO. BOROUGH	146	2	144	2	.	.	.	.	.	30	31	50	35

III.—PROVINCE OF CONNAUGHT.—

GALWAY	666	3	663	3	.	.	.	.	.	225	136	180	125
LEITRIM	234	11	223	9	1	.	1	.	.	101	43	35	55
MAYO	609	11	598	10	1	.	.	.	.	190	141	107	171
ROSCOMMON	300	4	296	4	.	.	.	.	.	105	55	83	57
SLIGO	331	16	315	13	3	.	.	.	.	70	115	79	67

IV.—PROVINCE OF ULSTER (part of).—

CAVAN	343	50	293	31	16	2	1	.	.	105	62	83	93
DONEGAL	595	124	471	56	62	5	1	.	.	197	115	123	160
MONAGHAN	257	67	190	29	37	1	.	.	.	60	65	67	65

in the year ending 31st December, 1927.

Marriages.								Signed the Marriage Register with Marks.				Provinces and Counties.
Contracted between				Of		Of Persons not of full Age.						
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Cases in which Both signed.	Cases in which One signed.	
12,282	287	698	151	849	438	187	946	271	167	54	330	**SAORSTÁT ÉIREANN.**
												PROVINCES.
5,351	148	320	74	394	222	113	537	93	73	17	132	**LEINSTER.**
3,863	72	211	44	255	116	44	251	60	34	12	70	**MUNSTER.**
1,995	42	85	18	103	60	15	78	64	38	19	64	**CONNAUGHT.**
1,073	25	82	15	97	40	15	80	54	22	6	64	**ULSTER** (part of).

MARRIAGES in the Year 1927—in Counties.

156	1	7	1	8	2	3	16	2	1	·	3	CARLOW.
923	32	64	11	75	43	17	71	3	5	·	8	DUBLIN.
2,184	67	117	39	156	106	64	250	28	38	6	54	DUBLIN CO. BOROUGH.
199	10	16	2	18	12	4	18	3	·	·	3	KILDARE.
248	4	13	1	14	5	1	14	5	·	·	5	KILKENNY.
159	4	13	·	13	4	2	16	3	·	·	3	LAOIGHIS.
121	1	6	·	6	1	1	8	6	5	4	3	LONGFORD.
198	3	15	6	21	9	·	6	5	2	·	7	LOUTH.
180	4	10	3	13	7	·	16	1	2	1	1	MEATH.
204	4	8	4	12	8	7	24	9	2	2	7	OFFALY.
178	6	11	·	11	6	4	16	3	3	1	4	WESTMEATH.
385	6	31	5	36	11	6	48	19	9	1	26	WEXFORD.
216	6	9	2	11	8	4	34	6	6	2	8	WICKLOW.

MARRIAGES in the Year 1927—in Counties.

282	4	9	1	10	5	5	16	6	·	·	6	CLARE.
962	20	54	9	63	29	2	35	14	8	5	12	CORK.
597	9	21	11	32	20	9	42	3	5	·	8	CORK CO. BOROUGH.
505	10	41	5	46	15	6	15	13	2	·	15	KERRY.
292	8	26	4	30	12	2	22	4	2	1	4	LIMERICK.
370	1	12	8	20	9	5	37	6	7	4	5	LIMERICK CO. BOROUGH.
261	7	12	1	13	8	·	13	8	5	2	9	TIPPERARY, N.R.
264	4	18	2	20	6	·	27	2	1	·	3	TIPPERARY, S.R.
191	7	15	1	16	8	3	13	3	1	·	4	WATERFORD
139	2	3	2	5	4	12	31	1	3	·	4	WATERFORD CO. BOROUGH.

MARRIAGES in the Year 1927—in Counties.

615	17	28	6	34	23	3	30	27	13	5	30	GALWAY.
215	7	8	4	12	11	1	3	3	1	·	4	LEITRIM.
572	9	21	7	28	16	5	28	20	16	10	16	MAYO.
281	3	16	·	16	3	3	9	4	4	3	2	ROSCOMMON.
312	6	12	1	13	7	3	8	10	4	1	12	SLIGO.

MARRIAGES in the Year 1927—in Counties.

308	9	22	4	26	13	5	17	13	1	1	12	CAVAN.
540	12	38	5	43	17	7	46	32	17	3	43	DONEGAL.
225	4	22	6	28	10	3	17	9	4	2	9	MONAGHAN.

BIRTHS, and DEATHS at different AGES in the year 1927—by PROVINCES and COUNTIES.

Provinces and Counties.		Total Births	Ages at Death. Total Deaths	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards
SAORSTÁT ÉIREANN	Persons	60,054	43,677	4,254	1,035	501	345	261	6,396	739	500	978	1,083	1,191	1,052	1,219	1,310	1,618	2,204	2,413	3,264	3,762	5,281	7,567	2,813	287
	Males	30,606	21,812	2,381	530	273	175	124	3,483	375	236	461	535	545	529	555	673	825	1,168	1,286	1,728	1,979	2,498	3,491	1,314	131
	Females	29,448	21,865	1,873	505	228	170	137	2,913	364	264	517	548	646	523	664	637	793	1,036	1,127	1,536	1,783	2,783	4,076	1,499	156
LEINSTER	Persons	24,837	18,064	2,160	626	275	171	129	3,361	323	197	393	463	496	448	516	584	742	979	1,082	1,445	1,523	1,970	2,641	823	78
	Males	12,617	8,986	1,193	314	156	90	74	1,827	155	101	174	210	216	227	257	315	386	515	564	784	800	906	1,171	346	32
	Females	12,220	9,078	967	312	119	81	55	1,534	168	96	219	253	280	221	259	269	356	464	518	661	723	1,064	1,470	477	46
MUNSTER	Persons	19,387	14,012	1,327	255	133	109	82	1,906	248	163	326	338	394	343	414	443	527	720	787	1,009	1,232	1,679	2,448	952	83
	Males	9,883	7,054	744	148	70	55	33	1,050	127	70	154	175	192	181	178	219	277	393	450	525	659	798	1,141	429	36
	Females	9,504	6,958	583	107	63	54	49	856	121	93	172	163	202	162	236	224	250	327	337	484	573	881	1,307	523	47
CONNAUGHT	Persons	10,328	7,396	475	98	62	35	34	704	97	92	185	180	207	167	189	177	229	314	328	451	610	1,025	1,622	733	86
	Males	5,248	3,676	267	43	31	18	10	369	49	41	94	97	97	78	82	93	109	165	172	234	326	486	762	376	46
	Females	5,080	3,720	208	55	31	17	24	335	48	51	91	83	110	89	107	84	120	149	156	217	284	539	860	357	40
ULSTER (part of)	Persons	5,502	4,205	292	56	31	30	16	425	71	48	74	102	94	94	100	106	120	191	216	359	397	607	856	305	40
	Males	2,858	2,096	177	25	16	12	7	237	44	24	39	53	40	43	38	46	53	95	100	185	194	308	417	163	17
	Females	2,644	2,109	115	31	15	18	9	188	27	24	35	49	54	51	62	60	67	96	116	174	203	299	439	142	23
I.—LEINSTER.																										
CARLOW	Persons	752	533	36	4	6	2	2	50	6	6	9	19	21	10	18	16	20	30	44	43	46	56	98	38	3
	Males	386	249	17	1	2	.	1	21	4	2	5	10	7	4	8	9	10	14	24	22	23	36	37	12	1
	Females	366	284	19	3	4	2	1	29	2	4	4	9	14	6	10	7	10	16	20	21	23	20	61	26	2
DUBLIN	Persons	3,587	2,620	309	97	42	34	24	506	43	30	62	67	83	56	66	91	117	150	159	209	194	269	379	120	19
	Males	1,801	1,229	170	48	24	16	13	271	21	14	27	30	33	32	30	52	57	81	73	101	94	116	153	40	4
	Females	1,786	1,391	139	49	18	18	11	235	22	16	35	37	50	24	36	39	60	69	86	108	100	153	226	80	15
DUBLIN CO BOROUGH.	Persons	8,602	5,583	1,060	364	126	82	46	1,678	111	63	129	151	162	154	193	214	263	334	370	415	399	416	426	101	4
	Males	4,304	2,744	572	181	66	45	22	886	52	33	61	66	69	85	109	127	145	175	191	209	198	163	147	28	.
	Females	4,298	2,839	488	183	60	37	24	792	59	30	68	85	93	69	84	87	118	159	179	206	201	253	279	73	4
KILDARE	Persons	1,186	809	72	21	13	4	12	122	16	7	14	38	26	18	17	27	24	48	37	63	76	97	140	35	4
	Males	625	433	40	8	11	4	8	71	7	3	3	19	15	13	8	17	10	27	27	39	48	43	65	18	.
	Females	561	376	32	13	2	.	4	51	9	4	11	19	11	5	9	10	14	21	10	24	28	54	75	17	4
KILKENNY	Persons	1,459	1,107	99	13	14	4	7	137	22	12	22	20	30	24	24	31	36	49	57	98	111	136	212	78	8
	Males	732	584	57	5	11	4	4	81	9	9	9	12	14	8	11	16	17	27	31	53	66	66	118	35	2
	Females	727	523	42	8	3	.	3	56	13	3	13	8	16	16	13	15	19	22	26	45	45	70	94	43	6
LAOIGHIS	Persons	919	794	53	7	9	8	2	79	10	3	21	16	20	24	22	20	26	41	33	87	91	110	139	50	2
	Males	477	388	29	5	3	5	2	44	3	1	6	6	6	11	6	9	13	23	14	57	51	56	63	18	1
	Females	442	406	24	2	6	3	.	35	7	2	15	10	14	13	16	11	13	18	19	30	40	54	76	32	1
LONGFORD	Persons	744	625	37	13	4	3	1	58	6	9	8	9	8	12	13	14	27	39	36	53	68	78	131	46	10
	Males	382	335	23	10	1	1	1	36	4	5	4	5	6	2	4	7	15	19	19	33	36	40	66	28	6
	Females	362	290	14	3	3	2	.	22	2	4	4	4	2	10	9	7	12	20	17	20	32	38	65	18	4

LOUTH	Persons	1,173	956	98	16	11	4	5	134	24	12	16	17	30	33	33	30	37	47	34	75	79	130	175	47	3
	Males	588	459	58	8	7	2	5	80	12	8	8	5	13	15	18	9	13	25	14	34	40	61	78	24	2
	Females	585	497	40	8	4	2	.	54	12	4	8	12	17	18	15	21	24	22	20	41	39	69	97	23	1
MEATH	Persons	1,239	1,027	92	20	9	6	4	131	8	9	20	27	29	18	23	25	43	46	64	99	100	129	194	56	6
	Males	617	540	58	9	7	4	2	80	4	5	11	15	10	7	13	14	21	25	36	59	54	64	94	23	5
	Females	622	487	34	11	2	2	2	51	4	4	9	12	19	11	10	11	22	21	28	40	46	65	100	33	1
OFFALY	Persons	1,020	676	52	10	6	5	5	78	9	10	10	18	14	17	16	14	24	32	46	58	57	99	129	42	3
	Males	552	368	37	8	2	3	3	53	5	5	4	7	6	7	7	6	16	18	30	32	34	51	68	17	2
	Females	468	308	15	2	4	2	2	25	4	5	6	11	8	10	9	8	8	14	16	26	23	48	61	25	1
WESTMEATH	Persons	1,122	732	52	8	8	2	5	75	21	6	16	13	17	17	16	22	28	39	39	55	77	99	138	50	4
	Males	602	360	25	5	4	2	4	40	11	1	6	8	11	8	10	9	18	16	16	31	42	53	57	21	2
	Females	520	372	27	3	4	.	1	35	10	5	10	5	6	9	6	13	10	23	23	24	35	46	81	29	2
WEXFORD	Persons	1,879	1,703	145	35	18	11	12	221	32	20	48	46	38	43	47	49	60	80	99	121	144	227	323	97	8
	Males	974	831	78	15	10	3	7	113	15	10	23	18	14	22	18	19	31	42	45	67	73	109	158	49	5
	Females	905	872	67	20	8	8	5	108	17	10	25	28	24	21	29	30	29	38	54	54	71	118	165	48	3
WICKLOW	Persons	1,155	899	55	18	9	6	4	92	15	10	18	22	18	22	28	31	37	44	64	69	81	124	157	63	4
	Males	577	466	29	11	8	1	2	51	8	5	7	9	12	13	15	21	20	23	44	47	41	48	67	33	2
	Females	578	433	26	7	1	5	2	41	7	5	11	13	6	9	13	10	17	21	20	22	40	76	90	30	2
II. MUNSTER.																										
CLARE	Persons	1,840	1,354	106	24	19	11	8	168	22	11	31	32	44	24	36	30	36	63	54	110	119	184	269	111	10
	Males	921	726	57	15	14	5	2	93	9	5	19	19	24	13	15	13	21	35	29	66	67	98	142	51	7
	Females	919	628	49	9	5	6	6	75	13	6	12	13	20	11	21	17	15	28	25	44	52	86	127	60	3
CORK CO.	Persons	4,929	4,062	303	61	37	32	24	457	60	51	101	98	103	96	119	145	159	202	238	304	383	471	740	306	29
	Males	2,574	2,018	169	30	20	20	10	249	31	22	43	48	55	51	45	66	78	117	137	161	200	225	336	145	9
	Females	2,355	2,044	134	31	17	12	14	208	29	29	58	50	48	45	74	79	81	85	101	143	183	246	404	161	20
CORK CO. BOROUGH	Persons	1,827	1,175	151	36	14	9	11	221	35	10	25	32	45	38	49	46	61	78	87	94	96	108	119	29	2
	Males	923	560	86	23	7	5	4	125	19	3	13	12	18	21	24	27	28	38	50	40	44	52	40	6	.
	Females	904	615	65	13	7	4	7	96	16	7	12	20	27	17	25	19	33	40	37	54	52	56	79	23	2
KERRY	Persons	3,111	2,043	178	31	19	17	21	266	46	31	60	66	67	49	68	58	73	80	120	109	169	228	358	185	10
	Males	1,554	1,049	103	22	9	7	10	151	23	16	35	40	32	26	28	26	44	41	67	58	90	107	175	86	4
	Females	1,557	994	75	9	10	10	11	115	23	15	25	26	35	23	40	32	29	39	53	51	79	121	183	99	6
LIMERICK CO.	Persons	2,126	1,439	149	32	12	10	4	207	29	22	31	31	32	37	33	35	52	74	68	79	136	177	281	105	10
	Males	1,084	757	82	19	6	4	1	112	17	10	17	21	19	18	17	15	27	48	42	37	78	95	138	44	2
	Females	1,042	682	67	13	6	6	3	95	12	12	14	10	13	19	16	20	25	26	26	42	58	82	143	61	8
LIMERICK CO. BOROUGH	Persons	1,052	613	107	17	11	13	2	150	5	7	13	11	25	21	24	24	27	39	43	44	42	69	52	15	2
	Males	539	280	55	7	5	7	1	75	5	4	4	6	9	5	11	15	17	20	22	18	22	26	14	7	.
	Females	513	333	52	10	6	6	1	75	.	3	9	5	16	16	13	9	10	19	21	26	20	43	38	8	2
TIPPERARY, N.R.	Persons	1,221	861	80	14	2	3	5	104	15	8	10	8	20	24	19	24	28	39	36	67	81	123	181	65	9
	Males	607	440	50	10	1	1	2	64	7	3	4	2	9	13	6	11	17	20	19	36	44	60	91	26	8
	Females	614	421	30	4	1	2	3	40	8	5	6	6	11	11	13	13	11	19	17	31	37	63	90	39	1
TIPPERARY, S.R.	Persons	1,652	1,253	127	21	7	4	4	163	19	10	27	36	31	28	34	41	49	74	75	103	108	164	220	64	7
	Males	842	618	62	12	3	1	2	80	8	2	9	19	12	20	17	21	23	36	41	55	56	71	110	33	5
	Females	810	635	65	9	4	3	2	83	11	8	18	17	19	8	17	20	26	38	34	48	52	93	110	31	2

BIRTHS, and DEATHS at different AGES in the year 1927 -by PROVINCES and COUNTIES—*continued*.

Provinces and Counties.		Total Births	Ages at Death. Total Deaths	Under 1 Year.	1—	2—	3—	4—	Under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards
WATERFORD CO.	Persons	988	791	73	12	10	6	2	103	12	8	15	16	17	13	15	30	26	40	40	62	68	112	160	50	4
	Males	511	411	46	5	4	2	1	58	5	4	7	5	9	7	7	20	13	22	25	34	41	52	76	25	1
	Females	477	380	27	7	6	4	1	45	7	4	8	11	8	6	8	10	13	18	15	28	27	60	84	25	3
WATERFORD CO. BOROUGH	Persons	641	421	53	7	2	4	1	67	5	5	13	8	10	13	17	10	16	31	26	37	30	43	68	22	.
	Males	328	195	34	5	1	3	.	43	3	1	3	3	5	7	8	5	9	16	18	20	17	12	19	6	.
	Females	313	226	19	2	1	1	1	24	2	4	10	5	5	6	9	5	7	15	8	17	13	31	49	16	.
III.—CONNAUGHT.																										
GALWAY	Persons	3,454	2,174	162	39	33	14	14	262	26	25	59	66	66	60	49	49	64	89	97	141	149	251	463	235	23
	Males	1,749	1,101	83	17	18	8	4	130	11	10	31	33	29	29	25	26	31	51	46	67	82	134	227	129	10
	Females	1,705	1,073	79	22	15	6	10	132	15	15	28	33	37	31	24	23	33	38	51	74	67	117	236	106	13
LEITRIM	Persons	1,006	795	43	4	2	5	.	54	9	3	18	19	25	15	25	18	26	42	36	44	97	146	152	59	7
	Males	511	395	25	1	1	1	.	28	4	.	8	14	14	8	8	8	17	23	20	23	41	74	72	29	4
	Females	495	400	18	3	1	4	.	26	5	3	10	5	11	7	17	10	9	19	16	21	56	72	80	30	3
MAYO	Persons	3,050	2,216	132	31	18	9	13	203	38	43	61	46	62	50	52	54	63	81	99	123	157	273	522	253	36
	Males	1,538	1,067	74	16	8	5	4	107	25	21	29	24	28	16	22	31	28	39	55	73	86	112	226	124	21
	Females	1,512	1,149	58	15	10	4	9	96	13	22	32	22	34	34	30	23	35	42	44	50	71	161	296	129	15
ROSCOMMON	Persons	1,516	1,145	76	10	5	4	2	97	9	11	20	25	29	23	29	28	34	47	53	83	100	184	250	109	14
	Males	794	572	55	4	1	3	.	63	2	8	11	14	12	13	12	12	16	25	30	42	57	77	111	58	9
	Females	722	573	21	6	4	1	2	34	7	3	9	11	17	10	17	16	18	22	23	41	43	107	139	51	5
SLIGO	Persons	1,302	1,066	62	14	4	3	5	88	15	10	27	24	25	19	34	28	42	55	43	60	107	171	235	77	6
	Males	656	541	30	5	3	1	2	41	7	2	15	12	14	12	15	16	17	27	21	29	60	89	126	36	2
	Females	646	525	32	9	1	2	3	47	8	8	12	12	11	7	19	12	25	28	22	31	47	82	109	41	4
IV.—ULSTER (part of).																										
CAVAN	Persons	1,499	1,136	67	12	3	8	2	92	14	10	18	18	28	19	43	27	31	63	54	100	110	171	239	88	11
	Males	761	575	40	7	1	2	.	50	12	5	5	11	13	7	18	11	11	30	22	53	49	93	127	54	4
	Females	738	561	27	5	2	6	2	42	2	5	13	7	15	12	25	16	20	33	32	47	61	78	112	34	7
DONEGAL	Persons	2,788	2,110	163	33	17	19	8	240	41	34	41	59	54	54	37	60	61	78	109	161	171	286	439	161	24
	Males	1,460	1,048	101	17	9	9	3	139	25	18	27	33	24	23	9	25	28	40	57	82	88	143	202	74	11
	Females	1,328	1,062	62	16	8	10	5	101	16	16	14	26	30	31	28	35	33	38	52	79	83	143	237	87	13
MONAGHAN	Persons	1,215	959	62	11	11	3	6	93	16	4	15	25	12	21	20	19	28	50	53	98	116	150	178	56	5
	Males	637	473	36	1	6	1	4	48	7	1	7	9	3	13	11	10	14	25	21	50	57	72	88	35	2
	Females	578	486	26	10	5	2	2	45	9	3	8	16	9	8	9	9	14	25	32	48	59	78	90	21	3

CAUSES OF DEATH.

CAUSES of DEATH at differe

NOTE.—In the cases in which International List numbers, representing Causes of Death, are omitted from this Abstra

International List Nos.	Causes of Death.		AGES A											
			All Ages.	Under Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Tot Und 5 year
	TOTAL DEATHS (All Causes) ...	M.	21,812	894	287	204	418	578	2,381	530	273	175	124	3.48
		F.	21,865	678	211	151	373	460	1,873	505	228	170	137	2.91
	I. EPIDEMIC, ENDEMIC, AND INFECTIOUS DISEASES	M.	3,854	19	29	30	71	141	290	172	98	63	48	67
		F.	3,930	19	23	20	58	123	243	174	93	70	57	63
1a	Enteric Fever	M.	60	.	.	.	.	.	.	.	.	.	.	.
		F.	37	.	.	.	.	.	.	.	.	.	1	
1b	Paratyphoid Fever	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	M.	5	.	.	.	.	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.	.	.	.	.
5	Malaria	M.	7	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	M.	90	.	1	1	2	15	19	22	13	8	5	6
		F.	85	.	.	.	.	9	9	24	14	8	7	6
8	Scarlet Fever	M.	43	.	.	.	1	2	3	4	4	3	2	1
		F.	38	.	.	.	.	2	2	1	3	5	6	1
9	Whooping Cough	M.	211	3	16	8	34	40	101	55	25	13	5	19
		F.	237	5	8	11	18	61	103	63	27	13	11	21
10	Diphtheria	M.	107	1	.	.	.	10	11	19	6	9	9	5
		F.	111	.	1	.	.	6	7	21	14	14	7	6
11	Influenza—													
	a. With Pulmonary Complications specified	M.	383	1	2	5	6	15	29	10	7	4	4	5
		F.	391	1	2	3	4	6	16	10	5	3	2	3
	b. Without Pulmonary Complications specified	M.	602	3	4	5	16	16	44	15	9	4	3	7
		F.	723	7	6	.	15	12	40	19	11	9	5	8
13	Mumps	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	1	.	.	.	.
15	Cholera nostras	M.	1	.	.	.	.	.	.	.	.	1	.	1
		F.	.	.	.	.	.	.	.	.	.	.	.	.
16	Dysentery	M.	9	.	.	.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	1	.	1	.	.	.	.	1
21	Erysipelas	M.	20	2	1	.	.	.	3	.	.	2	.	2
		F.	11	1	.	.	.	.	1	.	.	.	.	1
22	Acute Poliomyelitis	M.	6	.	1	.	.	1	2	.	1	1	.	4
		F.	7	.	.	.	.	.	.	1	1	1	.	3
23	Encephalitis Lethargica	M.	31	.	.	.	.	.	.	1	1	.	1	3
		F.	26	.	.	.	.	.	.	1	.	.	.	1
24	Meningococcal Meningitis ...	M.	7	.	.	.	.	1	1	3	.	.	.	4
		F.	5	.	.	.	.	.	.	.	.	.	1	1
25	Other Endemic and Epidemic Diseases	M.	3	.	.	.	.	2	2	.	.	.	1	3
		F.	2	.	.	.	.	.	.	2	.	.	.	2
27	Anthrax	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
29	Tetanus	M.	15	2	.	.	.	.	2	1	.	1	3	7
		F.	12	1	.	.	.	2	3	.	.	.	.	3
30	Mycoses	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	M.	1,663	.	.	.	1	14	15	5	5	3	1	29
		F.	1,746	.	.	1	2	6	9	5	8	7	4	33
32–7	*Tuberculosis other than Respiratory*	*M.*	*475*	.	*2*	*10*	*11*	*20*	*43*	*31*	*24*	*10*	*13*	*121*
		F.	*417*	*1*	*2*	*3*	*12*	*17*	*35*	*24*	*10*	*10*	*11*	*90*
32	Tuberculosis of the Meninges and Central Nervous System generally	M.	106	.	1	.	.	6	7	7	5	2	5	26
		F.	98	.	.	1	.	5	6	11	2	4	6	29
33	Tuberculosis of the Intestines and Peritoneum	M.	125	.	.	4	8	10	22	19	9	3	3	56
		F.	109	.	.	.	2	5	7	9	4	5	2	27
34	Tuberculosis of the Vertebral Column	M.	33	.	.	.	.	.	.	2	.	.	.	2
		F.	33	.	.	.	1	1	2	.	1	.	.	3

ods of Life in the Year 1927.

ill be understood that no deaths from such causes have been registered during the year.

TH.	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	International List Nos.
5	236	461	535	545	529	555	673	825	1,168	1,286	1,728	1,979	2,498	3,491	1,314	131	
4	264	517	548	646	523	664	637	793	1,036	1,127	1,536	1,783	2,783	4,076	1,499	156	
1	107	231	322	301	265	247	228	206	213	198	198	168	166	135	26	1	
1	142	360	362	379	230	245	196	178	161	137	164	180	201	152	31	4	
2	4	7	13	4	5	5	6	2	6	2	1	2	1	.	.	.	1a
1	1	6	5	3	4	2	3	3	3	1	2	.	2	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1b
	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
	.	.	1	.	1	.	.	1	.	.	2	.	.	.	.	.	2
	.	1	.	.	.	3	2	.	.	.	.	.	.	.	.	.	
	.	.	.	1	.	3	.	.	.	3	.	.	.	.	.	.	5
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	2	7	1	.	.	.	1	.	1	.	.	.	.	.	.	.	7
	4	1	.	2	2	.	1	1	.	.	.	.	.	.	.	.	
	5	4	2	1	.	1	.	1	.	1	.	.	.	.	.	.	8
	6	2	4	1	.	.	1	.	1	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	12	2	1	1	1	1	.	.	2	1	.	.	.	.	.	.	10
	3	1	1	3	2	.	.	1	.	.	.	1	.	.	.	.	
	5	11	8	10	16	14	20	28	24	24	45	33	39	36	9	.	11a
	6	8	9	13	14	21	15	22	27	32	35	41	50	41	8	2	
	5	16	8	11	9	12	14	28	24	40	65	78	94	87	16	1	11b
	8	12	10	17	21	22	22	30	37	30	79	100	114	101	21	2	
	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	13
	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	15
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	1	.	1	1	.	.	3	1	.	.	2	.	.	16
	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	
	.	.	1	1	1	1	1	1	2	2	1	1	1	1	1	.	21
	1	2	1	1	1	.	.	1	.	.	2	.	1	.	.	.	
	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	22
	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	3	3	4	2	2	.	2	.	3	4	2	.	.	.	.	.	23
	5	.	5	3	.	.	1	2	3	1	2	.	.	.	.	.	
	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	24
	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	25
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	27
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	2	.	.	1	1	.	1	.	.	2	.	.	.	.	.	.	29
	.	.	1	.	.	.	1	1	.	1	.	1	2	.	.	.	
	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	30
	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	26	132	234	234	192	174	154	121	131	93	64	39	25	7	.	.	31
	68	264	280	292	165	174	128	105	75	60	31	27	19	5	1	.	
	34	*47*	*44*	*28*	*33*	*28*	*19*	*18*	*15*	*17*	*8*	*4*	*2*	*1*	.	.	*32–7*
	35	*61*	*42*	*41*	*19*	*17*	*19*	*8*	*12*	*8*	*6*	*7*	*8*	*5*	.	.	
	13	16	8	4	4	4	1	2	.	.	.	.	.	.	.	.	32
	17	19	6	2	3	3	1	1	1	.	.	.	.	1	.	.	
	8	6	9	2	8	8	3	6	1	3	1	.	.	.	.	.	33
	4	12	15	16	4	5	4	2	3	3	.	1	1	1	.	.	
	2	7	3	6	3	.	2	.	2	1	3	.	1	.	.	.	34
	1	5	5	3	3	4	3	.	.	2	2	1	1	.		.	

CAUSES of DEATHS at different AGES AT

International List Nos.	Causes of Death.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
	I. Epidemic, &c., Diseases—*cont.*													
35	Tuberculosis of the Joints ...	M.	29	.	.	.	.	.	.	.	1	1	.	2
		F.	26	.	.	.	.	.	.	.	.	.	.	.
36	Tuberculosis of other Organs—													
	a. Tuberculosis of the Skin and Subcutaneous Cellular Tissue	M.	9	.	.	.	.	.	.	.	.	.	.	.
		F.	6	.	.	.	.	1	1	.	.	.	.	1
	b. Tuberculosis of the Bones (Vertebral Column excepted)	M.	22	.	.	.	.	.	.	.	1	.	.	1
		F.	4	.	.	.	.	.	.	.	.	.	.	.
	c. Tuberculosis of the Lymphatic System (Mesenteric & Retro-peritoneal Glands excepted)	M.	9	.	.	.	.	1	1	.	.	.	1	2
		F.	10	.	.	.	.	.	.	1	.	.	.	1
	d. Tuberculosis of the Genito-Urinary System	M.	20	.	.	.	.	.	.	.	.	.	.	.
		F.	15	.	.	.	.	.	.	.	.	.	.	.
	e. Tuberculosis of Organs other than above	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	1	1	.	.	.	.	1
37	Disseminated Tuberculosis ...	M.	119	.	1	6	3	3	13	3	8	4	4	32
		F.	113	1	2	2	9	4	18	3	3	1	3	28
38	Syphilis	M.	19	1	2	1	.	1	5	4	.	.	.	9
		F.	12	2	4	1	4	.	11	.	.	.	.	11
40a	Gonococcal Infection (Ophthalmia excepted)	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
41	Purulent Infection, Septicæmia ...	M.	89	6	.	.	.	4	10	2	3	4	1	20
		F.	57	1	.	1	2	2	6	2	.	.	2	10
	II. General Diseases not included above	M.	2,220	1	.	1	.	1	3	8	6	2	6	25
		F.	2,118	3	.	1	2	4	10	7	5	7	4	33
43 to 49	Carcinoma	M.	813	.	.	.	.	.	.	.	.	1	.	1
		F.	792	.	.	.	.	.	.	.	.	1	.	1
	Sarcoma	M.	74	.	.	.	.	.	.	.	1	.	1	2
		F.	53	.	.	1	.	.	1	1	1	1	1	5
	Cancer, Malignant Disease (not otherwise defined)	M.	770	.	.	.	.	.	.	.	.	.	.	.
		F.	611	.	.	.	.	.	.	.	.	.	.	.
50	Tumours, non-malignant (not Cerebral, Ovarian, or Uterine)	M.	20	.	.	.	.	.	.	.	.	.	.	.
		F.	28	.	.	.	.	.	.	.	.	.	.	.
51	Rheumatic Fever	M.	50	.	.	.	.	.	.	1	.	.	2	3
		F.	44	.	.	.	.	.	.	.	.	.	.	.
52	Chronic Rheumatism, Osteo-Arthritis	M.	135	.	.	.	.	.	.	.	.	.	.	.
		F.	196	.	.	.	.	.	.	.	.	.	.	.
56	Rickets	M.	10	.	.	1	.	1	2	4	1	1	2	10
		F.	13	.	.	.	.	3	3	3	1	2	3	12
57	Diabetes	M.	119	.	.	.	.	.	.	.	.	.	.	.
		F.	113	.	.	.	.	.	.	.	.	.	.	.
58a	Pernicious Anæmia	M.	105	.	.	.	.	.	.	.	.	.	.	.
		F.	114	.	.	.	.	.	.	1	.	.	.	1
58b	Other Anæmias and Chlorosis ...	M.	32	.	.	.	.	.	.	1	1	.	.	2
		F.	53	.	.	.	.	1	1	.	1	1	.	3
60a	Exophthalmic Goitre	M.	7	.	.	.	.	.	.	.	.	.	.	.
		F.	42	.	.	.	.	.	.	.	.	.	.	.
60b	Other Diseases of the Thyroid Gland	M.	5	.	.	.	.	.	.	.	1	.	.	1
		F.	8	.	.	.	.	.	.	.	.	.	.	.
61a	Tetany	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
62	Diseases of Thymus	M.	1	.	.	.	.	.	.	1	.	.	.	1
		F.	5	1	.	.	2	.	3	1	1	.	.	5
63	Diseases of the Adrenals ...	M.	14	.	.	.	.	.	.	.	.	.	.	.
		F.	10	.	.	.	.	.	.	.	.	.	.	.
64	Diseases of the Spleen	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
65a	Leukæmia	M.	20	.	.	.	.	.	.	1	1	.	.	2
		F.	11	.	.	.	.	.	.	1	.	.	.	1

Periods of Life in the Year 1927.—(*continued*).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
1	2	5	4	4	2	1	1	.	4	3	.	.	.	.	.	.	35
2	4	3	3	2	.	2	2	2	1	.	1	1	2	1	.	.	
1	2	.	2	.	1	.	1	.	.	.	1	.	1	.	.	.	36a
.	.	.	1	1	.	.	.	.	1	.	.	.	1	1	.	.	
3	.	2	2	1	2	1	3	2	2	3	.	.	.	.	.	.	36b
1	.	1	1	.	.	.	.	1	.	.	.	.	.	.	.	.	
2	.	1	1	.	.	.	.	.	1	.	.	2	.	.	.	.	36c
.	1	.	2	2	1	.	1	.	2	.	.	.	.	.	.	.	
.	.	.	2	3	2	3	2	4	.	2	1	1	.	.	.	.	36d
1	1	1	.	3	2	3	1	.	3	.	.	.	.	.	.	.	
.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	36e
.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
6	7	10	13	8	9	11	6	4	4	5	2	1	.	1	.	.	37
9	7	19	9	12	6	.	7	1	1	3	3	4	3	1	.	.	
.	.	.	1	1	1	3	1	.	1	.	1	1	.	.	.	.	38
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	40a
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	6	2	4	4	3	3	8	6	3	5	6	9	4	1	.	.	41
6	1	1	3	2	2	6	2	3	3	2	7	3	5	.	1	.	
17	14	31	26	28	35	44	92	137	258	275	343	354	327	186	26	2	
13	17	16	18	28	36	84	108	182	249	248	300	263	263	215	44	1	
.	.	.	.	2	10	13	35	54	86	111	141	146	124	81	8	1	43
.	.	.	1	1	7	24	40	70	99	104	126	90	113	92	23	1	
.	1	1	3	1	6	5	3	5	6	10	14	5	10	1	1	.	to
1	2	2	1	.	2	4	2	4	4	4	8	3	7	4	.	.	
2	.	.	.	.	6	11	31	50	107	98	123	137	132	62	10	1	49
.	.	1	2	4	6	19	33	58	76	75	87	91	81	65	13	.	
.	1	1	.	2	.	.	1	.	1	2	2	4	2	4	.	.	50
1	.	.	1	.	.	3	2	2	3	4	3	4	1	4	.	.	
5	6	7	5	4	1	2	5	2	4	1	3	1	1	.	.	.	51
4	5	5	2	5	6	1	4	3	1	3	2	2	.	1	.	.	
.	.	1	1	.	1	4	1	1	10	19	14	24	31	23	5	.	52
.	.	.	.	1	1	2	7	9	15	12	37	36	39	29	8	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	56
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	1	7	9	9	4	2	1	9	9	9	20	17	13	7	.	.	57
.	1	3	2	6	6	2	4	9	12	12	16	17	11	12	.	.	
1	.	4	2	2	2	2	10	8	17	16	14	12	12	2	1	.	58a
1	2	.	2	4	3	9	6	10	23	18	11	12	7	5	.	.	
1	1	3	.	.	.	1	1	1	9	2	4	3	1	3	.	.	58b
4	3	.	1	4	1	7	4	3	6	7	4	5	.	1	.	.	
.	.	.	2	1	.	.	.	1	.	1	.	.	1	1	.	.	60a
.	.	1	5	1	3	8	4	6	4	3	4	.	3	.	.	.	
1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	60b
1	.	1	.	.	.	2	1	.	.	.	1	1	.	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	61a
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	62
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	2	1	1	2	.	2	1	2	1	1	.	.	1	.	.	63
.	.	.	.	1	1	.	.	3	2	1	.	1	1	.	.	.	
.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	64
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	1	1	1	3	2	.	1	1	1	3	2	.	.	.	1	.	65a
.	.	.	.	1	.	2	.	.	4	2	.	.	.	1	.	.	

CAUSES of DEATHS at different

International List Nos.	Causes of Death.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
														AGES AT
	II. General Diseases not included above—*continued.*													
65b	Lymphadenoma (Hodgkin's Disease)	M.	18	.	.	.	.	.	.	.	.	.	1	1
		F.	3	.	.	.	.	.	.	.	.	.	.	.
66	Alcoholism (acute or chronic) ...	M.	13	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
67a	Chronic Poisoning by Mineral Substances. Lead	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
69	Other General Diseases	M.	11	1	.	.	.	.	1	.	1	.	.	2
		F.	19	2	.	.	.	.	2	.	1	2	.	5
	III. Diseases of the Nervous System and Sense Organs	M.	1,842	115	39	24	57	86	321	62	22	21	11	437
		F.	2,017	86	21	18	49	64	238	45	18	15	17	333
70	Encephalitis	M.	24	.	.	.	.	1	1	.	.	.	.	1
		F.	14	.	.	.	.	.	.	1	.	.	2	3
71	Meningitis	M.	170	2	3	4	11	17	37	20	5	12	5	79
		F.	167	1	1	1	7	25	35	17	1	7	10	70
72	Tabes Dorsalis (Locomotor Ataxy)	M.	9	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
73	Other Diseases of Spinal Cord ...	M.	62	.	.	.	.	.	.	.	.	.	1	1
		F.	45	.	.	.	.	.	.	.	.	.	1	1
74a	Cerebral Hæmorrhage, Apoplexy	M.	516	.	.	.	.	.	.	.	.	.	.	.
		F.	740	.	.	.	.	.	.	.	.	1	.	1
74b	Cerebral Thrombosis and Embolism	M.	44	.	.	.	.	.	.	.	.	.	.	.
		F.	63	.	.	.	.	.	.	.	.	.	.	.
75a	Hemiplegia	M.	141	.	.	.	.	.	.	.	.	.	.	.
		F.	210	.	.	.	.	.	.	.	.	.	.	.
75b	Other forms of Paralysis ...	M.	123	.	.	.	.	.	.	.	.	.	1	1
		F.	197	.	.	.	.	.	.	1	.	.	.	1
76	General Paralysis of the Insane ...	M.	17	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
77	Other forms of Insanity	M.	132	.	.	.	.	.	.	.	.	.	.	.
		F.	127	.	.	.	.	.	.	.	.	.	.	.
78	Epilepsy	M.	98	.	.	.	.	2	2	.	.	.	.	2
		F.	60	.	.	.	.	.	.	2	.	.	.	2
79–80	Convulsions (non-Puerperal) ...	M.	347	113	35	20	45	63	276	38	15	7	3	339
		F.	252	85	20	17	41	37	200	23	16	5	3	247
81	Chorea	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	.	.	.	.	.
82	Hysteria and Neuritis	M.	15	.	.	.	.	.	.	.	.	.	.	.
		F.	14	.	.	.	.	.	.	.	.	.	.	.
83	Cerebral Softening	M.	12	.	.	.	.	.	.	.	.	.	.	.
		F.	20	.	.	.	.	.	.	.	.	.	.	.
84a	Idiocy : Imbecility	M.	7	.	.	.	1	.	1	.	1	1	.	3
		F.	3	.	.	.	.	.	.	.	.	.	.	.
84b	Cerebral Tumour	M.	22	.	.	.	.	.	.	3	.	.	.	3
		F.	11	.	.	.	.	.	.	.	.	.	.	.
84c	Disseminated Sclerosis	M.	16	.	.	.	.	.	.	.	.	.	.	.
		F.	13	.	.	.	.	.	.	.	.	.	.	.
84d	Paralysis Agitans	M.	26	.	.	.	.	.	.	.	.	.	.	.
		F.	16	.	.	.	.	.	.	.	.	.	.	.
84e	Other Diseases of the Nervous System.	M.	20	.	.	.	.	.	.	.	.	.	.	.
		F.	20	.	.	.	.	.	.	.	.	.	.	.
85	Disease of Eye	M.	5	.	.	.	.	.	.	.	.	.	1	1
		F.	2	.	.	.	.	.	.	.	.	.	.	.
86	Disease of the Ear and of the Mastoid Sinus	M.	34	.	1	.	.	3	4	1	1	1	.	7
		F.	31	.	.	.	1	2	3	1	1	2	1	8

Periods of Life in the Year 1927.—(*continued*).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
4	.	3	1	.	.	1	.	2	1	.	3	2	.	.	.	.	65b
.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	
.	.	.	.	1	1	1	1	1	3	2	.	2	.	1	.	.	66
.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	67a
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	2	1	1	2	.	.	.	.	.	.	2	1	.	.	.	.	69
1	3	3	1	.	.	.	.	5	.	.	.	1	.	.	.	.	
32	26	53	35	34	46	49	62	69	101	120	183	177	189	193	35	1	
40	29	35	35	22	35	44	64	88	126	157	177	238	272	285	36	1	
.	2	1	2	4	3	2	2	1	3	2	.	1	.	.	.	.	70
1	.	.	1	2	1	.	.	2	2	.	1	.	1	.	.	.	
17	11	20	7	4	3	7	6	6	2	2	3	2	1	.	.	.	71
26	20	18	10	4	5	5	1	.	.	4	1	.	1	.	1	1	
.	.	.	.	1	.	1	.	1	1	1	2	2	.	.	.	.	72
.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	
1	1	3	2	3	2	1	4	8	7	8	10	5	3	3	.	.	73
.	.	1	4	2	3	1	4	5	5	2	6	5	5	1	.	.	
.	.	3	3	1	13	6	9	16	24	53	72	72	113	109	21	1	74a
.	.	1	1	.	4	11	17	34	54	67	90	120	154	162	24	.	
.	1	.	.	.	.	.	.	.	7	1	7	5	6	14	3	.	74b
.	1	.	.	.	1	3	2	.	5	4	3	12	15	14	3	.	
.	.	.	.	.	1	2	2	.	9	23	24	24	20	31	5	.	75a
1	.	.	1	.	2	3	4	14	15	19	22	37	42	46	4	.	
.	.	1	3	1	3	.	5	3	6	6	18	25	28	20	3	.	75b
2	.	1	1	2	4	5	6	5	12	22	22	33	33	44	4	.	
.	.	.	.	.	2	4	3	5	2	1	.	.	.	.	.	.	76
.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	
.	.	1	2	4	5	13	16	7	22	11	20	20	5	5	1	.	77
.	.	1	4	5	8	2	10	12	15	23	20	13	9	5	.	.	
2	4	7	10	9	9	7	6	7	8	6	7	10	1	3	.	.	78
.	2	4	6	5	4	8	6	7	5	5	1	1	3	1	.	.	
5	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	79–80
5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	81
4	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	.	.	1	.	.	.	2	3	2	1	3	1	2	.	.	.	82
.	.	.	1	1	2	1	3	2	.	.	1	2	1	.	.	.	
.	.	1	.	.	.	.	.	1	1	1	3	2	2	1	.	.	83
.	.	.	.	.	.	.	.	.	1	1	3	6	3	6	.	.	
.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	84a
.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	
2	1	3	2	1	2	2	.	.	1	.	3	1	.	1	.	.	84b
.	.	1	2	1	.	2	1	2	.	1	1	.	.	.	.	.	
.	.	1	2	.	2	.	2	2	1	.	3	1	1	1	.	.	84c
.	.	.	1	.	.	1	4	1	4	.	.	2	.	.	.	.	
.	.	1	.	.	.	2	1	3	1	1	3	3	6	4	1	.	84d
.	.	.	.	.	.	.	.	.	1	3	3	5	2	2	.	.	
.	.	1	.	1	.	2	1	3	3	2	3	1	1	1	1	.	84e
.	.	.	.	.	1	2	3	1	5	3	1	.	2	2	.	.	
.	.	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	85
.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	
3	4	6	1	5	1	.	3	.	1	1	2	.	.	.	.	.	86
1	4	7	2	.	.	.	.	1	1	2	1	2	1	1	.	.	

CAUSES of DEATH at different

International List Nos.	Causes of Death.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total Under 5 years.
			AGES AT											
	IV. Diseases of the Circulatory System.	M.	2,633	.	.	.	1	.	1	1	2	1	1	6
		F.	2,732	.	.	.	.	.	.	4	3	2	.	9
87	Pericarditis	M.	15	.	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	1	.	1	.	2
88	Acute Endocarditis and Myocarditis	M.	62	.	.	.	.	.	.	.	.	.	1	1
		F.	69	.	.	.	.	.	.	1	.	.	.	1
89	Angina Pectoris	M.	69	.	.	.	.	.	.	.	.	.	.	.
		F.	29	.	.	.	.	.	.	.	.	.	.	.
90a	Valvular Disease of Heart ...	M.	575	.	.	.	.	.	.	.	1	1	.	2
		F.	664	.	.	.	.	.	.	.	2	.	.	2
90b	Fatty Degeneration of Heart ...	M.	57	.	.	.	.	.	.	.	.	.	.	.
		F.	40	.	.	.	.	.	.	.	.	.	.	.
90c	Other and unstated forms of Heart Disease.	M.	1,661	.	.	.	1	.	1	1	.	.	.	2
		F.	1,782	.	.	.	.	.	.	2	1	1	.	4
91a	Aneurysm	M.	21	.	.	.	.	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.	.	.	.	.
91b	Arterio-sclerosis	M.	141	.	.	.	.	.	.	.	.	.	.	.
		F.	89	.	.	.	.	.	.	.	.	.	.	.
91c	Other Diseases of the Arteries ...	M.	5	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
92	Embolism and Thrombosis (not Cerebral)	M.	10	.	.	.	.	.	.	.	.	.	.	.
		F.	20	.	.	.	.	.	.	.	.	.	.	.
93	Diseases of the Veins (Varices, Hæmorrhoids, Phlebitis, etc.)	M.	7	.	.	.	.	.	.	.	.	.	.	.
		F.	15	.	.	.	.	.	.	.	.	.	.	.
94	Diseases of Lymphatic System (Lymphangitis, etc.) ...	M.	6	.	.	.	.	.	.	.	1	.	.	1
		F.	3	.	.	.	.	.	.	.	.	.	.	.
95	Hæmorrhage (without stated cause)	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	5	.	.	.	.	.	.	.	.	.	.	.
96	Other Diseases of the Circulatory System	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
	V. Diseases of the Respiratory System	M.	3,195	38	46	35	95	210	424	193	86	49	27	779
		F.	2,932	32	41	34	77	140	324	188	66	49	29	656
97	Diseases of the Nasal Fossae ...	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	3	.	.	.	.	.	.	.	.	.	.	.
98a	Croup	M.	15	2	1	.	.	3	6	4	2	1	1	14
		F.	12	1	.	1	2	1	5	3	1	.	2	11
98b	Other Diseases of the Larynx ...	M.	24	.	.	.	2	1	3	1	4	1	2	11
		F.	9	1	.	1	.	1	3	1	.	1	1	6
99a	Bronchitis, Acute	M.	182	5	4	3	8	9	29	4	6	3	2	44
		F.	183	2	1	3	5	4	15	8	2	2	2	29
99b	Bronchitis, Chronic	M.	263	.	.	.	.	.	.	1	.	.	1	2
		F.	247	.	.	.	.	.	.	.	.	.	.	.
99c.d.	Bronchitis (not otherwise defined)...	M.	786	17	15	16	25	53	126	21	11	5	4	167
		F.	949	8	11	10	20	38	87	33	17	7	3	147
100	Broncho-Pneumonia	M.	576	10	16	9	37	87	159	100	32	21	6	318
		F.	567	16	20	14	34	67	151	101	25	25	8	310
101a	Lobar Pneumonia	M.	180	.	.	.	.	8	8	7	.	2	.	17
		F.	113	1	1	.	1	.	3	3	1	4	.	11
101b	Pneumonia (not otherwise defined)...	M.	805	4	8	5	20	45	82	47	26	15	10	180
		F.	592	3	7	4	13	26	53	37	20	8	13	131
102a	Empyema	M.	22	.	.	.	.	1	1	2	1	1	1	6
		F.	6	.	.	.	.	1	1	1	.	1	.	3
102b	Other Pleurisy	M.	43	.	.	.	.	.	.	.	1	.	.	1
		F.	46	.	.	.	.	1	1	.	.	.	.	1
103	Congestion and Hæmorrhagic Infarct of the Lung	M.	113	.	1	2	3	2	8	3	3	.	.	14
		F.	102	.	1	.	2	1	4	.	.	1	.	5

'eriods of Life in the Year 1927.—(*continued*).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
14	14	28	30	35	36	41	59	124	161	240	373	446	469	474	79	4	
11	17	27	22	38	55	75	89	121	189	262	329	414	493	466	107	8	
2	.	3	1	2	1	.	.	1	3	2	.	.	.	.	.	.	87
.	.	2	.	1	.	.	1	1	.	.	.	.	1	.	.	.	
1	4	4	12	6	4	9	12	1	2	2	.	3	.	1	.	.	88
7	3	3	4	6	7	17	14	.	1	1	1	1	1	2	.	.	
.	.	.	.	.	.	1	.	3	8	12	9	22	5	8	1	.	89
.	.	.	.	1	.	.	.	1	4	5	6	2	2	7	1	.	
4	3	15	8	9	11	18	12	33	50	56	72	88	93	88	12	1	90a
1	6	9	7	17	20	21	22	36	48	77	80	94	104	99	19	2	
.	.	.	.	.	1	1	3	2	.	5	10	17	7	8	3	.	90b
.	.	.	.	.	.	4	.	2	1	5	8	6	5	9	.	.	
7	5	6	7	17	16	11	27	75	89	143	246	289	333	332	53	3	90c
3	7	13	10	11	23	28	46	73	125	166	221	292	355	322	77	6	
.	.	.	.	.	1	1	1	3	2	7	4	1	.	1	.	.	91a
.	.	.	.	.	.	.	.	1	1	1	.	1	1	.	1	.	
.	.	.	1	.	1	.	3	3	5	8	30	21	30	31	8	.	91b
.	.	.	.	.	1	.	.	4	3	5	9	15	20	23	9	.	
.	.	.	.	.	1	.	1	.	1	.	.	2	.	.	.	.	91c
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	1	.	.	.	1	1	3	.	1	1	2	.	.	92
.	1	.	1	1	3	3	2	.	3	2	2	1	.	1	.	.	
.	.	.	.	.	.	.	.	2	.	1	1	2	.	1	.	.	93
.	.	.	.	1	1	1	2	3	1	.	2	1	1	2	.	.	
.	2	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	94
.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	95
.	.	.	.	.	.	.	2	.	.	.	.	.	2	1	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	96
.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
45	29	42	40	41	50	64	96	120	196	222	281	316	385	402	81	6	
58	25	40	34	48	50	68	63	87	126	141	276	292	436	433	94	5	
.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	97
.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	.	
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	98a
1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
4	.	2	.	.	.	.	.	.	1	3	2	.	.	1	.	.	98b
1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	
1	2	.	1	2	4	1	4	1	7	16	15	23	23	30	7	1	99a
.	.	1	2	2	1	5	2	5	6	7	24	18	38	27	15	1	
2	.	.	1	4	2	3	4	6	14	18	26	45	57	64	14	1	99b
1	.	2	1	1	2	4	4	7	12	13	36	43	51	57	12	1	
4	2	4	4	2	2	5	15	16	33	49	80	83	138	148	30	4	99c.d
11	7	6	.	6	5	7	10	17	42	62	99	110	177	202	38	3	
13	4	2	7	8	5	12	12	14	17	23	24	35	36	40	6	.	100
20	7	10	6	8	7	10	9	8	13	6	25	24	49	45	10	.	
3	2	7	5	2	10	9	17	12	17	17	14	14	18	15	1	.	101a
3	.	5	1	6	7	9	5	9	7	7	6	12	17	5	3	.	
14	16	16	18	13	20	29	33	49	68	62	79	61	76	57	14	.	101b
20	7	14	18	19	21	25	25	30	27	28	54	59	63	47	4	.	
1	1	1	.	1	1	.	2	.	3	3	1	1	1	.	.	.	102a
.	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	.	
2	.	2	1	1	2	3	2	7	4	3	4	5	3	2	1	.	102b
1	3	1	2	1	2	3	4	2	6	1	7	3	7	2	.	.	
1	1	4	1	.	1	.	3	4	9	9	15	15	9	23	4	.	103
.	1	1	1	2	3	1	1	2	5	10	14	10	14	23	9	.	

CAUSES of DEATH at different AGES AT

International List Nos.	Causes of Death.		All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
104	Gangrene of the Lung	M.	10	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
105	Asthma	M.	117	.	.	.	.	.	.	1	.	.	.	1
		F.	58	.	.	.	.	.	.	.	.	.	.	.
106	Pulmonary Emphysema	M.	11	.	.	.	.	.	.	.	.	.	.	.
		F.	8	.	.	.	.	.	.	1	.	.	.	1
107	Other Diseases of the Respiratory System (Tuberculosis excepted)	M.	46	.	1	.	.	1	2	2	.	.	.	4
		F.	36	.	.	1	.	.	1	.	.	.	.	1
	VI. Diseases of the Digestive System.	M.	1,255	34	48	51	100	77	310	54	20	8	14	406
		F.	1,021	26	37	29	92	73	257	45	19	17	17	355
108a	Diseases of Teeth and Gums	M.	5	.	.	.	.	.	.	1	.	.	.	1
		F.	5	1	.	.	.	1	2	1	1	.	.	4
108b	Diseases of the Buccal Cavity and its Annexa	M.	5	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	1	.	.	.	1
109	Diseases of Pharynx and Tonsils (including Adenoid Vegetations)	M.	28	.	.	.	.	2	2	6	2	1	1	12
		F.	17	.	1	.	.	1	2	.	2	2	2	8
110	Diseases of the Oesophagus ...	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	.	.	.	.	.	.	.	.
111a	Ulcer of the Stomach	M.	123	.	.	.	.	.	.	.	.	1	.	1
		F.	70	.	.	.	.	.	.	.	.	.	.	.
111b	Ulcer of the Duodenum ...	M.	67	.	.	.	.	1	1	.	.	.	.	1
		F.	11	.	.	.	.	.	.	.	.	.	.	.
112a	Inflammation of Stomach ...	M.	146	5	4	12	13	12	46	6	3	.	1	56
		F.	152	6	8	7	10	10	41	12	4	3	1	61
112b	Other Diseases of the Stomach (Cancer excepted) ...	M.	38	.	1	.	.	1	2	1	.	2	.	5
		F.	49	.	.	.	1	.	1	1	.	.	.	2
113–114	Diarrhœa and Enteritis	M.	373	27	43	39	72	56	237	34	10	3	6	290
		F.	330	16	27	21	76	54	194	28	11	8	7	248
116	Diseases due to Intestinal Parasites	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	1	.	.	1
117	Appendicitis	M.	119	.	.	.	.	.	.	1	1	.	.	2
		F.	66	.	.	.	.	.	.	.	.	.	5	5
118a	Hernia	M.	43	.	.	.	1	.	1	.	1	.	.	2
		F.	33	.	.	.	.	.	.	.	.	.	.	.
118b	Intestinal Obstruction	M.	122	2	.	.	11	5	18	4	3	.	4	29
		F.	115	1	1	1	5	5	13	1	.	1	2	17
119	Other Diseases of the Intestine ...	M.	15	.	.	.	.	.	.	.	.	.	.	.
		F.	17	1	.	.	.	1	2	.	.	.	.	2
120	Acute Yellow Atrophy of the Liver	M.	4	.	.	.	.	.	.	1	.	.	.	1
		F.	1	.	.	.	.	.	.	.	.	.	.	.
121	Hydatid Tumour of Liver ...	M.	.	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
122	Cirrhosis of the Liver	M.	70	.	.	.	.	.	.	.	.	.	.	.
		F.	36	.	.	.	.	.	.	1	.	.	.	1
123	Biliary Calculi	M.	11	.	.	.	.	.	.	.	.	.	.	.
		F.	19	.	.	.	.	.	.	.	.	.	.	.
124	Other Diseases of the Liver ...	M.	50	.	.	.	1	.	1	.	.	.	1	2
		F.	58	.	.	.	.	.	.	.	.	.	.	.
125	Diseases of the Pancreas ...	M.	9	.	.	.	.	.	.	.	.	.	.	.
		F.	6	.	.	.	.	.	.	.	.	.	.	.
126	Peritonitis of Unstated Origin ...	M.	25	.	.	.	1	.	1	.	.	1	1	3
		F.	29	1	.	.	.	1	2	.	.	3	.	5
127	Other Diseases of the Digestive System	M.	1	.	.	.	1	.	1	.	.	.	.	1
		F.	.	.	.	.	.	.	.	.	.	.	.	.

eriods of Life in the Year 1927.—(*continued*).

EATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
.	.	.	.	1	.	.	.	1	3	1	2	.	.	2	.	.	104
.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
.	.	2	1	4	1	2	2	7	15	14	16	23	17	11	1	.	105
.	.	.	1	1	2	2	1	3	6	7	7	6	10	11	1	.	
.	.	1	.	.	1	.	.	1	2	.	1	.	1	4	.	.	106
.	.	.	.	.	.	.	.	2	.	.	1	1	1	2	.	.	
.	.	1	1	2	1	.	2	2	3	3	2	11	6	5	3	.	107
.	.	.	2	.	.	1	.	1	1	.	1	6	9	12	2	.	
35	22	16	18	37	36	42	59	58	81	77	94	108	84	73	9	.	
30	14	9	16	20	16	33	35	46	53	63	88	67	88	73	15	.	
.	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	108a
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
.	1	.	.	1	.	.	.	1	1	.	.	.	1	.	.	.	108b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	2	1	2	.	1	1	.	2	1	.	.	.	1	.	.	.	109
2	1	1	1	.	1	2	1	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	110
.	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	
1	.	.	2	5	5	8	15	15	16	17	15	13	4	5	1	.	111a
.	.	.	3	3	2	8	10	7	3	9	10	6	6	2	1	.	
.	.	.	3	6	9	10	6	5	7	5	3	7	3	2	.	.	111b
.	.	.	1	.	.	1	1	2	3	2	1	.	.	.	.	.	
4	3	1	1	1	2	3	4	7	8	4	10	20	14	6	2	.	112a
.	1	.	1	5	1	4	3	5	7	9	14	14	15	11	1	.	
.	.	.	.	.	2	1	1	2	4	2	5	5	5	6	.	.	112b
.	1	1	.	2	.	1	.	6	2	1	8	6	14	3	2	.	
5	3	1	.	4	4	5	4	4	9	3	11	7	7	13	3	.	113–
5	2	.	1	3	5	4	4	4	6	6	7	6	12	16	1	.	114
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	116
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
14	7	10	7	13	9	5	13	5	7	7	9	4	6	1	.	.	117
12	7	6	5	1	2	2	3	5	2	6	6	1	3	.	.	.	
.	.	.	.	1	.	.	1	2	1	5	5	9	9	7	1	.	118a
.	.	.	.	2	.	1	1	3	3	4	8	3	3	5	.	.	
3	3	1	.	2	.	2	3	2	9	7	15	8	21	16	1	.	118b
6	1	.	.	.	1	1	4	3	9	11	9	9	18	17	9	.	
.	.	1	.	.	.	.	1	1	.	4	.	2	2	4	.	.	119
.	.	.	1	1	1	1	.	.	2	.	2	3	2	2	.	.	
.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	.	120
.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	121
.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
.	1	.	.	1	1	5	4	7	4	13	11	15	3	4	1	.	122
.	.	.	.	1	.	3	1	2	4	3	3	6	5	6	1	.	
.	.	.	.	.	.	.	2	.	2	2	.	5	.	.	.	.	123
.	.	.	.	.	.	.	1	.	1	3	7	3	2	2	.	.	
.	.	.	1	1	2	.	1	3	7	4	7	9	6	7	.	.	124
.	.	.	1	1	1	2	4	6	10	6	11	5	5	6	.	.	
.	.	1	.	.	.	.	3	.	2	.	1	2	.	.	.	.	125
.	.	.	1	.	.	.	.	2	.	.	.	3	.	.	.	.	
3	2	.	1	2	1	2	1	1	1	3	1	.	2	2	.	.	126
5	1	1	1	.	2	3	2	1	.	2	1	1	1	3	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	127
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

CAUSES of DEATH at different

International List Nos.	Causes of Death.		AGES AT											
			All Ages.	Under 1 Month.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total Under 5 years.
	VII. Non-Venereal Diseases of the Genito-Urinary System and its Annexa.	M.	912	.	.	.	2	3	5	2	1	2	2	12
		F.	608	.	.	.	.	1	1	.	2	.	3	6
128	Acute Nephritis (including unspecified under 10 years of age)	M.	91	.	.	.	2	2	4	2	1	2	2	11
		F.	90	.	.	.	.	.	.	.	2	.	2	4
129	Chronic Nephritis (including unspecified over 10 years of age)	M.	527	.	.	.	.	.	.	.	.	.	.	.
		F.	409	.	.	.	.	.	.	.	.	.	.	.
131	Other Diseases of the Kidneys and their Annexa (Diseases of the Kidneys in Pregnancy excluded).	M.	47	.	.	.	.	1	1	.	.	.	.	1
		F.	35	.	.	.	.	.	.	.	.	.	1	1
132	Calculi of the Urinary Passages ...	M.	4	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
133a	Cystitis	M.	70	.	.	.	.	.	.	.	.	.	.	.
		F.	14	.	.	.	.	1	1	.	.	.	.	1
133b	Other Diseases of the Bladder ...	M.	20	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
134a	Stricture of the Urethra ...	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
134b	Other Diseases of the Urethra ...	M.	6	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
135	Diseases of the Prostate ...	M.	143	.	.	.	.	.	.	.	.	.	.	.
136	Non-Venereal Diseases of the Male Genital Organs	M.	2	.	.	.	.	.	.	.	.	.	.	.
137	Cysts and other non-malignant Tumours of the Ovary ...	F.	18	.	.	.	.	.	.	.	.	.	.	.
138	Pelvic Abscess and Salpingitis ...	F.	15	.	.	.	.	.	.	.	.	.	.	.
139	Non-malignant Tumours of the Uterus	F.	21	.	.	.	.	.	.	.	.	.	.	.
140	Non-Puerperal Uterine Hæmorrhage	F.	2	.	.	.	.	.	.	.	.	.	.	.
141a	Metritis	F.	2	.	.	.	.	.	.	.	.	.	.	.
	VIII. The Puerperal State	F.	271	.	.	.	.	.	.	.	.	.	.	.
143b	Accidents of Pregnancy— A. Abortion	F.	9	.	.	.	.	.	.	.	.	.	.	.
	B. Ectopic Gestation	F.	1	.	.	.	.	.	.	.	.	.	.	.
	C. Other Accidents	F.	12	.	.	.	.	.	.	.	.	.	.	.
144	Puerperal Hæmorrhage	F.	67	.	.	.	.	.	.	.	.	.	.	.
145	Other Accidents of Childbirth ...	F.	53	.	.	.	.	.	.	.	.	.	.	.
146	Puerperal Sepsis	F.	77	.	.	.	.	.	.	.	.	.	.	.
147	Phlegmasia Alba Dolens; Puerperal Embolism, and Sudden Death in the Puerperium ...	F.	18	.	.	.	.	.	.	.	.	.	.	.
148	Puerperal Albuminuria and Convulsions	F.	34	.	.	.	.	.	.	.	.	.	.	.
	IX. Diseases of the Skin and Cellular Tissue	M.	128	3	1	.	4	3	11	2	1	.	2	16
		F.	109	4	.	.	3	2	9	5	.	.	.	14
151	Gangrene	M.	58	.	.	.	.	.	.	.	.	.	.	.
		F.	64	.	.	.	.	.	.	1	.	.	.	1

riods of Life in the Year 1927.—(*continued*).

ATH.

—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	International List Nos.
10	1	8	11	14	20	21	30	44	59	74	113	140	158	155	39	3	
4	8	6	21	20	17	36	27	47	69	56	74	66	83	61	7	.	
8	.	2	2	4	4	1	3	8	9	9	8	9	9	4	.	.	128
2	5	4	6	5	6	9	3	7	9	5	10	6	4	5	.	.	
2	1	4	9	9	15	16	24	31	42	48	69	84	89	62	20	2	129
.	3	2	8	6	7	16	14	33	44	46	58	50	66	49	7	.	
.	.	1	.	1	1	1	1	2	4	4	4	2	11	14	.	.	131
1	.	.	2	.	2	4	3	.	7	2	1	2	5	5	.	.	
.	.	1	.	.	.	.	.	1	.	1	.	1	.	.	.	.	132
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	2	1	1	1	1	13	14	11	16	10	.	133a
1	.	.	.	.	.	.	.	.	2	.	1	3	5	1	.	.	
.	.	.	.	.	.	.	.	.	.	1	2	2	7	5	2	1	133b
.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	134a
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	134b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	1	1	.	9	15	27	30	53	7	.	135
.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	136
.	.	.	1	1	.	2	.	1	3	2	2	3	2	1	.	.	137
.	.	.	4	4	.	1	3	1	.	1	.	1	.	.	.	.	138
.	.	.	.	3	2	3	2	4	4	.	1	1	1	.	.	.	139
.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	140
.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	141a
.	.	4	23	78	72	59	30	4	1	.	.	.	.	.	.	.	
.	.	.	.	1	4	3	.	1	.	.	.	.	.	.	.	.	143b
.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	.	2	4	3	1	1	.	.	.	.	.	.	.	.	
.	.	1	4	18	17	15	12	.	.	.	.	.	.	.	.	.	144
.	.	.	5	12	16	14	5	1	.	.	.	.	.	.	.	.	145
.	.	1	9	25	19	16	5	1	1	.	.	.	.	.	.	.	146
.	.	.	2	6	5	3	2	.	.	.	.	.	.	.	.	.	147
.	.	1	3	13	7	5	5	.	.	.	.	.	.	.	.	.	148
.	.	1	2	2	2	1	4	6	9	9	16	11	16	20	12	1	
2	1	1	1	2	.	.	.	2	9	10	16	5	15	22	8	1	
.	.	.	.	.	.	.	1	1	3	5	4	7	8	18	10	1	151
1	.	1	.	.	.	.	.	.	5	4	9	3	12	20	7	1	

CAUSES of DEATH at different

International List Nos.	Causes of Death.		AGES AT											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
	IX. Diseases of the Skin and Cellular Tissue—*continued.*													
152	Furuncle	M.	7	.	.	.	.	.	.	.	.	.	.	.
		F.	4	.	.	.	1	.	1	.	.	.	.	1
153	Cellulitis, Acute Abscess ...	M.	39	.	1	.	1	2	4	1	.	.	2	7
		F.	15	1	.	.	.	1	2	2	.	.	.	4
154	Other Diseases of the Skin and its Annexa	M.	24	3	.	.	3	1	7	1	1	.	.	9
		F.	26	3	.	.	2	1	6	2	.	.	.	8
	X. Diseases of the Bones and Organs of Locomotion	M.	47	.	.	.	.	.	.	2	1	1	1	5
		F.	27	1	.	.	.	1	2	1	.	.	1	4
155	Diseases of the Bones (Tuberculosis and Rickets excepted) ...	M.	44	.	.	.	.	.	.	1	1	1	1	4
		F.	22	1	.	.	.	1	2	.	.	.	1	3
156	Diseases of the Joints (Tuberculosis and Rheumatism excepted)	M.	3	.	.	.	.	.	.	1	.	.	.	1
		F.	5	.	.	.	.	.	.	1	.	.	.	1
	XI. Malformations.													
159	Congenital Malformations (Still-births excepted)	M.	91	56	13	6	3	2	80	.	4	3	1	88
		F.	74	46	6	3	7	3	65	1	2	1	3	72
	XII. Diseases of Early Infancy	M.	903	618	107	54	78	46	903	.	.	.	.	903
		F.	699	445	82	45	81	46	699	.	.	.	.	699
160b	Congenital Debility, Icterus and Sclerema	M.	607	342	98	50	73	44	607	.	.	.	.	607
		F.	466	233	75	39	76	43	466	.	.	.	.	466
161a	Premature Birth :	M.	236	219	7	4	4	2	236	.	.	.	.	236
		F.	200	179	7	6	5	3	200	.	.	.	.	200
161b	Injury at Birth	M.	16	14	1	.	1	.	16	.	.	.	.	16
		F.	8	8	.	.	.	.	8	.	.	.	.	8
162a	Atelectasis	M.	6	5	1	.	.	.	6	.	.	.	.	6
		F.	9	9	.	.	.	.	9	.	.	.	.	9
162b	Other Diseases Peculiar to Early Infancy	M.	19	19	.	.	.	.	19	.	.	.	.	19
		F.	6	6	.	.	.	.	6	.	.	.	.	6
163	Lack of Care	M.	19	19	.	.	.	.	19	.	.	.	.	19
		F.	10	10	.	.	.	.	10	.	.	.	.	10
	XIII. Old Age.													
164	Senility	M.	3,626	.	.	.	.	.	.	.	.	.	.	.
		F.	4,572	.	.	.	.	.	.	.	.	.	.	.
	XIV. External Causes.	M.	607	7	1	2	5	2	17	15	23	19	9	83
		F.	238	11	.	.	1	2	14	12	13	5	3	47
165–174	Suicide	M.	80	.	.	.	.	.	.	.	.	.	.	.
		F.	16	.	.	.	.	.	.	.	.	.	.	.
175	Food Poison	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
177	Other Acute Accidental Poisonings	M.	8	.	.	.	.	.	.	.	1	.	.	1
		F.	3	.	.	.	.	.	.	.	.	.	.	.
179	Burns (Conflagration excepted) and Scalds	M.	71	.	.	1	2	1	4	13	15	12	3	47
		F.	68	.	.	.	.	2	2	9	12	5	3	31
180	Accidental Mechanical Suffocation...	M.	10	1	1	1	2	.	5	.	.	.	.	5
		F.	2	1	.	.	1	.	2	.	.	.	.	2

eriods of Life in the Year 1927.—(*continued*).

)EATH.																	
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	International List Nos.
.	.	.	.	.	.	.	.	1	.	.	2	1	3	.	.	.	152
.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	
.	.	1	1	2	2	1	2	3	5	3	7	2	2	1	.	.	153
1	1	.	.	1	.	.	.	.	2	3	1	1	1	.	.	.	
.	.	.	1	.	.	.	1	1	1	1	3	1	3	1	2	.	154
.	.	.	1	1	.	.	.	1	2	3	5	1	1	2	1	.	
13	9	3	1	2	1	1	2	1	1	3	.	2	2	1	.	.	
3	6	1	.	.	.	1	3	.	1	1	.	3	3	1	.	.	
13	9	3	1	2	1	.	2	1	1	2	.	2	2	1	.	.	155
3	6	1	.	.	.	1	2	.	.	1	.	3	2	.	.	.	
.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	156
.	.	.	.	.	.	.	1	.	1	.	.	.	1	1	.	.	
1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	159
1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	160b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	161b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	162a
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	162b
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	163
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	46	653	1,817	1,000	110	164
.	.	.	.	.	.	.	.	.	.	.	.	57	893	2,340	1,146	136	
28	11	40	38	46	29	34	33	42	49	26	39	38	35	28	6	2	
21	4	8	6	7	6	8	3	11	13	13	12	14	29	25	11	.	
.	.	.	4	6	6	7	6	8	16	4	7	11	3	2	.	.	165–174
.	.	.	1	2	1	3	.	2	4	2	.	.	1	.	.	.	
.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	175
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
2	.	.	.	.	2	.	.	.	.	2	1	.	.	.	.	.	177
.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	
3	.	3	1	2	.	.	.	.	1	1	3	1	5	3	.	1	179
6	2	3	.	2	.	.	.	3	1	.	3	3	6	4	4	.	
.	2	.	1	.	1	.	.	1	.	.	.	.	.	.	.	.	180
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

CAUSES of DEATH at differe

International List Nos.	Causes of Death.		AGES A											
			All Ages.	Under 1 Month.	1—2 Mths.	2—3 Mths.	3—6 Mths.	6–12 Mths.	Total under 1 year.	1—	2—	3—	4—	Tot unde 5 year
	XIV. External Causes—*continued.*													
181	Accidental Absorption of Irrespirable or Poisonous Gas	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
182	Accidental Drowning	M.	125	.	.	.	.	.	.	.	4	3	1	
		F.	31	.	.	.	.	.	.	2	.	.	.	
183	Accidental Injury by Firearms ...	M.	10	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
184	Cutting and Piercing Instruments ...	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
185	Accidental Injury by Fall ...	M.	51	.	.	.	.	.	.	.	.	1	2	
		F.	11	.	.	.	.	.	.	1	.	.	.	
186	Accidental Injuries in Mines or Quarries	M.	2	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
187	Accidental Injuries by Machinery	M.	11	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
188a	Accidental Injury by Vehicles, (Motors, Railways,) etc.	M.	104	.	.	.	.	.	.	2	1	2	3	
		F.	34	.	.	.	.	.	.	.	.	.	.	.
188b	Accidental Injury by other forms of crushing.	M.	14	.	.	.	.	.	.	.	1	.	.	
		F.	3	.	.	.	.	.	.	.	.	.	.	.
189	Injury by Animals (poisoning excepted)	M.	17	.	.	.	.	1	1	.	.	1	.	
		F.	2	.	.	.	.	.	.	.	.	.	.	.
190	Wounds of War	M.	5	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
192	Hunger or Thirst	M.	1	.	.	.	.	.	.	.	.	.	.	.
		F.	1	.	.	.	.	.	.	.	.	.	.	.
193	Excessive Cold	M.	3	.	.	.	.	.	.	.	.	.	.	.
		F.	.	.	.	.	.	.	.	.	.	.	.	.
196	Electricity (Lightning excepted)	M.	2	.	.	.	.	.	.	.	1	.	.	
		F.	.	.	.	.	.	.	.	.	.	.	.	.
197–200	Homicide : Infanticide	M.	27	6	.	.	.	.	6	.	.	.	.	(
		F.	15	10	.	.	.	.	10	.	.	.	.	1(
201	Fracture (Cause not specified) ...	M.	22	.	.	.	.	.	.	.	.	.	.	.
		F.	41	.	.	.	.	.	.	.	1	.	.	
202	Other External Violence ...	M.	24	.	.	.	1	.	1	.	.	.	.	
		F.	8	.	.	.	.	.	.	.	.	.	.	.
203	Violence (cause unknown) ...	M.	14	.	.	.	.	.	.	.	.	.	.	.
		F.	2	.	.	.	.	.	.	.	.	.	.	.
	XV. Ill-defined Causes.	M.	499	3	3	1	2	7	16	19	9	6	2	5
		F.	517	5	1	1	3	1	11	23	7	4	3	4
204	Sudden Death	M.	44	.	.	.	.	.	.	.	.	.	.	.
		F.	31	.	.	.	.	.	.	.	.	.	.	.
205a	Heart failure (1–70)	M.	244	.	.	.	.	.	.	.	.	.	.	.
		F.	235	.	.	.	.	.	.	.	.	.	.	.
205b	Ill-defined Causes	M.	195	1	1	.	2	5	9	18	9	6	2	4
		F.	239	1	1	.	2	.	4	23	7	4	2	4(
205c	Cause unstated	M.	16	2	2	1	.	2	7	1	.	.	.	8
		F.	12	4	.	1	1	1	7	.	.	.	1	8

eriods of Life in the Year 1927.—(*continued*).

DEATH.																	International List Nos.
5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards.	
.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	181
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
10	5	14	9	11	4	10	7	11	6	9	6	3	5	6	1	.	182
5	.	.	1	3	2	.	2	3	4	2	1	2	3	.	1	.	
.	.	2	1	1	1	.	.	2	2	.	.	.	1	.	.	.	183
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	184
.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
3	2	1	3	3	2	3	6	1	4	2	8	5	2	1	2	.	185
1	.	.	.	.	.	.	.	1	.	1	2	2	.	2	1	.	
.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	186
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
1	.	2	.	2	.	.	1	3	.	1	.	.	.	1	.	.	187
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
5	2	6	11	13	7	4	5	7	14	3	4	6	6	3	.	.	188a
7	.	4	3	.	.	3	.	.	1	4	3	1	5	2	1	.	
.	.	1	1	1	2	2	.	1	1	1	2	.	1	.	.	.	188b
1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
1	.	4	2	.	.	.	1	.	.	1	1	3	1	1	.	.	189
.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
.	.	.	.	.	1	1	1	1	1	.	.	.	.	.	.	.	190
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	192
.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	193
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	196
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	1	2	5	3	4	1	1	1	.	2	.	.	1	.	.	197–200
.	.	.	.	.	1	1	.	.	.	1	1	.	.	1	.	.	
.	.	.	.	1	.	2	.	.	.	.	3	2	6	4	3	1	201
.	.	1	.	.	.	.	.	.	2	1	1	5	13	15	2	.	
2	.	3	2	.	.	.	3	3	1	1	.	4	2	2	.	.	202
1	.	.	1	.	1	.	1	1	.	1	.	.	1	.	1	.	
1	.	1	.	1	.	1	1	.	1	1	1	2	3	1	.	.	203
.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	
9	2	7	12	5	9	11	8	18	40	42	88	173	14	7	1	1	
10	1	9	10	4	6	11	19	27	39	39	100	184	7	3	.	.	
1	.	.	.	.	.	.	2	4	10	5	7	8	5	1	1	.	204
.	.	1	1	.	.	1	2	1	2	7	5	8	3	.	.	.	
4	.	4	6	3	5	5	4	10	21	30	59	93	.	.	.	.	205a
1	.	5	6	4	3	9	11	20	26	25	47	78	.	.	.	.	
4	2	3	5	2	4	6	1	4	9	6	20	71	8	5	.	1	205b
9	1	3	3	.	3	1	6	4	10	7	48	98	4	2	.	.	
.	.	.	1	.	.	.	1	.	.	1	2	1	1	1	.	.	205c
.	.	.	.	.	.	.	.	2	1	.	.	.	.	1	.	.	

CAUSES OF DEATH IN SAORSTÁT ÉIREANN, by Sexes, Ages and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	60	38	98	.	1	8	63	21	5	10	11	61	16	1
2	Typhus	5	6	11	.	.	.	8	3	.	1	.	6	4	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	90	85	175	28	101	29	15	2	.	23	.	6	146	27
8	Scarlet Fever	43	38	81	5	28	29	16	3	.	19	.	29	33	7
9	Whooping-cough ...	211	237	448	204	212	32	.	.	.	52	.	18	378	59
10	Diphtheria	107	111	218	18	99	83	13	4	1	82	.	73	63	3
16	Dysentery	9	4	13	1	.	.	4	6	2	1	8	1	3	.
11	Influenza	985	1,114	2,099	129	120	74	333	570	873	25	41	201	1,832	564
23	Encephalitis Lethargica	31	26	57	.	4	14	22	17	.	11	.	12	34	1
24	Meningococcal Meningitis	7	5	12	1	4	4	3	.	.	2	.	4	6	.
31	Tuberculosis of Respiratory System	1,663	1,746	3,409	24	38	121	2,423	680	123	457	228	719	2,005	228
32–37	Other Tuberculosis ...	475	417	892	78	133	164	398	92	27	138	38	215	501	36
43–49	Cancer, Malignant Disease	1,657	1,456	3,113	1	8	6	276	1,520	1,302	409	38	575	2,091	148
51	Rheumatic Fever ...	50	44	94	.	3	20	47	19	5	3	.	14	77	4
57	Diabetes	119	113	232	.	.	4	55	96	77	24	2	32	174	15
74	Cerebral Hæmorrhage ...	560	803	1,363	.	1	2	75	437	848	48	40	141	1,134	151
87–90	Heart Disease	2,439	2,592	5,031	1	13	53	504	1,686	2,774	224	169	900	3,738	542
91b	Arterio-sclerosis ...	141	89	230	.	.	.	6	67	157	18	5	40	167	4
99	Bronchitis	1,231	1,379	2,610	257	132	30	119	611	1,461	78	22	386	2,124	516
100–1	Pneumonia (all forms)	1,561	1,272	2,833	456	511	109	430	616	711	277	40	286	2,230	188
97–8 102–7	Other Diseases of Respiratory System ...	403	281	684	35	44	18	87	222	278	51	14	76	543	129
111	Ulcer of Stomach or Duodenum	190	81	271	1	1	1	98	120	50	66	5	40	160	8
113	Diarrhœa and Enteritis under 2 years ...	271	222	493	431	62	.	.	.	.	88	.	68	337	15
117	Appendicitis	119	66	185	.	7	40	76	47	15	76	.	71	38	3
122	Cirrhosis of the Liver ...	70	36	106	.	1	1	16	47	41	15	2	18	71	1
128–9	Acute and Chronic Nephritis	618	499	1,117	4	11	21	179	436	466	98	11	279	729	53
146	Puerperal Sepsis ...	.	77	77	.	.	.	75	2	.	16	1	29	31	1
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	194	194	.	.	.	191	3	.	39	.	33	122	9
159–161	Congenital Debility and Malformation: Premature Birth ...	950	748	1,698	1,678	15	3	2	.	.	221	.	218	1,259	580
165–174	Suicide	80	16	96	.	.	.	36	43	17	14	4	6	72	1
175–203	Other Deaths from Violence	527	222	749	31	99	64	222	162	171	149	1	144	455	36
—	Other Defined Diseases	6,641	7,331	13,972	844	421	287	930	1,574	9,916	650	433	1,648	11,241	6,788
204–205a	Causes Ill-defined or Unknown	499	517	1,016	27	73	22	111	393	390	4	12	20	980	798
	ALL CAUSES ...	21,812	21,865	43,677	4,254	2,142	1,239	6,833	9,499	19,710	3,389	1,125	6,369	32,794	10,916

I.—Administrative County of CARLOW.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	1	.	1	.	.	.	1	.	.	.	.	.	1	.
9	Whooping-cough ...	2	2	4	4	.	.	.	.	.	.	.	1	3	.
10	Diphtheria	2	.	2	.	.	2	.	.	.	.	.	2	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	18	24	42	4	2	1	4	16	15	.	1	1	40	6
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	13	31	44	.	.	3	34	6	1	2	7	6	29	1
32–37	Other Tuberculosis ...	6	5	11	.	2	2	4	1	2	3	.	2	6	.
43–49	Cancer, Malignant Disease	22	14	36	.	.	.	4	21	11	5	1	8	22	2
51	Rheumatic Fever ...	1	.	1	.	.	1	.	.	.	.	.	.	1	.
57	Diabetes	3	2	5	.	.	1	.	3	1	.	.	.	5	.
74	Cerebral Hemorrhage ...	5	8	13	.	.	.	1	3	9	.	.	2	11	2
87–90	Heart Disease	39	40	79	.	1	.	6	28	44	1	3	19	56	3
91b	Arterio-sclerosis ...	2	2	4	.	.	.	1	2	1	.	1	1	2	.
99	Bronchitis	12	14	26	3	2	.	1	7	13	.	.	3	23	2
100–1	Pneumonia (all forms)	13	8	21	1	1	.	3	6	10	.	.	5	16	.
97–8 102–7	Other Diseases of Respiratory System ...	3	1	4	.	.	.	1	2	1	1	1	.	2	2
111	Ulcer of Stomach or Duodenum	3	1	4	.	.	.	.	3	1	.	.	.	4	.
113	Diarrhœa and Enteritis under 2 years ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
117	Appendicitis	1	.	1	.	.	.	1	.	.	.	.	1	.	.
122	Cirrhosis of the Liver ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
128–9	Acute and Chronic Nephritis	9	9	18	.	.	1	4	7	6	1	.	2	15	.
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	1	.	.	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	7	10	17	17	.	.	.	.	.	.	.	5	12	4
165–174	Suicide	3	.	3	.	.	.	2	1	.	.	.	.	3	.
175–203	Other Deaths from Violence	12	5	17	.	2	.	6	7	2	.	.	2	15	1
—	Other Defined Diseases	68	97	165	7	2	1	16	19	120	3	3	26	133	75
204–205a	Causes Ill-defined or Unknown	4	8	12	.	2	.	1	5	4	.	.	2	10	6
	All Causes ...	249	284	533	36	14	12	93	137	241	17	17	88	411	104

II.—Administrative County of DUBLIN.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co Infirmaries.	Elsewhere.	Uncertified Deaths
1	Enteric Fever	2	.	2	.	.	.	2	.	.	2	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	10	2	12	3	8	1	.	.	.	.	.	.	12	.
8	Scarlet Fever	.	2	2	.	1	1	.	.	.	1	.	.	1	.
9	Whooping-cough ...	24	23	47	21	24	2	.	.	.	2	.	1	44	1
10	Diphtheria	12	11	23	1	14	8	.	.	.	20	.	1	2	.
16	Dysentery	.	1	1	1	.	.	.	.	.	.	.	1	.	.
11	Influenza	46	59	105	5	7	4	15	26	48	4	4	5	92	2
23	Encephalitis Lethargica	3	4	7	.	1	2	1	3	.	3	.	1	3	.
24	Meningococcal Meningitis	1	1	2	.	1	.	1	.	.	1	.	.	1	.
31	Tuberculosis of Respiratory System	89	131	220	1	5	5	158	45	6	63	13	17	127	.
32–37	Other Tuberculosis ...	37	31	68	4	13	13	33	2	3	22	1	11	34	.
43–49	Cancer, Malignant Disease	116	125	241	.	.	1	16	106	118	70	2	14	155	.
51	Rheumatic Fever ...	1	1	2	.	.	.	.	2	.	.	.	.	2	.
57	Diabetes	2	5	7	.	.	.	2	5	.	2	.	2	3	.
74	Cerebral Hæmorrhage ...	50	86	136	.	.	.	5	37	94	12	7	6	111	2
87–90	Heart Disease	142	196	338	.	4	3	33	130	168	44	4	24	266	3
91b	Arterio-sclerosis ...	20	14	34	.	.	.	1	5	28	6	.	4	24	.
99	Bronchitis	70	81	151	10	7	3	5	31	95	13	1	14	123	2
100–1	Pneumonia (all forms)	101	97	198	40	58	4	24	41	31	43	6	12	137	.
97–8 102–7	Other Diseases of Respiratory System ...	32	19	51	2	3	1	8	19	18	11	.	4	36	.
111	Ulcer of Stomach or Duodenum	11	4	15	.	.	.	5	7	3	10	.	1	4	.
113	Diarrhœa and Enteritis under 2 years ...	31	19	50	46	4	.	.	.	.	13	.	9	28	.
117	Appendicitis	4	7	11	.	.	2	3	5	1	9	.	.	2	.
122	Cirrhosis of the Liver ...	9	1	10	.	.	1	2	3	4	4	.	1	5	.
128–9	Acute and Chronic Nephritis	41	39	80	.	1	2	14	28	35	15	.	16	49	.
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	1	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	13	13	.	.	.	13	.	.	10	.	.	3	.
159–161	Congenital Debility and Malformation: Premature Birth ...	57	52	109	107	2	.	.	.	.	37	.	4	68	9
165–174	Suicide	10	2	12	.	.	.	4	5	3	2	.	1	9	.
175–203	Other Deaths from Violence	46	16	62	3	9	2	20	16	12	32	.	2	28	.
—	Other Defined Diseases	251	335	586	62	35	17	57	108	307	116	21	63	386	28
204–205a	Causes Ill-defined or Unknown	11	13	24	3	.	1	2	11	7	.	.	1	23	9
	All Causes ...	1,229	1,391	2,620	309	197	73	425	635	981	568	59	215	1,778	56

I.—COUNTY BOROUGH OF DUBLIN.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	1	5	6	.	1	2	2	1	.	5	.	.	1	.
2	Typhus	.	1	1	.	.	.	1	.	.	1	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	33	28	61	8	45	7	1	.	.	23	.	1	37	.
8	Scarlet Fever	7	5	12	.	8	4	.	.	.	11	.	.	1	.
9	Whooping-cough ...	89	109	198	79	106	13	.	.	.	50	.	.	148	.
10	Diphtheria	24	36	60	11	37	10	1	1	.	56	.	.	4	.
16	Dysentery	1	1	2	.	.	.	.	2	.	.	2	.	.	.
11	Influenza	56	67	123	7	5	4	29	43	35	7	6	14	96	1
23	Encephalitis Lethargica	3	3	6	.	1	.	1	4	.	4	.	.	2	.
24	Meningococcal Meningitis	.	1	1	.	.	1	.	.	.	1	.	.	.	.
31	Tuberculosis of Respiratory System	289	268	557	5	12	22	386	115	17	201	23	78	255	.
32–37	Other Tuberculosis ...	75	67	142	13	34	25	59	9	2	51	1	24	66	.
43–49	Cancer, Malignant Disease	181	166	347	1	1	.	38	205	102	137	4	45	161	.
51	Rheumatic Fever ...	3	4	7	.	.	1	4	2	.	3	.	.	4	.
57	Diabetes	8	12	20	.	.	.	5	10	5	8	1	.	11	.
74	Cerebral Hæmorrhage ...	59	93	152	.	.	.	13	60	79	28	1	16	107	2
87–90	Heart Disease	259	372	631	1	1	6	81	257	285	112	20	129	370	1
91b	Arterio-sclerosis ...	23	15	38	.	.	.	2	13	23	6	1	15	16	.
99	Bronchitis	243	295	538	72	21	1	47	161	236	50	3	132	353	3
100–1	Pneumonia (all forms)	365	310	675	193	194	22	77	108	81	184	7	37	447	2
97–8 102–7	Other Diseases of Respiratory System ...	60	37	97	7	8	.	19	86	27	28	2	12	55	.
111	Ulcer of Stomach or Duodenum	28	6	34	.	1	1	13	14	5	19	.	1	14	.
113	Diarrhœa and Enteritis under 2 years ...	83	82	165	145	20	.	.	.	.	64	.	22	79	.
117	Appendicitis	17	7	24	.	.	4	13	4	3	22	.	.	2	.
122	Cirrhosis of the Liver ...	8	2	10	.	.	.	1	7	2	6	.	.	4	.
128–9	Acute and Chronic Nephritis	88	90	178	4	1	1	25	81	66	50	2	61	65	.
146	Puerperal Sepsis ...	.	9	9	.	.	.	9	.	.	7	.	1	1	.
43b–5 47–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	14	14	.	.	.	13	1	.	8	.	.	6	.
59–161	Congenital Debility and Malformation: Premature Birth ...	192	153	345	339	4	2	.	.	.	140	.	23	182	1
65–174	Suicide	8	4	12	.	.	.	7	5	.	9	.	.	3	.
75–203	Other Deaths from Violence	66	32	98	8	28	15	19	14	14	78	.	4	16	.
—	Other Defined Diseases	459	530	989	165	83	33	134	218	356	236	46	229	478	24
204–205a	Causes Ill-defined or Unknown	16	15	31	2	7	.	3	11	8	1	1	2	27	13
	All Causes ...	2,744	2,839	5,583	1,060	618	174	1,003	1,382	1,346	1,606	120	846	3,011	47

IV.—Administrative County of KILDARE.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Death
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	1	1	2	1	1	.	.	.	.	.	.	1	1	.
10	Diphtheria	3	.	3	.	1	2	.	.	.	1	.	.	2	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	13	12	25	2	2	.	3	7	11	.	.	3	22	.
23	Encephalitis Lethargica	2	2	4	.	.	1	3	.	.	2	.	.	2	[illegible]
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	34	32	66	.	.	2	54	8	2	6	3	11	46	[illegible]
32–37	Other Tuberculosis ...	6	12	18	2	1	4	7	2	2	5	.	3	10	.
43–49	Cancer, Malignant Disease	29	28	57	.	.	.	5	33	19	6	.	13	38	.
51	Rheumatic Fever ...	2	.	2	.	1	.	.	.	1	.	.	.	2	.
57	Diabetes	7	1	8	.	.	.	3	3	2	1	.	3	4	.
74	Cerebral Hæmorrhage ...	14	14	28	.	.	.	.	13	15	1	1	4	22	.
87–90	Heart Disease	86	57	143	.	1	1	14	35	92	1	5	47	90	[illegible]
91b	Arterio-sclerosis ...	3	4	7	.	.	.	.	2	5	.	1	2	4	.
99	Bronchitis	27	36	63	9	9	.	1	7	37	1	1	7	54	[illegible]
100–1	Pneumonia (all forms)	30	28	58	7	15	3	7	11	15	3	.	2	53	.
97–8 102–7	Other Diseases of Respiratory System ...	8	3	11	1	2	.	1	2	5	.	.	2	9	.
111	Ulcer of Stomach or Duodenum	2	.	2	.	.	.	1	1	.	1	.	.	1	.
113	Diarrhœa and Enteritis under 2 years ...	3	1	4	4	.	.	.	.	.	.	.	1	3	.
117	Appendicitis	2	.	2	.	.	.	2	.	.	2	.	.	.	.
122	Cirrhosis of the Liver ...	5	4	9	.	.	.	1	3	5	1	.	2	6	.
128–9	Acute and Chronic Nephritis	14	9	23	.	.	.	6	9	8	.	.	4	19	.
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	1	.	1	1	.
159–161	Congenital Debility and Malformation: Premature Birth ...	18	17	35	35	.	.	.	.	.	5	.	5	25	[illegible]
165–174	Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.
175–203	Other Deaths from Violence	15	3	18	.	2	.	9	6	1	3	.	3	12	.
—	Other Defined Diseases	102	105	207	11	14	10	19	23	130	7	4	28	168	30
204–205a	Causes Ill-defined or Unknown	7	4	11	.	1	.	1	7	2	.	.	2	9	[illegible]
	All Causes ...	433	376	809	72	50	23	140	172	352	47	15	144	603	5

—Administrative County of KILKENNY.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	2	1	3	.	.	.	2	1	.	.	.	2	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	1	1	.	1	.	.	.	.	.	.	.	1	.
8	Scarlet Fever	2	2	4	.	3	1	.	.	.	.	.	1	3	1
9	Whooping-cough ...	2	1	3	2	1	.	.	.	.	.	.	.	3	2
10	Diphtheria	2	2	4	.	1	2	1	.	.	.	.	1	3	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	34	32	66	3	3	3	7	17	33	.	1	19	46	11
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	35	48	83	2	2	2	56	16	5	3	7	23	50	8
32–37	Other Tuberculosis ...	14	10	24	6	5	5	7	1	.	1	.	4	19	5
43–49	Cancer, Malignant Disease	23	26	49	.	.	1	3	30	15	3	2	11	33	1
51	Rheumatic Fever ...	2	.	2	.	.	2	.	.	.	.	.	.	2	.
57	Diabetes	4	1	5	.	.	.	2	1	2	.	.	.	5	.
74	Cerebral Hæmorrhage ...	18	23	41	.	.	.	3	11	27	.	2	3	36	8
87–90	Heart Disease	82	76	158	.	.	.	13	55	90	3	2	25	128	27
91b	Arterio-sclerosis ...	5	.	5	.	.	.	.	4	1	.	.	1	4	.
99	Bronchitis	28	35	63	7	4	1	4	10	37	.	.	5	58	15
100–1	Pneumonia (all forms)	35	16	51	3	4	5	10	14	15	4	1	9	37	5
97–8 102–7	Other Diseases of Respiratory System ...	4	2	6	.	.	.	1	3	2	.	.	1	5	2
111	Ulcer of Stomach or Duodenum	9	3	12	.	.	.	3	5	4	.	.	4	8	1
113	Diarrhœa and Enteritis under 2 years ...	2	2	4	3	1	.	.	.	.	.	.	.	4	.
117	Appendicitis	5	.	5	.	1	.	2	2	.	3	.	1	1	.
122	Cirrhosis of the Liver ...	3	3	6	.	.	.	1	2	3	.	.	1	5	.
128–9	Acute and Chronic Nephritis	13	9	22	.	.	1	2	9	10	1	.	5	16	1
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
43b–5 47–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	.	.	3	1	.
59–161	Congenital Debility and Malformation: Premature Birth ...	32	29	61	60	1	.	.	.	.	1	.	10	50	35
165–174	Suicide	2	.	2	.	.	.	1	.	1	.	.	.	2	.
175–203	Other Deaths from Violence	14	4	18	1	1	1	3	7	5	.	.	6	12	2
—	Other Defined Diseases	191	180	371	11	8	8	24	33	287	6	8	56	301	179
204–205a	Causes Ill-defined or Unknown	21	12	33	1	2	2	1	19	8	.	1	.	32	25
	All Causes ...	584	523	1,107	99	38	34	151	240	545	25	24	191	867	328

VI.—Administrative County of LAOIGHIS.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	1	1	2	.	1	1	.	.	.	.	.	.	2	1
8	Scarlet Fever	.	1	1	.	.	.	1	.	.	.	.	1	.	.
9	Whooping-cough ...	2	2	4	2	1	1	.	.	.	.	.	.	4	2
10	Diphtheria	1	2	3	.	1	2	.	.	.	.	.	2	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	13	17	30	3	.	.	2	11	14	.	.	2	28	5
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	28	39	67	.	.	1	48	12	6	2	4	19	42	2
32–37	Other Tuberculosis ...	5	5	10	.	1	.	8	1	.	2	.	2	6	1
43–49	Cancer, Malignant Disease	45	27	72	.	.	.	7	36	29	7	.	17	48	2
51	Rheumatic Fever ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
57	Diabetes	2	1	3	.	.	.	1	1	1	1	.	.	2	.
74	Cerebral Hæmorrhage ...	14	14	28	.	1	.	2	10	15	1	.	8	19	2
87–90	Heart Disease	55	56	111	.	.	1	15	40	55	4	6	18	83	10
91b	Arterio-sclerosis ...	3	.	3	.	.	.	.	.	3	.	1	.	2	.
99	Bronchitis	18	12	30	4	4	1	.	7	14	.	.	6	24	5
100–1	Pneumonia (all forms)	29	21	50	5	4	2	7	13	19	.	1	7	42	2
97–8 102–7	Other Diseases of Respiratory System ...	1	3	4	.	.	.	.	1	3	.	.	.	4	1
111	Ulcer of Stomach or Duodenum	3	1	4	.	.	.	2	1	1	1	.	1	2	.
113	Diarrhœa and Enteritis under 2 years ...	1	3	4	2	2	.	.	.	.	.	.	.	4	.
117	Appendicitis	.	1	1	.	.	.	.	.	1	.	.	1	.	.
122	Cirrhosis of the Liver ...	1	2	3	.	.	.	.	.	3	.	.	.	3	.
128–9	Acute and Chronic Nephritis	8	11	19	.	.	1	3	9	6	.	.	3	16	.
146	Puerperal Sepsis ...	.	3	3	.	.	.	3	.	.	.	.	.	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	6	6	.	.	.	6	.	.	1	.	1	4	.
159–161	Congenital Debility and Malformation: Premature Birth ...	14	14	28	28	.	.	.	.	.	1	.	5	22	17
165–174	Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.
175–203	Other Deaths from Violence	5	5	10	1	2	1	.	2	4	.	.	2	8	.
—	Other Defined Diseases	123	150	273	8	7	2	16	33	207	1	7	40	225	158
204–205a	Causes Ill-defined or Unknown	16	9	25	.	2	.	2	10	11	.	1	2	22	20
	All Causes ...	388	406	794	53	26	13	123	187	392	21	20	137	616	228

I.—Administrative County of LONGFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

Inter-national List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Un-certified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Else-where.	
1	Enteric Fever	3	1	4	.	.	.	2	2	.	.	4	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	1	2	3	.	2	1	.	.	.	.	.	.	3	2
8	Scarlet Fever	1	.	1	.	.	1	.	.	.	.	.	.	1	.
9	Whooping-cough ...	.	1	1	.	1	.	.	.	.	.	.	.	1	.
10	Diphthéria	1	.	1	.	.	1	.	.	.	.	.	.	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	35	32	67	4	3	2	6	18	34	.	.	.	67	40
23	Encephalitis Lethargica	.	1	1	.	.	.	1	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	13	20	33	.	.	1	24	7	1	3	3	10	17	5
32–37	Other Tuberculosis ...	4	.	4	.	.	1	3	.	.	.	1	2	1	.
43–49	Cancer, Malignant Disease	31	17	48	.	.	.	5	23	20	6	1	8	33	11
51	Rheumatic Fever ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
57	Diabetes	2	1	3	.	.	.	.	2	1	1	.	.	2	1
74	Cerebral Hæmorrhage ...	3	10	13	.	.	.	.	7	6	.	.	1	12	.
87–90	Heart Disease	33	25	58	.	.	.	2	26	30	.	2	10	46	13
91b	Arterio-sclerosis ...	1	1	2	.	.	.	.	2	.	.	.	1	1	.
99	Bronchitis	12	12	24	2	3	1	.	7	11	.	.	.	24	16
100–1	Pneumonia (all forms)	21	8	29	2	1	.	4	12	10	.	.	1	28	2
97–8 102–7	Other Diseases of Respiratory System ...	4	2	6	.	.	1	.	2	3	.	.	1	5	1
111	Ulcer of Stomach or Duodenum	2	3	5	.	.	.	1	3	1	.	.	1	4	1
113	Diarrhœa and Enteritis under 2 years ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
117	Appendicitis	.	2	2	.	.	.	.	2	.	.	.	2	.	.
122	Cirrhosis of the Liver ...	1	1	2	.	.	.	.	1	1	.	.	.	2	1
128–9	Acute and Chronic Nephritis	11	5	16	.	1	.	2	6	7	.	.	5	11	.
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	1	.	.
43b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	2	2	.	.	.	2	.	.	.	.	.	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	13	7	20	20	.	.	.	.	.	.	.	3	17	16
165–174	Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.
175–203	Other Deaths from Violence	3	5	8	.	1	.	1	2	4	1	1	.	6	1
—	Other Defined Diseases	130	114	244	9	6	6	6	20	197	1	3	22	218	179
204–205a	Causes Ill-defined or Unknown	10	17	27	.	3	.	4	13	7	.	.	.	27	25
	All Causes ...	335	290	625	37	21	15	64	155	333	12	15	68	530	314

VIII.—Administrative County of LOUTH.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere	Uncertified Death
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	2	2	.	1	1	.	.	.	.	.	.	2	.
8	Scarlet Fever	1	1	2	.	.	1	1	.	.	1	.	1	.	.
9	Whooping-cough ...	14	8	22	12	8	2	.	.	.	.	.	1	21	.
10	Diphtheria	6	5	11	.	2	9	.	.	.	.	.	6	5	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	12	18	30	1	4	1	8	7	9	2	.	.	28	1
23	Encephalitis Lethargica	2	.	2	.	.	.	1	1	.	.	.	.	2	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	37	45	82	2	.	3	57	17	3	2	5	22	53	1
32–37	Other Tuberculosis ...	14	7	21	1	3	7	8	2	.	.	.	4	17	.
43–49	Cancer, Malignant Disease	37	56	93	.	.	.	11	43	39	2	1	21	69	1
51	Rheumatic Fever ...	1	2	3	.	.	1	2	.	.	.	.	.	3	.
57	Diabetes	5	1	6	.	.	1	1	3	1	.	.	1	5	.
74	Cerebral Hæmorrhage ...	12	19	31	.	.	.	1	11	19	.	1	6	24	5
87–90	Heart Disease	59	66	125	.	.	.	12	31	82	2	2	12	109	4
91b	Arterio-sclerosis ...	6	3	9	.	.	.	1	.	8	.	.	.	9	.
99	Bronchitis	23	27	50	1	.	1	1	8	39	.	.	5	45	13
100–1	Pneumonia (all forms)	19	28	47	8	7	1	8	8	15	.	2	4	41	.
97–8 102–7	Other Diseases of Respiratory System ...	9	10	19	.	3	1	2	5	8	.	.	3	16	3
111	Ulcer of Stomach or Duodenum	3	.	3	.	.	.	3	.	.	2	.	.	1	.
113	Diarrhœa and Enteritis under 2 years ...	10	6	16	15	1	.	.	.	.	.	.	.	16	.
117	Appendicitis	5	.	5	.	.	1	3	1	.	2	.	3	.	.
122	Cirrhosis of the Liver ...	3	.	3	.	.	.	.	1	2	.	1	.	2	.
128–9	Acute and Chronic Nephritis	16	14	30	.	.	.	5	17	8	.	.	9	21	.
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	7	7	.	.	.	7	.	.	2	.	1	4	.
159–161	Congenital Debility and Malformation: Premature Birth ...	18	9	27	27	.	.	.	.	.	.	.	2	25	9
165–174	Suicide	1	1	2	.	.	.	1	1	.	.	.	.	2	.
175–203	Other Deaths from Violence	17	6	23	1	2	3	8	3	6	1	.	3	19	.
—	Other Defined Diseases	121	150	271	30	5	3	17	30	186	10	8	72	181	61
204–205a	Causes Ill-defined or Unknown	8	5	13	.	.	.	.	4	9	.	.	3	10	4
	All Causes ...	459	497	956	98	36	36	159	193	434	26	20	179	731	102

—Administrative County of MEATH.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

ter-tional List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere	Uncertified Deaths.
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	1	.	1	.	1	.	.	.	.	.	.	.	1	.
9	Whooping-cough ...	1	2	3	1	2	.	.	.	.	.	.	.	3	.
10	Diphtheria	.	2	2	.	.	1	1	.	.	.	.	1	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	15	26	41	1	1	1	5	13	20	.	.	7	34	1
23	Encephalitis Lethargica	1	.	1	.	.	1	.	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	35	31	66	.	.	3	54	6	3	9	3	7	47	1
2–37	Other Tuberculosis ...	14	11	25	.	1	2	13	8	1	2	5	6	12	.
3–49	Cancer, Malignant Disease	60	49	109	.	1	.	7	53	48	9	3	27	70	5
51	Rheumatic Fever ...	1	2	3	.	.	.	1	.	2	.	.	1	2	.
57	Diabetes	5	5	10	.	.	.	.	5	5	.	.	.	10	.
74	Cerebral Hæmorrhage ...	14	17	31	.	.	.	1	8	22	.	3	2	26	4
7–90	Heart Disease	96	73	169	.	.	2	9	49	109	1	2	31	135	5
91b	Arterio-sclerosis ...	2	2	4	.	.	.	.	1	3	1	.	.	3	.
99	Bronchitis	20	19	39	3	.	.	3	6	27	.	.	3	36	3
00–1	Pneumonia (all forms)	33	27	60	6	13	1	9	13	18	.	.	9	51	3
97–8 02–7	Other Diseases of Respiratory System ...	9	7	16	1	1	.	1	6	7	2	.	1	13	.
111	Ulcer of Stomach or Duodenum	5	2	7	.	.	.	.	6	1	.	.	2	5	.
113	Diarrhœa and Enteritis under 2 years ...	2	1	3	1	2	.	.	.	.	.	.	.	3	1
117	Appendicitis	3	2	5	.	.	.	.	4	1	1	.	1	3	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.
28–9	Acute and Chronic Nephritis	15	20	35	.	.	.	4	15	16	1	.	8	26	.
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
3b–5 7–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	1	.	1	1	.
9–161	Congenital Debility and Malformation: Premature Birth ...	33	17	50	50	.	.	.	.	.	3	.	5	42	15
5–174	Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5–203	Other Deaths from Violence	12	6	18	.	6	.	4	2	6	2	.	5	11	1
—	Other Defined Diseases	147	152	299	29	10	6	21	42	191	9	15	35	240	100
04– 205a	Causes Ill-defined or Unknown	15	10	25	.	1	.	5	14	5	.	.	1	24	15
	All Causes ...	540	487	1,027	92	39	17	142	252	485	41	31	153	802	154

X.—Administrative County of OFFALY.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	5	7	12	2	8	.	1	1	.	.	.	.	12	2
8	Scarlet Fever	1	.	1	.	.	.	.	1	.	.	.	.	1	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	1	.	1	.	.	1	.	.	.	.	.	1	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	12	5	17	1	1	.	5	4	6	.	.	1	16	5
23	Encephalitis Lethargica	1	1	2	.	.	.	1	1	.	.	.	.	2	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	25	37	62	1	.	3	38	18	2	19	2	5	36	4
32–37	Other Tuberculosis ...	7	2	9	2	2	1	2	2	.	.	.	3	6	1
43–49	Cancer, Malignant Disease	26	24	50	.	.	2	5	26	17	3	.	7	40	2
51	Rheumatic Fever ...	1	1	2	.	.	1	1	.	.	.	.	1	1	.
57	Diabetes	1	.	1	.	.	.	.	1	.	.	.	.	1	.
74	Cerebral Hæmorrhage ...	10	14	24	.	.	.	.	10	14	.	.	4	20	2
87–90	Heart Disease	32	30	62	.	.	.	3	23	36	1	2	10	49	7
91b	Arterio-sclerosis ...	2	.	2	.	.	.	.	1	1	.	.	.	2	.
99	Bronchitis	27	21	48	2	1	2	1	11	31	.	.	12	36	11
100–1	Pneumonia (all forms)	29	13	42	2	3	2	10	13	12	1	.	9	32	1
97–8 102–7	Other Diseases of Respiratory System ...	6	1	7	.	2	.	.	2	3	.	2	.	5	1
111	Ulcer of Stomach or Duodenum	3	4	7	.	.	.	3	3	1	3	.	.	4	.
113	Diarrhœa and Enteritis under 2 years ...	3	.	3	2	1	.	.	.	.	1	.	.	2	.
117	Appendicitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
122	Cirrhosis of the Liver ...	2	1	3	.	.	.	1	1	1	.	.	1	2	.
128–9	Acute and Chronic Nephritis	7	6	13	.	.	.	2	8	3	1	1	1	10	1
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
159–161	Congenital Debility and Malformation: Premature Birth ...	22	10	32	31	.	1	.	.	.	3	.	6	23	9
165–174	Suicide	4	.	4	.	.	.	.	4	.	.	.	.	4	.
175–203	Other Deaths from Violence	4	3	7	2	.	2	1	1	1	.	.	3	4	.
—	Other Defined Diseases	127	117	244	7	7	4	13	20	193	3	.	38	203	122
204–205a	Causes Ill-defined or Unknown	10	11	21	.	1	.	2	9	9	.	.	.	21	19
	All Causes ...	368	308	676	52	26	19	89	160	330	35	7	102	532	187

I.—Administrative County of WESTMEATH.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	2	.	2	.	.	.	.	1	1	.	2	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	3	2	5	.	3	2	.	.	.	.	.	.	5	1
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	1	.	1	.	1	.	.	.	.	.	.	.	1	.
10	Diphtheria	1	2	3	1	.	2	.	.	.	.	.	2	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	13	19	32	4	3	1	2	12	10	.	.	5	27	13
23	Encephalitis Lethargica	1	1	2	.	.	2	.	.	.	.	.	1	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	29	19	48	.	.	.	29	17	2	6	1	13	28	8
32–37	Other Tuberculosis ...	6	11	17	.	2	4	8	2	1	1	3	2	11	1
43–49	Cancer, Malignant Disease	23	22	45	.	1	2	3	19	20	2	3	9	31	2
51	Rheumatic Fever ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
57	Diabetes	3	2	5	.	.	.	1	2	2	.	.	1	4	.
74	Cerebral Hæmorrhage ...	7	23	30	.	.	.	1	10	19	.	.	3	27	6
87–90	Heart Disease	47	46	93	.	.	2	12	21	58	1	3	13	76	5
91b	Arterio-sclerosis ...	2	2	4	.	.	.	.	1	3	.	.	1	3	.
99	Bronchitis	18	18	36	3	1	.	1	4	27	.	.	5	31	.
100–1	Pneumonia (all forms)	15	20	35	4	2	3	7	10	9	.	.	1	34	5
97–8 102–7	Other Diseases of Respiratory System ...	3	4	7	.	.	.	.	3	4	.	.	1	6	3
111	Ulcer of Stomach or Duodenum	4	1	5	.	.	.	2	2	1	1	.	.	4	.
113	Diarrhœa and Enteritis under 2 years ...	4	4	8	5	3	.	.	.	.	.	.	.	8	2
117	Appendicitis	2	1	3	.	.	1	2	.	.	1	.	.	2	.
122	Cirrhosis of the Liver ...	2	2	4	.	.	.	1	1	2	1	.	1	2	.
128–9	Acute and Chronic Nephritis	13	6	19	.	1	.	3	7	8	1	.	4	14	4
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
43b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	.	.	.	4	1
159–161	Congenital Debility and Malformation: Premature Birth ...	9	13	22	22	.	.	.	.	.	1	.	1	20	10
165–174	Suicide	1	.	1	.	.	.	.	1	.	.	.	.	1	.
175–203	Other Deaths from Violence	13	6	19	1	.	1	8	4	5	.	.	8	11	1
—	Other Defined Diseases	121	125	246	11	6	5	16	26	182	3	10	27	206	133
204–205a	Causes Ill-defined or Unknown	17	19	36	1	.	2	1	18	14	.	2	1	33	25
	All Causes ...	360	372	732	52	23	27	101	161	368	18	24	99	591	228

XII.—Administrative County of WEXFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrences.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	.	3	3	.	.	.	3	.	.	.	.	2	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	2	.	2	1	1	.	.	.	.	.	.	.	2	1
8	Scarlet Fever	5	4	9	.	3	3	1	2	.	.	.	7	2	.
9	Whooping-cough ...	2	6	8	6	2	.	.	.	.	.	.	.	8	2
10	Diphtheria	7	3	10	.	1	6	1	2	.	.	.	5	5	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza ...	54	58	112	7	2	2	25	29	47	.	4	24	84	21
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	61	76	137	2	1	4	102	24	4	10	10	12	105	14
32–37	Other Tuberculosis ...	23	17	40	2	8	5	19	5	1	3	3	6	28	1
43–49	Cancer, Malignant Disease	45	44	89	.	.	.	5	52	32	4	.	16	69	6
51	Rheumatic Fever ...	1	3	4	.	.	3	1	.	.	.	.	.	4	.
57	Diabetes	7	1	8	.	.	.	4	1	3	.	.	.	8	1
74	Cerebral Hæmorrhage ...	20	28	48	.	.	.	3	16	29	.	2	1	45	7
87–90	Heart Disease	98	115	213	.	1	4	19	55	134	.	1	30	182	30
91b	Arterio-sclerosis ...	2	.	2	.	.	.	.	2	.	.	.	.	2	.
99	Bronchitis	69	74	143	17	16	2	7	31	70	.	1	10	132	24
100–1	Pneumonia (all forms)	47	53	100	11	17	3	17	19	33	1	.	5	94	17
97–8 102–7	Other Diseases of Respiratory System ...	22	12	34	2	1	1	4	9	17	.	4	2	28	8
111	Ulcer of Stomach or Duodenum	7	3	10	.	.	.	2	4	4	.	.	3	7	.
113	Diarrhœa and Enteritis under 2 years ...	4	6	10	8	2	.	.	.	.	1	.	.	9	2
117	Appendicitis	2	1	3	.	.	.	2	.	1	1	.	.	2	.
122	Cirrhosis of the Liver ...	7	3	10	.	.	.	2	6	2	.	1	2	7	.
128–9	Acute and Chronic Nephritis	43	23	66	.	1	2	4	26	33	.	.	27	39	4
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	7	7	.	.	.	7	.	.	1	.	1	5	.
159–161	Congenital Debility and Malformation: Premature Birth ...	30	33	63	61	2	.	.	.	.	2	.	6	55	36
165–174	Suicide	1	.	1	.	.	.	1	.	.	.	.	.	1	.
175–203	Other Deaths from Violence	17	10	27	1	1	4	2	7	12	1	.	7	19	2
—	Other Defined Diseases	241	266	507	25	17	10	36	54	365	15	13	55	424	239
204–205a	Causes Ill-defined or Unknown	14	22	36	2	.	3	3	16	12	.	.	1	35	34
	All Causes ...	831	872	1,703	145	76	52	271	360	799	39	39	222	1,403	449

III.—Administrative County of WICKLOW.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries,	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	1	.	1	.	.	.	1	.	.	.	.	1	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	2	2	.	2	.	.	.	.	.	.	.	2	.
8	Scarlet Fever	.	1	1	.	.	.	1	.	.	1	.	.	.	.
9	Whooping-cough ...	4	5	9	3	5	1	.	.	.	.	.	.	9	.
10	Diphtheria	1	.	1	.	.	1	.	.	.	.	.	.	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	41	33	74	4	2	.	13	17	38	.	.	6	68	8
23	Encephalitis Lethargica	2	.	2	.	.	.	1	1	.	.	.	1	1	.
24	Meningococcal Meningitis	.	1	1	.	.	.	1	.	.	.	.	.	1	.
31	Tuberculosis of Respiratory System	37	31	68	.	.	4	49	15	.	7	6	9	46	.
32–37	Other Tuberculosis ...	7	5	12	.	3	3	4	2	.	4	.	2	6	.
43–49	Cancer, Malignant Disease	48	28	76	.	1	.	4	34	37	14	1	9	52	.
51	Rheumatic Fever ...	.	1	1	.	.	.	.	.	1	.	.	1	.	.
57	Diabetes	4	2	6	.	.	.	1	3	2	1	.	.	5	1
74	Cerebral Hæmorrhage ...	22	22	44	.	.	.	2	10	32	.	.	2	42	1
87–90	Heart Disease	42	73	115	.	.	1	8	32	74	3	4	15	93	7
91b	Arterio-sclerosis	3	.	3	.	.	.	.	1	2	1	.	.	2	.
99	Bronchitis	19	21	40	1	2	.	1	4	32	2	.	4	34	2
100–1	Pneumonia (all forms)	53	42	95	6	13	4	16	28	28	6	2	5	82	.
97–8 102–7	Other Diseases of Respiratory System ...	11	12	23	1	1	1	3	7	10	.	.	2	21	1
111	Ulcer of Stomach or Duodenum	4	2	6	.	.	.	.	3	3	2	.	.	4	1
113	Diarrhœa and Enteritis under 2 years	4	.	4	4	.	.	.	.	.	.	.	.	4	.
117	Appendicitis	2	.	2	.	.	.	1	1	.	2	.	.	.	.
122	Cirrhosis of the Liver	3	1	4	.	.	.	.	3	1	.	.	1	3	.
128–9	Acute and Chronic Nephritis	12	11	23	.	.	.	3	8	12	2	.	2	19	3
146	Puerperal Sepsis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	2	2	.	.	.	2	.	.	.	.	.	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	12	11	23	23	.	.	.	.	.	2	.	4	17	8
165–174	Suicide	3	2	5	.	.	.	2	3	.	1	.	.	4	.
175–203	Other Deaths from Violence	9	6	15	1	1	4	5	1	3	4	.	2	9	.
—	Other Defined Diseases	116	112	228	12	6	6	21	34	149	18	5	30	175	66
204–205a	Causes Ill-defined or Unknown	6	7	13	.	1	.	.	7	5	1	.	1	11	9
	All Causes ...	466	433	899	55	37	25	139	214	429	71	18	97	713	107

XIV.—Administrative County of CLARE.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths
1	Enteric Fever	2	2	4	.	.	.	2	1	1	1	.	3	.	.
2	Typhus	1	.	1	.	.	.	1	.	.	.	.	1	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	1	4	5	2	2	1	.	.	.	.	.	3	2	.
8	Scarlet Fever	4	1	5	.	1	2	2	.	.	.	.	2	3	1
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	3	9	12	.	4	6	1	1	.	.	.	6	6	.
16	Dysentery	1	.	1	.	.	.	1	.	.	.	.	.	1	.
11	Influenza	16	20	36	.	3	3	6	11	13	.	1	5	30	11
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	53	51	104	2	.	2	70	24	6	3	10	41	50	8
32–37	Other Tuberculosis ...	12	14	26	4	2	.	15	2	3	1	.	9	16	2
43–49	Cancer, Malignant Disease	56	38	94	.	.	.	4	43	47	5	.	17	72	6
51	Rheumatic Fever ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.
57	Diabetes	5	3	8	.	.	.	3	2	3	.	.	7	1	.
74	Cerebral Hæmorrhage ...	13	12	25	.	.	.	2	7	16	.	1	3	21	2
87–90	Heart Disease	84	46	130	.	.	1	9	52	68	3	11	30	86	12
91b	Arterio-sclerosis ...	.	1	1	.	.	.	.	1	.	.	.	.	1	.
99	Bronchitis	39	31	70	3	3	.	2	16	46	.	.	24	46	21
100–1	Pneumonia (all forms)	40	36	76	7	16	4	10	15	24	1	2	16	57	13
97–8 102–7	Other Diseases of Respiratory System ...	10	9	19	.	1	1	1	9	7	.	.	4	15	2
111	Ulcer of Stomach or Duodenum	5	2	7	.	.	.	3	3	1	1	.	.	6	.
113	Diarrhœa and Enteritis under 2 years ...	3	2	5	4	1	.	.	.	.	.	.	1	4	.
117	Appendicitis	5	4	9	.	.	2	3	3	1	2	.	5	2	.
122	Cirrhosis of the Liver ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
128–9	Acute and Chronic Nephritis	18	13	31	.	1	.	10	10	10	1	1	9	20	1
146	Puerperal Sepsis ...	.	4	4	.	.	.	4	.	.	.	.	4	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	9	9	.	.	.	9	.	.	2	.	.	7	1
159–161	Congenital Debility and Malformation: Premature Birth ...	30	23	53	53	.	.	.	.	.	.	.	21	32	19
165–174	Suicide	1	.	1	.	.	.	1	.	.	.	.	.	1	.
175–203	Other Deaths from Violence	16	8	24	.	5	.	5	7	7	.	.	5	19	1
—	Other Defined Diseases	280	267	547	31	20	11	30	38	417	7	10	81	449	295
204–205	Causes Ill-defined or Unknown	27	19	46	.	3	.	3	17	23	.	1	1	44	33
	All Causes ...	726	628	1,354	106	62	33	197	263	693	27	37	298	992	428

XV.—Administrative County of CORK.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year, 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	6	4	10	.	.	.	7	2	1	.	.	9	1	.
2	Typhus	.	1	1	.	.	.	1	.	.	.	.	.	1	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	13	11	24	4	10	5	5	.	.	.	.	1	23	3
8	Scarlet Fever	5	7	12	1	2	4	5	.	.	1	.	7	4	.
9	Whooping-cough ...	9	15	24	11	7	6	.	.	.	.	.	3	21	5
10	Diphtheria	8	6	14	.	2	9	3	.	.	1	.	13	.	.
16	Dysentery	.	1	1	.	.	.	1	.	.	1	.	.	.	.
11	Influenza	97	126	223	15	14	8	37	67	82	5	2	20	196	34
23	Encephalitis Lethargica	4	5	9	.	2	1	5	1	.	2	.	.	7	.
24	Meningococcal Meningitis	2	.	2	1	.	1	.	.	.	.	.	1	1	.
31	Tuberculosis of Respiratory System	155	164	319	4	3	14	219	68	11	18	36	80	185	14
32–37	Other Tuberculosis ...	43	36	79	8	18	10	33	9	1	13	1	26	39	3
43–49	Cancer, Malignant Disease	174	154	328	.	1	.	35	153	139	40	4	61	223	21
51	Rheumatic Fever ...	3	1	4	.	.	1	1	2	.	.	.	3	1	.
57	Diabetes	14	20	34	.	.	.	8	10	16	6	1	3	24	.
74	Cerebral Hæmorrhage ...	47	70	117	.	.	1	4	37	75	2	4	11	100	14
87–90	Heart Disease	279	264	543	.	1	4	54	177	307	18	42	86	397	62
91b	Arterio-sclerosis ...	14	4	18	.	.	.	1	6	11	1	.	1	16	3
99	Bronchitis	85	90	175	14	10	1	9	41	100	5	3	18	149	30
100–1	Pneumonia (all forms)	131	91	222	37	28	6	34	49	68	7	10	22	183	15
97–8 102–7	Other Diseases of Respiratory System ...	32	18	50	3	2	1	8	17	19	2	.	5	43	8
111	Ulcer of Stomach or Duodenum	21	17	38	.	.	.	10	21	7	7	.	5	26	1
113	Diarrhœa and Enteritis under 2 years ...	15	21	36	32	4	.	.	.	.	1	.	6	29	.
117	Appendicitis	10	10	20	.	.	3	13	3	1	9	.	6	5	.
122	Cirrhosis of the Liver ...	4	2	6	.	.	.	.	3	3	.	.	1	5	.
128–9	Acute and Chronic Nephritis	56	34	90	.	.	4	18	35	33	6	3	25	56	1
146	Puerperal Sepsis ...	.	3	3	.	.	.	3	.	.	1	.	.	2	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	23	23	.	.	.	23	.	.	1	.	6	16	.
159–161	Congenital Debility and Malformation: Premature Birth ...	66	51	117	115	1	.	1	.	.	4	.	11	102	48
165–174	Suicide	11	1	12	.	.	.	5	6	1	.	2	.	10	.
175–203	Other Deaths from Violence	56	21	77	3	6	7	27	18	16	7	.	19	51	1
—	Other Defined Diseases	628	733	1,361	54	39	23	83	155	1,007	59	47	124	1,131	650
204–205a	Causes Ill-defined or Unknown	30	40	70	1	4	2	9	23	31	1	1	.	68	50
	All Causes ...	2,018	2,044	4,062	303	154	111	662	903	1,929	218	156	573	3,115	973

XVI.—County Borough of CORK.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	2	.	2	.	.	.	2	.	.	1	.	1	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	1	1	.	.	1	.	.	.	.	.	.	1	.
8	Scarlet Fever	5	1	6	2	2	2	.	.	.	4	.	.	2	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	3	8	11	1	6	4	.	.	.	4	.	5	2	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	11	5	16	1	4	.	1	1	9	1	.	1	14	.
23	Encephalitis Lethargica	1	1	2	.	.	2	.	.	.	.	.	2	.	.
24	Meningococcal Meningitis	1	.	1	.	1	.	.	.	.	.	.	1	.	.
31	Tuberculosis of Respiratory System	62	72	134	1	5	4	94	28	2	28	7	32	67	1
32–37	Other Tuberculosis ...	21	21	42	14	8	9	10	1	.	10	.	15	17	.
43–49	Cancer, Malignant Disease	39	46	85	.	.	.	12	44	29	27	1	20	37	.
51	Rheumatic Fever ...	5	2	7	.	1	.	5	1	.	.	.	3	4	.
57	Diabetes	1	.	1	.	.	.	1	.	.	1	.	.	.	.
74	Cerebral Hæmorrhage ...	15	27	42	.	.	.	1	15	26	.	3	6	33	.
87–90	Heart Disease	68	97	165	.	.	1	17	68	79	14	9	64	78	4
91b	Arterio-sclerosis ...	6	5	11	.	.	.	.	5	6	2	.	1	8	.
99	Bronchitis	39	42	81	2	4	.	8	37	30	4	.	17	60	2
100–1	Pneumonia (all forms)	37	27	64	16	10	.	9	16	13	8	2	12	42	.
97–8 102–7	Other Diseases of Respiratory System ...	13	6	19	2	3	.	4	5	5	3	.	3	13	.
111	Ulcer of Stomach or Duodenum	6	2	8	.	.	.	6	2	.	6	.	.	2	.
113	Diarrhœa and Enteritis under 2 years ...	19	9	28	24	4	.	.	.	.	2	.	.	26	.
117	Appendicitis	9	2	11	.	.	5	2	4	.	5	.	5	1	.
122	Cirrhosis of the Liver ...	.	2	2	.	.	.	1	.	1	1	.	.	1	.
128–9	Acute and Chronic Nephritis	16	10	26	.	1	1	9	6	9	6	.	8	12	.
146	Puerperal Sepsis ...	.	5	5	.	.	.	5	.	.	2	.	3	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	6	6	.	.	.	6	.	.	2	.	.	4	.
159–161	Congenital Debility and Malformation: Premature Birth ...	24	18	42	42	.	.	.	.	.	1	.	5	36	9
165–174	Suicide	4	1	5	.	.	.	2	3	.	2	.	2	1	.
175–203	Other Deaths from Violence	18	10	28	2	4	1	4	14	3	12	.	.	16	.
—	Other Defined Diseases	130	180	310	44	15	15	36	62	138	37	20	50	203	24
204–205a	Causes Ill-defined or Unknown	5	9	14	.	2	.	.	8	4	1	.	1	12	5
	All Causes ...	560	615	1,175	151	70	45	235	320	354	184	42	257	692	45

VII.—Administrative County of KERRY.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	7	4	11	.	.	.	7	4	.	.	.	11	.	.
2	Typhus	2	.	2	.	.	.	.	2	.	.	.	2	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	2	3	5	2	2	1	.	.	.	.	.	.	5	2
8	Scarlet Fever	5	2	7	1	.	5	1	.	.	.	.	2	5	3
9	Whooping-cough ...	7	5	12	5	7	.	.	.	.	.	.	.	12	5
10	Diphtheria	5	3	8	1	5	.	2	.	.	.	.	4	4	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	64	83	147	14	12	11	35	37	38	1	5	16	125	49
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	1	1	.	1	.	.	.	.	.	.	1	.	.
31	Tuberculosis of Respiratory System	86	74	160	.	.	4	123	26	7	4	17	59	80	18
32–37	Other Tuberculosis ...	22	13	35	2	5	8	13	7	.	3	9	8	15	1
43–49	Cancer, Malignant Disease	59	61	120	.	.	.	18	56	46	6	2	33	79	4
51	Rheumatic Fever ...	3	3	6	.	.	2	4	.	.	.	.	2	4	.
57	Diabetes	3	5	8	.	.	.	1	6	1	1	.	.	7	.
74	Cerebral Hæmorrhage ...	26	27	53	.	.	.	6	13	34	1	2	2	48	10
87–90	Heart Disease	122	104	226	.	3	5	33	73	112	2	6	44	174	36
91b	Arterio-sclerosis ...	2	.	2	.	.	.	.	.	2	.	.	1	1	.
99	Bronchitis	53	45	98	9	6	1	7	19	56	.	1	12	85	23
100–1	Pneumonia (all forms)	64	54	118	13	14	12	19	29	31	1	.	17	100	13
97–8 102–7	Other Diseases of Respiratory System ...	23	13	36	3	3	2	4	7	17	.	2	5	29	17
111	Ulcer of Stomach or Duodenum	12	3	15	.	.	.	7	5	3	1	1	4	9	1
113	Diarrhœa and Enteritis under 2 years ...	19	12	31	28	3	.	.	.	.	.	.	15	16	2
117	Appendicitis	9	3	12	.	.	4	6	1	1	5	.	5	2	1
122	Cirrhosis of the Liver ...	2	1	3	.	.	.	1	2	.	.	.	.	3	.
128–9	Acute and Chronic Nephritis	18	17	35	.	.	.	7	16	12	1	1	4	29	2
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	2	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	11	11	.	.	.	11	.	.	.	.	3	8	1
159–161	Congenital Debility and Malformation: Premature Birth ...	38	38	76	75	1	.	.	.	.	.	.	17	59	45
165–174	Suicide	4	.	4	.	.	.	.	2	2	.	.	.	4	1
175–203	Other Deaths from Violence	17	7	24	1	3	3	5	3	9	1	.	7	16	6
—	Other Defined Diseases	350	371	721	24	16	18	43	59	561	12	26	42	641	492
204–205a	Causes Ill-defined or Unknown	25	29	54	.	7	1	13	15	18	.	4	.	50	47
	All Causes ...	1,049	994	2,043	178	88	77	368	382	950	39	76	318	1,610	779

XVIII.—Administrative County of LIMERICK.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	5	1	6	.	.	.	4	2	.	1	.	3	2	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	2	1	3	1	1	1	.	.	.	.	.	1	2	1
8	Scarlet Fever	.	1	1	.	.	.	1	.	.	.	.	1	.	.
9	Whooping-cough ...	3	8	11	6	5	.	.	.	.	.	.	.	11	4
10	Diphtheria	4	5	9	2	3	4	.	.	.	.	.	4	5	.
16	Dysentery	3	.	3	.	.	.	1	1	1	.	2	.	1	.
11	Influenza	33	47	80	7	5	2	11	22	33	.	1	10	69	18
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	1	.	1	.	1	.	.	.	.	.	.	.	1	.
31	Tuberculosis of Respiratory System	58	39	97	.	1	10	59	21	6	1	12	22	62	7
32–37	Other Tuberculosis ...	15	14	29	1	3	7	15	2	1	.	.	11	18	1
43–49	Cancer, Malignant Disease	67	35	102	.	.	.	10	46	46	4	1	24	73	3
51	Rheumatic Fever ...	1	1	2	.	.	.	1	1	.	.	.	.	2	.
57	Diabetes	7	5	12	.	.	.	2	8	2	.	.	.	12	.
74	Cerebral Hæmorrhage ...	15	20	35	.	.	1	3	8	23	.	.	1	34	3
87–90	Heart Disease	65	74	139	.	.	1	12	39	87	3	5	16	115	17
91b	Arterio-sclerosis ...	4	2	6	.	.	.	.	.	6	.	.	.	6	1
99	Bronchitis	47	40	87	7	3	1	3	17	56	1	.	13	73	15
100–1	Pneumonia (all forms)	56	36	92	10	17	5	13	21	26	3	1	11	77	9
97–8 102–7	Other Diseases of Respiratory System ...	9	3	12	1	.	.	2	4	5	.	1	3	8	1
111	Ulcer of Stomach or Duodenum	6	1	7	.	.	.	3	2	2	4	1	1	1	.
113	Diarrhœa and Enteritis under 2 years ...	7	5	12	11	1	.	.	.	.	.	.	2	10	.
117	Appendicitis	7	.	7	.	.	2	4	1	.	1	.	4	2	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	.	1	.	.	.	1	.
128–9	Acute and Chronic Nephritis	16	14	30	.	.	.	6	11	13	3	1	8	18	.
146	Puerperal Sepsis ...	.	7	7	.	.	.	6	1	.	2	.	5	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	.	.	1	3	.
159–161	Congenital Debility and Malformation: Premature Birth ...	41	35	76	76	.	.	.	.	.	3	.	14	59	40
165–174	Suicide	3	1	4	.	.	.	.	4	.	.	.	.	4	.
175–203	Other Deaths from Violence	28	6	34	.	3	4	10	7	10	2	.	10	22	.
—	Other Defined Diseases	237	260	497	27	11	10	24	47	378	8	12	65	412	255
204–205a	Causes Ill-defined or Unknown	16	17	33	.	4	3	5	8	13	.	.	.	33	27
	All Causes ...	757	682	1,439	149	58	51	199	273	709	36	37	230	1,136	402

XIX.—County Borough of LIMERICK.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	.	2	2	.	.	.	1	1	.	.	.	2	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	1	1	.	1	.	.	.	.	.	.	.	1	.
8	Scarlet Fever	.	1	1	.	1	.	.	.	.	.	.	1	.	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	6	2	8	.	7	.	1	.	.	.	.	6	2	.
16	Dysentery	2	.	2	.	.	.	1	.	1	.	2	.	.	.
11	Influenza	9	11	20	.	1	.	5	6	8	2	.	7	11	2
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	24	28	52	.	1	4	38	9	.	1	1	30	20	.
32–37	Other Tuberculosis ...	6	1	7	.	1	1	4	1	.	2	.	1	4	.
43–49	Cancer, Malignant Disease	18	14	32	.	1	.	6	17	8	3	1	12	16	1
51	Rheumatic Fever ...	1	2	3	.	.	.	2	1	.	.	.	.	3	.
57	Diabetes	3	.	3	.	.	.	.	3	.	1	.	.	2	.
74	Cerebral Hæmorrhage ...	8	14	22	.	.	.	6	8	8	2	.	5	15	1
87–90	Heart Disease	20	29	49	.	.	.	8	22	19	3	6	11	29	4
91b	Arterio-sclerosis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
99	Bronchitis	34	53	87	11	7	1	1	36	31	2	.	16	69	6
100–1	Pneumonia (all forms)	23	16	39	7	8	3	8	7	6	9	.	6	24	.
97–8 102–7	Other Diseases of Respiratory System ...	5	5	10	.	.	.	1	4	5	2	.	3	5	1
111	Ulcer of Stomach or Duodenum	4	.	4	.	.	.	3	1	.	1	.	2	1	.
113	Diarrhœa and Enteritis under 2 years ...	7	4	11	11	.	.	.	.	.	1	.	.	10	2
117	Appendicitis	1	.	1	.	.	.	1	.	.	1	.	.	.	.
122	Cirrhosis of the Liver ...	.	1	1	.	.	.	.	1	.	.	.	.	1	.
128–9	Acute and Chronic Nephritis	8	2	10	.	.	.	4	5	1	1	1	5	3	.
146	Puerperal Sepsis ...	.	1	1	.	.	.	1	.	.	.	.	1	.	.
43b–5 47–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	2	.	.	2	.
59–161	Congenital Debility and Malformation: Premature Birth ...	18	13	31	31	.	.	.	.	.	12	.	4	15	14
65–174	Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75–203	Other Deaths from Violence	4	2	6	.	2	.	3	1	.	3	.	.	3	.
—	Other Defined Diseases	75	124	199	47	13	2	20	26	91	20	4	54	121	37
204–205a	Causes Ill-defined or Unknown	4	3	7	.	.	1	.	4	2	.	.	1	6	3
	All Causes ...	280	333	613	107	43	12	118	153	180	68	15	167	363	71

XX.—Administrative County of TIPPERARY (North Riding).—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	1	.	1	.	.	.	1	.	.	.	.	.	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	.	1	1	1	.	.	.	.	.	.	.	1	.	.
9	Whooping-cough ...	4	3	7	5	1	1	.	.	.	.	.	1	6	2
10	Diphtheria	1	.	1	.	1	.	.	.	.	.	.	.	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	34	29	63	1	1	4	7	14	36	.	4	8	51	8
23	Encephalitis Lethargica	1	2	3	.	.	2	.	1	.	.	.	1	2	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	28	28	56	.	.	4	35	15	2	2	6	19	29	6
32–37	Other Tuberculosis ...	8	6	14	.	1	1	11	1	.	2	.	1	11	1
43–49	Cancer, Malignant Disease	32	22	54	.	.	.	7	20	27	3	.	11	40	3
51	Rheumatic Fever ...	.	1	1	.	.	.	1	.	.	.	.	.	1	1
57	Diabetes	2	4	6	.	.	.	1	3	2	.	.	1	5	.
74	Cerebral Hæmorrhage ...	3	9	12	.	.	.	.	4	8	.	1	1	10	2
87–90	Heart Disease	45	51	96	.	.	1	8	23	64	1	1	18	76	13
91b	Arterio-sclerosis ...	1	1	2	.	.	.	.	1	1	.	.	.	2	.
99	Bronchitis	25	27	52	9	2	1	2	8	30	.	.	2	50	14
100–1	Pneumonia (all forms)	21	12	33	2	4	.	5	7	15	2	1	1	29	.
97–8 102–7	Other Diseases of Respiratory System ...	7	5	12	1	.	1	.	4	6	1	.	1	10	1
111	Ulcer of Stomach or Duodenum	1	3	4	.	.	.	1	3	.	.	.	1	3	1
113	Diarrhœa and Enteritis under 2 years ...	5	2	7	6	1	.	.	.	.	.	.	.	7	.
117	Appendicitis	3	1	4	.	.	3	.	1	.	1	.	1	2	.
122	Cirrhosis of the Liver ...	1	1	2	.	.	.	.	1	1	.	.	.	2	.
128–9	Acute and Chronic Nephritis	12	9	21	.	.	.	3	6	12	.	.	5	16	.
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	.	.	.	4	.
159–161	Congenital Debility and Malformation: Premature Birth ...	25	13	38	38	.	.	.	.	.	1	.	6	31	19
165–174	Suicide	2	.	2	.	.	.	1	1	.	.	.	.	2	.
175–203	Other Deaths from Violence	7	3	10	.	2	1	.	2	5	.	.	7	3	.
—	Other Defined Diseases	160	175	335	17	7	4	18	49	240	12	13	38	272	155
204–205a	Causes Ill-defined or Unknown	11	9	20	.	4	.	.	6	10	.	.	.	20	17
	All Causes ...	440	421	861	80	24	23	105	170	459	25	26	124	686	243

XI.—Administrative County of TIPPERARY (South Riding).—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	5	1	6	.	.	1	5	.	.	.	.	6	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	2	1	3	.	1	2	.	.	.	.	.	.	3	.
8	Scarlet Fever	.	2	2	.	1	1	.	.	.	.	.	1	1	.
9	Whooping-cough ...	.	4	4	2	2	.	.	.	.	.	.	.	4	1
10	Diphtheria	.	1	1	.	1	.	.	.	.	.	.	.	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	27	24	51	5	.	2	8	19	17	.	6	6	39	7
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	38	54	92	.	.	.	71	15	6	5	6	31	50	5
32–37	Other Tuberculosis ...	18	15	33	2	4	7	14	3	3	.	2	6	25	1
43–49	Cancer, Malignant Disease	61	43	104	.	.	.	11	61	32	4	2	25	73	3
51	Rheumatic Fever ...	1	2	3	.	.	.	.	3	.	.	.	.	3	.
57	Diabetes	5	2	7	.	.	.	2	3	2	.	.	3	4	.
74	Cerebral Hæmorrhage....	21	33	54	.	.	.	5	16	33	.	3	11	40	4
87–90	Heart Disease	81	84	165	.	.	2	18	61	84	.	5	38	122	16
91b	Arterio-sclerosis	3	2	5	.	.	.	.	1	4	1	.	.	4	.
99	Bronchitis	36	39	75	11	2	2	.	15	45	.	2	10	63	20
100–1	Pneumonia (all forms)	33	33	66	8	10	1	6	16	25	.	.	17	49	6
97–8 102–7	Other Diseases of Respiratory System ...	6	5	11	.	1	.	1	5	4	.	.	1	10	2
111	Ulcer of Stomach or Duodenum	5	1	6	.	.	.	2	3	1	.	.	3	3	.
113	Diarrhœa and Enteritis under 2 years ...	6	10	16	15	1	.	.	.	.	.	.	1	15	2
117	Appendicitis	4	.	4	.	.	.	2	2	.	1	.	3	.	.
122	Cirrhosis of the Liver ...	2	2	4	.	.	.	.	3	1	.	.	3	1	.
128–9	Acute and Chronic Nephritis	15	16	31	.	1	2	6	13	9	.	.	8	23	3
146	Puerperal Sepsis ...	.	4	4	.	.	.	4	.	.	.	.	3	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	.	.	1	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	23	31	54	54	.	.	.	.	.	.	.	13	41	14
165–174	Suicide	2	.	2	.	.	.	.	.	2	.	1	.	1	.
175–203	Other Deaths from Violence	15	6	21	1	2	.	9	6	3	1	.	10	10	1
—	Other Defined Diseases	198	200	398	29	9	9	29	43	279	3	18	48	329	167
204–205a	Causes Ill-defined or Unknown	11	17	28	.	1	.	1	13	13	.	.	1	27	19
	All Causes ...	618	635	1,253	127	36	29	197	301	563	15	45	249	944	271

XXII.—Administrative County of WATERFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	2	.	2	.	.	.	1	1	.	.	.	1	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	4	.	4	3	.	1	.	.	.	.	.	.	4	1
8	Scarlet Fever	2	3	5	.	3	2	.	.	.	.	.	1	4	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	1	2	3	.	1	1	1	.	.	.	.	.	3	.
16	Dysentery	1	.	1	.	.	.	.	1	.	.	1	.	.	.
11	Influenza	14	9	23	1	.	1	7	7	7	.	2	4	17	.
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	24	32	56	2	1	.	35	10	8	1	5	9	41	2
32–37	Other Tuberculosis ...	5	5	10	.	1	2	7	.	.	.	.	4	6	.
43–49	Cancer, Malignant Disease	32	30	62	.	.	.	6	28	28	3	.	17	42	2
51	Rheumatic Fever ...	1	.	1	.	.	.	1	.	.	.	.	.	1	.
57	Diabetes	.	1	1	.	.	.	.	1	.	.	.	.	1	.
74	Cerebral Hæmorrhage ...	18	21	39	.	.	.	3	9	27	.	.	10	29	3
87–90	Heart Disease	60	48	108	.	1	.	7	32	68	.	4	21	83	13
91b	Arterio-sclerosis ...	5	2	7	.	.	.	.	4	3	.	.	1	6	.
99	Bronchitis	12	18	30	2	3	.	.	8	17	.	.	4	26	8
100–1	Pneumonia (all forms)	27	13	40	6	7	1	7	10	9	.	1	7	32	2
97–8 102–7	Other Diseases of Respiratory System ...	6	3	9	.	.	.	2	3	4	.	.	2	7	1
111	Ulcer of Stomach or Duodenum	3	3	6	1	.	.	2	3	.	1	.	1	4	.
113	Diarrhœa and Enteritis under 2 years ...	7	6	13	10	3	.	.	.	.	2	.	.	11	.
117	Appendicitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	.	1	.	.	.	1	.
128–9	Acute and Chronic Nephritis	14	8	22	.	.	.	2	9	11	.	.	5	17	.
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	1	1	1
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	2	2	.	.	.	2	.	.	.	.	1	1	.
159–161	Congenital Debility and Malformation: Premature Birth ...	17	12	29	28	1	.	.	.	.	.	.	8	21	7
165–174	Suicide	2	.	2	.	.	.	1	1	.	.	.	.	2	.
175–203	Other Deaths from Violence	6	2	8	.	1	2	1	1	3	.	.	3	5	.
—	Other Defined Diseases	136	150	286	20	7	10	16	28	205	5	14	44	223	132
204–205a	Causes Ill-defined or Unknown	11	8	19	.	1	.	3	12	3	.	.	.	19	17
	All Causes ...	411	380	791	73	30	20	106	168	394	12	27	144	608	189

XIII.—County Borough of WATERFORD.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere	
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	Diphtheria	2	1	3	1	2	.	.	.	.	.	.	2	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	12	14	26	.	1	.	1	8	16	.	1	2	23	3
23	Encephalitis Lethargica	1	.	1	.	.	.	1	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	21	22	43	.	.	1	29	10	3	1	3	10	29	.
32–37	Other Tuberculosis ...	4	7	11	2	1	3	4	1	.	1	1	2	7	.
43–49	Cancer, Malignant Disease	17	14	31	.	1	.	2	16	12	1	.	10	20	.
51	Rheumatic Fever ...	.	1	1	.	.	.	.	1	.	.	.	.	1	.
57	Diabetes	.	1	1	.	.	.	.	1	.	.	.	1	.	.
74	Cerebral Hæmorrhage ...	11	19	30	.	.	.	3	10	17	.	.	3	27	.
87–90	Heart Disease	21	33	54	.	.	1	4	17	32	1	4	16	33	2
91b	Arterio-sclerosis ...	1	.	1	.	.	.	.	1	.	.	.	.	1	.
99	Bronchitis	11	12	23	1	.	.	.	2	20	.	.	3	20	.
100–1	Pneumonia (all forms)	11	9	20	1	2	.	6	4	7	.	1	6	13	1
97–8 102–7	Other Diseases of Respiratory System ...	2	7	9	.	2	.	.	4	3	.	.	2	7	1
111	Ulcer of Stomach or Duodenum	1	.	1	.	.	.	.	1	.	.	.	.	1	.
113	Diarrhœa and Enteritis under 2 years ...	9	9	18	16	2	.	.	.	.	.	.	.	18	.
117	Appendicitis	1	.	1	.	.	.	1	.	.	.	.	1	.	.
122	Cirrhosis of the Liver ...	2	.	2	.	.	.	.	2	.	.	.	.	2	.
128–9	Acute and Chronic Nephritis	9	4	13	.	1	.	2	7	3	1	.	5	7	.
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	2	.	.
43b–5 47–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	1	1	.	.	.	1	.	.	.	.	.	1	.
59–161	Congenital Debility and Malformation: Premature Birth ...	14	5	19	19	.	.	.	.	.	.	.	7	12	3
65–174	Suicide	.	.	.	.	.	.	.	.	.	.	.	.	.	.
75–203	Other Deaths from Violence	4	4	8	.	1	1	2	2	2	.	.	3	5	.
—	Other Defined Diseases	40	60	100	13	1	4	12	22	48	6	10	25	59	6
204–205a	Causes Ill-defined or Unknown	1	1	2	.	.	.	1	1	.	.	.	.	2	2
	All Causes ...	195	226	421	53	14	10	71	110	163	11	20	100	290	18

XXIV.—Administrative County of GALWAY.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	4	4	8	.	.	2	4	1	1	.	1	7	.	.
2	Typhus	1	1	2	.	.	.	1	1	.	.	.	2	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	3	8	11	.	7	1	3	.	.	.	.	.	11	6
8	Scarlet Fever	.	1	1	.	.	1	.	.	.	.	.	1	.	.
9	Whooping-cough ...	13	13	26	15	11	.	.	.	.	.	.	6	20	10
10	Diphtheria	5	4	9	.	5	3	.	.	1	.	.	7	2	1
16	Dysentery	.	1	1	.	.	.	.	1	.	.	.	.	1	.
11	Influenza	40	41	81	6	5	5	15	17	33	1	.	2	78	32
23	Encephalitis Lethargica	6	4	10	.	.	2	4	4	.	.	.	4	6	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	91	92	183	.	2	3	136	37	5	26	10	44	103	33
32–37	Other Tuberculosis ...	14	18	32	2	3	3	17	5	2	1	4	13	14	3
43–49	Cancer, Malignant Disease	72	64	136	.	1	.	6	63	66	7	2	28	99	12
51	Rheumatic Fever ...	3	.	3	.	1	.	2	.	.	.	.	.	3	.
57	Diabetes	5	8	13	.	.	1	4	.	8	.	.	2	11	2
74	Cerebral Hæmorrhage ...	25	30	55	.	.	.	1	19	35	.	1	12	42	9
87–90	Heart Disease	98	103	201	.	.	3	26	61	111	2	2	52	145	43
91b	Arterio-sclerosis ...	2	.	2	.	.	.	.	1	1	.	1	.	1	.
99	Bronchitis	45	56	101	10	6	4	1	28	52	.	1	19	81	47
100–1	Pneumonia (all forms)	67	57	124	8	15	4	26	35	36	4	1	12	107	20
97–8 102–7	Other Diseases of Respiratory System ...	25	13	38	2	1	2	5	14	14	.	.	11	27	12
111	Ulcer of Stomach or Duodenum	2	3	5	.	.	.	3	2	.	.	.	2	3	.
113	Diarrhœa and Enteritis under 2 years ...	5	7	12	11	1	.	.	.	.	1	.	3	8	1
117	Appendicitis	7	5	12	.	2	1	6	2	1	.	.	9	3	.
122	Cirrhosis of the Liver ...	4	2	6	.	1	.	1	1	3	1	.	4	1	.
128–9	Acute and Chronic Nephritis	18	15	33	.	.	.	2	12	19	.	.	7	26	2
146	Puerperal Sepsis ...	.	3	3	.	.	.	3	.	.	1	.	.	2	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	13	13	.	.	.	13	.	.	4	.	2	7	3
159–161	Congenital Debility and Malformation: Premature Birth ...	23	30	53	52	1	.	.	.	.	1	.	7	45	34
165–174	Suicide	2	2	4	.	.	.	2	2	.	.	.	2	2	.
175–203	Other Deaths from Violence	33	5	38	1	3	1	16	10	7	.	.	6	32	7
—	Other Defined Diseases	456	442	898	53	25	13	42	56	709	9	20	79	790	665
204–205a	Causes Ill-defined or Unknown	32	28	60	2	10	2	10	19	17	.	.	.	60	52
	All Causes ...	1,101	1,073	2,174	162	100	51	349	391	1,121	58	43	343	1,730	994

XV.—Administrative County of LEITRIM.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	1	.	1	.	.	.	1	.	.	.	.	1	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	1	1	2	.	.	1	1	.	.	.	.	.	2	.
8	Scarlet Fever	2	.	2	.	.	1	1	.	.	.	.	1	1	.
9	Whooping-cough ...	2	.	2	1	1	.	.	.	.	.	.	.	2	.
10	Diphtheria	1	3	4	.	1	2	1	.	.	.	.	1	3	1
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	19	23	42	.	1	3	7	10	21	.	.	1	41	22
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	1	1	2	.	.	1	1	.	.	.	.	.	2	.
31	Tuberculosis of Respiratory System	29	22	51	.	.	.	34	13	4	4	2	13	32	7
32–37	Other Tuberculosis ...	10	9	19	2	2	.	12	2	1	.	.	7	12	.
43–49	Cancer, Malignant Disease	31	22	53	.	.	.	6	22	25	7	2	5	39	7
51	Rheumatic Fever ...	4	.	4	.	.	.	3	1	.	.	.	1	3	.
57	Diabetes	4	2	6	.	.	.	.	4	2	.	.	1	5	2
74	Cerebral Hæmorrhage ...	8	16	24	.	.	.	.	8	16	.	.	5	19	5
87–90	Heart Disease	32	27	59	.	.	.	5	20	34	.	.	8	51	14
91b	Arterio-sclerosis ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
99	Bronchitis	16	20	36	4	1	1	3	3	24	.	1	3	32	22
100–1	Pneumonia (all forms)	14	18	32	3	.	.	7	4	18	.	1	5	26	4
97–8 102–7	Other Diseases of Respiratory System ...	9	1	10	.	.	.	2	5	3	.	.	.	10	3
111	Ulcer of Stomach or Duodenum	4	3	7	.	.	.	3	2	2	.	.	1	6	.
113	Diarrhœa and Enteritis under 2 years ...	2	.	2	2	.	.	.	.	.	.	.	1	1	1
117	Appendicitis	2	2	4	.	.	.	2	2	.	.	.	4	.	.
122	Cirrhosis of the Liver ...	1	.	1	.	.	.	.	1	.	.	.	1	.	.
128–9	Acute and Chronic Nephritis	12	7	19	.	.	.	2	3	14	2	.	3	14	5
146	Puerperal Sepsis ...	.	4	4	.	.	.	4	.	.	.	.	1	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	.	.	1	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	15	12	27	27	.	.	.	.	.	.	.	6	21	16
165–174	Suicide	.	1	1	.	.	.	1	.	.	.	.	.	1	.
175–203	Other Deaths from Violence	5	2	7	.	1	.	1	1	4	.	.	3	4	.
—	Other Defined Diseases	152	177	329	4	2	2	14	33	274	8	7	30	284	234
204–205a	Causes Ill-defined or Unknown	18	24	42	.	2	1	6	14	19	.	.	.	42	42
	All Causes ...	395	400	795	43	11	12	120	148	461	21	13	103	658	385

XXVI.—Administrative County of MAYO.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	4	2	6	..	..	2	2	1	1	..	.	3	3	.
2	Typhus	.	1	1	..	..	.	1	..	..	..	.	1	.	.
6	Small-pox	.	..	..	..	.	..	.	..	.	..	..	.	.	.
7	Measles	.	.	.	.	..	..	.	.	.	.	.	.	.	.
8	Scarlet Fever	..	2	2	.	1	..	1	..	.	..	..	1	1	1
9	Whooping-cough ...	18	8	26	12	11	3	.	..	.	..	.	4	22	9
10	Diphtheria	1	3	4	.	3	1	.	.	.	..	.	2	2	.
16	Dysentery	.	..	.	.	.	.	..	..	..	..	.	.	.	.
11	Influenza	62	58	120	12	13	4	21	25	45	..	..	5	115	69
23	Encephalitis Lethargica	2	1	3	..	.	1	1	1	..	.	.	1	2	.
24	Meningococcal Meningitis	1	.	1	.	..	1	.	.	.	.	.	1	..	.
31	Tuberculosis of Respiratory System	73	78	151	..	1	8	108	31	3	10	7	32	102	30
32–37	Other Tuberculosis ...	26	20	46	3	.	18	18	6	1	2	4	14	26	2
43–49	Cancer, Malignant Disease	77	70	147	.	..	..	15	65	67	9	.	24	114	14
51	Rheumatic Fever ...	2	4	6	.	..	1	5	..	.	.	.	1	5	.
57	Diabetes	1	8	9	..	..	.	3	2	4	..	..	.	9	1
74	Cerebral Hæmorrhage ...	16	17	33	.	..	..	1	12	20	.	3	3	27	3
87–90	Heart Disease	71	73	144	..	.	3	17	57	67	1	2	21	120	33
91b	Arterio-sclerosis ...	2	5	7	.	.	..	..	3	4	.	.	3	4	.
99	Bronchitis	42	42	84	5	2	.	2	16	59	..	3	3	78	49
100–1	Pneumonia (all forms)	65	65	130	13	17	8	29	28	35	.	.	14	116	25
97–8 102–7	Other Diseases of Respiratory System ...	19	18	37	5	1	3	4	11	13	.	.	3	34	16
111	Ulcer of Stomach or Duodenum	10	1	11	..	..	.	3	6	2	1	.	.	10	.
113	Diarrhœa and Enteritis under 2 years ...	6	.	6	5	1	.	.	..	.	..	.	1	5	.
117	Appendicitis	3	9	12	.	3	4	2	2	1	1	.	8	3	1
122	Cirrhosis of the Liver ...	3	.	3	..	..	.	2	1	.	1	.	.	2	.
128–9	Acute and Chronic Nephritis	23	7	30	..	1	2	6	10	11	2	.	8	20	7
146	Puerperal Sepsis ...	.	3	3	..	..	..	3	.	..	.	.	.	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	..	12	12	..	..	..	11	1	.	..	.	1	11	2
159–161	Congenital Debility and Malformation: Premature Birth ...	33	27	60	59	..	..	1	.	.	2	.	7	51	39
165–174	Suicide	2	.	2	..	..	..	1	.	1	.	1	.	1	.
175–203	Other Deaths from Violence	20	14	34	..	4	4	14	3	9	.	.	8	26	4
—	Other Defined Diseases	455	563	1,018	18	10	16	41	63	870	8	16	78	916	777
204–205a	Causes Ill-defined or Unknown	30	38	68	.	3	2	13	22	28	.	.	.	68	64
	All Causes ...	1,067	1,149	2,216	132	71	81	325	366	1,241	37	36	247	1,896	1,146

XVII.—Administrative County of ROSCOMMON.—Causes of Death, by Sexes, Ages, and Places of Occurrence in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	5	1	6	.	.	.	3	3	.	.	.	3	3	1
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	1	2	3	1	1	.	1	.	.	.	.	.	3	2
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	.	2	2	.	1	1	.	.	.	.	.	.	2	1
10	Diphtheria	.	1	1	.	.	1	.	.	.	.	.	.	1	1
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	31	33	64	8	1	6	12	7	30	.	.	11	53	29
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	39	19	58	.	2	1	46	8	1	6	4	13	35	5
32–37	Other Tuberculosis ...	4	7	11	3	1	.	6	1	.	1	.	2	8	.
43–49	Cancer, Malignant Disease	31	29	60	.	.	.	4	26	30	2	1	10	47	10
51	Rheumatic Fever ...	.	4	4	.	.	.	3	1	.	.	.	.	4	1
57	Diabetes	.	4	4	.	.	.	1	1	2	.	.	.	4	2
74	Cerebral Hæmorrhage ...	3	10	13	.	.	.	.	8	5	1	.	.	12	1
87–90	Heart Disease	62	50	112	.	.	1	12	40	59	1	3	23	85	30
91b	Arterio-sclerosis ...	1	3	4	.	.	.	.	1	3	.	.	.	4	.
99	Bronchitis	30	45	75	10	2	.	3	17	43	.	1	5	69	30
100–1	Pneumonia (all forms)	29	14	43	2	4	3	9	15	10	.	.	1	42	7
97–8 102–7	Other Diseases of Respiratory System ...	6	2	8	1	.	.	2	2	3	.	2	1	5	1
111	Ulcer of Stomach or Duodenum	8	3	11	.	.	.	5	5	1	2	.	3	6	.
113	Diarrhœa and Enteritis under 2 years ...	4	2	6	6	.	.	.	.	.	1	.	1	4	.
117	Appendicitis	1	2	3	.	.	2	.	1	.	1	.	1	1	.
122	Cirrhosis of the Liver ...	.	2	2	.	.	.	.	.	2	.	.	.	2	.
128–9	Acute and Chronic Nephritis	18	18	36	.	.	.	2	12	22	.	1	13	22	8
146	Puerperal Sepsis ...	.	5	5	.	.	.	5	.	.	1	.	1	3	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	4	4	.	.	.	4	.	.	1	.	1	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	19	6	25	24	1	.	.	.	.	2	.	.	23	13
165–174	Suicide	1	.	1	.	.	.	1	.	.	.	.	1	.	.
175–203	Other Deaths from Violence	10	5	15	1	1	.	6	3	4	.	.	2	13	1
—	Other Defined Diseases	233	265	498	17	5	5	20	39	412	4	11	24	459	368
204–205a	Causes Ill-defined or Unknown	36	35	71	3	2	.	9	27	30	.	1	.	70	65
	All Causes ...	572	573	1,145	76	21	20	154	217	657	23	24	116	982	576

XXVIII.—Administrative County of SLIGO.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	1	.	1	.	.	1	.	.	.	.	.	.	1	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	2	2	4	2	2	.	.	.	.	.	.	.	4	1
10	Diphtheria	2	.	2	.	1	1	.	.	.	.	.	1	1	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	24	32	56	5	6	2	1	15	27	.	.	2	54	36
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	42	36	78	.	.	2	60	14	2	2	3	20	53	10
32–37	Other Tuberculosis ...	12	8	20	2	.	3	11	3	1	3	2	9	6	1
43–49	Cancer, Malignant Disease	42	36	78	.	.	.	5	36	37	5	1	25	47	4
51	Rheumatic Fever ...	3	4	7	.	.	2	4	1	.	.	.	1	6	.
57	Diabetes	5	3	8	.	.	.	2	4	2	.	.	2	6	1
74	Cerebral Hæmorrhage ...	10	16	26	.	.	.	1	7	18	.	1	1	24	7
87–90	Heart Disease	47	44	91	.	.	2	7	20	62	.	5	24	62	13
91b	Arterio-sclerosis ...	3	2	5	.	.	.	.	1	4	.	.	.	5	.
99	Bronchitis	19	12	31	1	.	1	2	11	16	.	3	1	27	10
100–1	Pneumonia (all forms)	22	18	40	3	6	3	8	7	13	.	1	.	39	6
97–8 102–7	Other Diseases of Respiratory System ...	20	28	48	2	4	.	5	4	33	.	.	.	48	32
111	Ulcer of Stomach or Duodenum	3	1	4	.	.	.	1	2	1	.	2	.	2	.
113	Diarrhœa and Enteritis under 2 years ...	2	3	5	4	1	.	.	.	.	1	.	3	1	.
117	Appendicitis	2	2	4	.	.	1	1	1	1	2	.	2	.	.
122	Cirrhosis of the Liver ...	1	1	2	.	.	.	1	.	1	.	.	.	2	.
128–9	Acute and Chronic Nephritis	10	11	21	.	.	1	3	7	10	2	.	.	19	1
146	Puerperal Sepsis ...	.	1	1	.	.	.	.	1	.	.	.	.	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	5	5	.	.	.	4	1	.	.	.	3	2	.
159–161	Congenital Debility and Malformation: Premature Birth ...	16	14	30	30	.	.	.	.	.	.	.	6	24	11
165–174	Suicide	8	1	9	.	.	.	2	3	4	.	.	.	9	.
175–203	Other Deaths from Violence	15	3	18	.	1	1	10	3	3	.	.	4	14	5
—	Other Defined Diseases	212	220	432	12	4	5	25	47	339	7	17	19	389	295
204–205a	Causes Ill-defined or Unknown	18	22	40	1	1	.	4	12	22	.	.	.	40	35
	All Causes ...	541	525	1,066	62	26	25	157	200	596	22	35	123	886	468

XXIX.—Administrative County of CAVAN.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females.	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	3	3	6	.	.	1	5	.	.	.	2	3	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	1	1	2	2	.	.	.	.	.	.	.	.	2	1
10	Diphtheria	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	30	32	62	1	5	.	10	19	27	2	1	3	56	21
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	29	25	54	.	2	1	39	12	.	5	2	11	36	6
32–7	Other Tuberculosis ...	11	6	17	.	.	3	10	4	.	2	.	4	11	3
43–9	Cancer, Malignant Disease	58	47	105	.	.	.	7	49	49	9	.	20	76	7
51	Rheumatic Fever ...	2	2	4	.	.	1	1	1	1	.	.	.	4	1
57	Diabetes	3	6	9	.	.	.	3	3	3	.	.	3	6	1
74	Cerebral Hæmorrhage ...	18	27	45	.	.	.	2	13	30	.	1	3	41	17
87–90	Heart Disease	55	62	117	.	.	3	7	40	67	1	2	24	90	15
91b	Arterio-sclerosis ...	4	1	5	.	.	.	.	3	2	.	.	.	5	.
99	Bronchitis	28	33	61	5	1	1	1	15	38	.	1	7	53	22
100–1	Pneumonia (all forms)	28	31	59	10	5	2	9	15	18	.	.	7	52	6
97–8 102–7	Other Diseases of Respiratory System ...	8	3	11	.	.	.	5	3	3	1	.	.	10	1
111	Ulcer of Stomach or Duodenum	9	2	11	.	.	.	5	4	2	3	.	3	5	1
113	Diarrhœa and Enteritis under 2 years ...	1	.	1	1	.	.	.	.	.	.	.	.	1	.
117	Appendicitis	2	2	4	.	1	2	.	1	.	2	.	1	1	1
122	Cirrhosis of the Liver ...	2	.	2	.	.	.	1	1	.	.	.	.	2	.
128–9	Acute and Chronic Nephritis	27	28	55	.	1	2	7	15	30	.	.	9	46	5
146	Puerperal Sepsis ...	.	2	2	.	.	.	2	.	.	.	.	1	1	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	11	11	.	.	.	11	.	.	1	.	2	8	1
159–161	Congenital Debility and Malformation: Premature Birth ...	24	13	37	37	.	.	.	.	.	.	.	4	33	13
165–174	Suicide	1	.	1	.	.	.	.	.	1	.	.	.	1	.
175–203	Other Deaths from Violence	6	2	8	.	2	1	3	.	2	1	.	2	5	1
—	Other Defined Diseases	210	202	412	10	8	6	21	33	334	9	8	38	357	258
204–205a	Causes Ill-defined or Unknown	15	20	35	1	.	1	4	17	12	.	.	.	35	32
	All Causes ...	575	561	1,136	67	25	24	153	248	619	36	17	145	938	413

XXX.—Administrative County of DONEGAL.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the Year 1927.

International List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death.						Places of Occurrence.				Uncertified Deaths.
					Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries.	Elsewhere.	
1	Enteric Fever	1	3	4	.	.	.	4	.	.	.	2	2	.	.
2	Typhus	1	2	3	.	.	.	3	.	.	.	.	.	3	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	5	4	9	1	3	1	3	1	.	.	.	.	9	4
8	Scarlet Fever	1	.	1	.	1	.	.	.	.	.	.	.	1	1
9	Whooping-cough ...	5	9	14	6	7	1	.	.	.	.	.	.	14	6
10	Diphtheria	3	.	3	.	.	3	.	.	.	.	.	.	3	.
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	56	82	138	5	8	2	16	34	73	.	1	5	132	70
23	Encephalitis Lethargica	1	.	1	.	.	.	1	.	.	.	.	.	1	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	62	80	142	2	.	8	106	23	3	4	6	18	114	29
32–37	Other Tuberculosis ...	21	22	43	1	7	15	15	4	1	2	1	8	32	7
43–49	Cancer, Malignant Disease	79	73	152	.	.	.	4	68	80	4	2	17	129	13
51	Rheumatic Fever ...	7	3	10	.	.	4	5	1	.	.	.	.	10	1
57	Diabetes	6	3	9	.	.	1	3	4	1	1	.	2	6	2
74	Cerebral Hæmorrhage ...	32	35	67	.	.	.	3	19	45	.	2	2	63	15
87–90	Heart Disease	106	120	226	.	.	4	22	74	126	.	5	13	208	78
91b	Arterio-sclerosis ...	17	18	35	.	.	.	.	5	30	.	.	8	27	.
99	Bronchitis	44	63	107	10	6	1	3	14	73	.	.	18	89	40
100–1	Pneumonia (all forms)	72	45	117	16	11	6	18	26	40	.	.	10	107	22
97–8 102–7	Other Diseases of Respiratory System ...	17	14	31	1	3	3	1	13	10	.	.	1	30	5
111	Ulcer of Stomach or Duodenum	4	3	7	.	.	.	5	.	2	.	.	1	6	1
113	Diarrhœa and Enteritis under 2 years ...	5	4	9	7	2	.	.	.	.	.	.	.	9	2
117	Appendicitis	8	2	10	.	.	3	2	3	2	1	.	6	3	.
122	Cirrhosis of the Liver ...	1	2	3	.	.	.	.	2	1	.	.	.	3	.
128–9	Acute and Chronic Nephritis	28	23	51	.	.	1	10	22	18	.	.	9	42	5
146	Puerperal Sepsis ...	.	8	8	.	.	.	8	.	.	.	1	2	5	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	8	8	.	.	.	8	.	.	1	.	3	4	.
159–161	Congenital Debility and Malformation: Premature Birth ...	52	26	78	78	.	.	.	.	.	.	.	2	76	54
165–174	Suicide	2	.	2	.	.	.	.	1	1	.	.	.	2	.
175–203	Other Deaths from Violence	29	10	39	3	3	4	17	6	6	.	.	4	35	.
—	Other Defined Diseases	341	366	707	23	17	17	45	69	536	1	28	48	630	442
204–205a	Causes Ill-defined or Unknown	42	34	76	10	9	1	3	20	33	.	.	.	76	63
	All Causes ...	1,048	1,062	2,110	163	77	75	305	409	1,081	14	48	179	1,869	860

XXI.—Administrative County of MONAGHAN.—Causes of Death, by Sexes, Ages, and Places of Occurrence, in the year 1927.

Inter-national List Nos.	Causes of Death.	Males.	Females	Total.	Ages at Death. Under 1 year.	1–5	5–15	15–45	45–65	65 years & up.	Places of Occurrence. General and Special Hospitals.	Mental Hospitals.	County Homes and Hospitals, District Hospitals, and Co. Infirmaries	Elsewhere.	Uncertified Deaths.
1	Enteric Fever	1	1	2	.	.	.	2	.	.	.	.	1	1	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	1	1	.	1	.	.	.	.	.	.	.	1	1
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	Whooping-cough ...	5	7	12	6	5	1	.	.	.	.	.	.	12	7
10	Diphtheria	1	.	1	.	.	1	.	.	.	.	.	1	.	.
16	Dysentery	1	.	1	.	.	.	.	1	.	.	1	.	.	.
11	Influenza	44	43	87	2	5	2	9	31	38	.	1	6	80	39
23	Encephalitis Lethargica	.	1	1	.	.	.	1	.	.	.	.	1	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	24	22	46	.	.	2	32	10	2	3	4	3	36	2
2–37	Other Tuberculosis ...	5	12	17	2	1	2	8	3	1	1	.	4	12	2
3–49	Cancer, Malignant Disease	26	32	58	.	.	.	5	26	27	2	1	11	44	6
51	Rheumatic Fever ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
57	Diabetes	2	4	6	.	.	.	1	1	4	.	.	.	6	1
74	Cerebral Hæmorrhage ...	23	29	52	.	.	.	2	18	32	.	1	4	47	14
7–90	Heart Disease	53	58	111	.	.	1	11	28	71	1	1	8	101	19
91b	Arterio-sclerosis ...	2	.	2	.	.	.	.	.	2	.	.	.	2	.
99	Bronchitis	40	46	86	9	4	3	.	14	56	.	.	5	81	40
00–1	Pneumonia (all forms)	31	26	57	6	5	1	8	16	21	.	.	16	41	2
97–8 02–7	Other Diseases of Respiratory System ...	14	15	29	.	2	.	.	11	16	.	.	2	27	3
111	Ulcer of Stomach or Duodenum	2	3	5	.	.	.	1	3	1	.	1	.	4	.
113	Diarrhœa and Enteritis under 2 years ...	2	2	4	3	1	.	.	.	.	.	.	2	2	.
117	Appendicitis	2	1	3	.	.	.	2	1	.	1	.	1	1	.
122	Cirrhosis of the Liver ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
28–9	Acute and Chronic Nephritis	10	11	21	.	.	.	3	7	11	1	.	1	19	.
146	Puerperal Sepsis ...	.	3	3	.	.	.	3	.	.	1	.	1	1	.
3b–5 7–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	.	.	.	3	.	.	.	.	.	3	.
9–161	Congenital Debility and Malformation: Premature Birth ...	15	6	21	20	1	.	.	.	.	.	.	1	20	8
5–174	Suicide	2	.	2	.	.	.	1	.	1	.	.	.	2	.
5–203	Other Deaths from Violence	5	5	10	.	.	1	3	3	3	.	.	4	6	1
—	Other Defined Diseases	151	143	294	14	6	6	15	45	208	7	9	40	238	136
04–205a	Causes Ill-defined or Unknown	12	12	24	.	.	.	2	11	11	.	.	.	24	19
	All Causes ...	473	486	959	62	31	20	112	229	505	17	19	112	811	300

CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1927, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Saorstat Eireann.*		Province of Leinster.†		Carlow County.		Dublin County.								
		Total U.D.'s	Total R.D.'s	Total U.D.'s	Total R.D.'s	Carlow U.D.	Total R.D.'s	Blackrock U.D.	Dalkey U.D.	Dun Laoghaire U.D.	Howth U.D.	Killiney and Ballybrack U.D.	Pembroke U.D.	Rathmines & Rathgar U.D.	Total U.D.'s	Total R.D.'s
	All Causes ...	13,711	29,966	9,022	9,042	107	426	158	59	297	52	30	444	556	1,596	1,024
1	Enteric Fever	18	80	8	13	.	.	.	.	.	.	.	.	.	.	2
2	Typhus	2	9	1	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	85	90	70	32	.	.	.	.	.	.	.	3	.	3	9
8	Scarlet Fever	30	51	17	18	.	1	.	.	.	.	.	2	.	2	[illegible]
9	Whooping-cough ...	263	185	239	63	4	.	1	.	.	.	.	12	8	21	26
10	Diphtheria	119	99	89	35	1	1	2	1	.	.	.	2	7	12	11
16	Dysentery	7	6	3	.	.	.	1	.	.	.	.	.	.	1	.
11	Influenza	459	1,640	281	483	10	32	6	3	14	2	3	14	19	61	44
23	Encephalitis Lethargica	23	34	14	13	.	.	.	.	1	.	.	2	2	5	2
24	Meningococcal Meningitis	5	7	3	1	.	.	1	.	.	.	.	1	.	2	.
31	Tuberculosis of Respiratory System	1,320	2,089	857	676	12	32	12	6	24	3	.	33	40	118	102
32–37	Other Tuberculosis ...	369	523	240	161	5	6	7	1	2	4	1	16	16	47	21
43–49	Cancer, Malignant Disease	1,014	2,099	651	661	8	28	24	4	40	3	4	39	49	163	78
51	Rheumatic Fever ...	25	69	12	15	.	1	.	.	.	.	.	1	1	2	[illegible]
57	Diabetes	53	179	35	52	2	3	1	.	.	1	.	2	2	6	1
74	Cerebral Hæmorrhage ...	522	841	306	313	2	11	1	5	12	2	1	24	41	86	50
87–90	Heart Disease	1,682	3,349	1,095	1,200	20	59	16	12	33	8	5	70	65	209	129
91b	Arterio-sclerosis ...	92	138	70	47	1	3	1	1	3	.	.	4	14	23	11
99	Bronchitis	1,080	1,530	765	486	7	19	14	5	16	.	1	25	36	97	54
100–1	Pneumonia (all forms) ...	1,204	1,629	934	527	5	16	4	2	24	1	2	47	43	123	78
97–8 102–7	Other Diseases of Respiratory System	242	442	170	115	.	4	1	2	11	5	.	8	12	39	12
111	Ulcer of Stomach or Duodenum	83	188	51	63	1	3	1	.	2	.	.	3	2	8	7
113	Diarrhœa and Enteritis under 2 years ...	320	173	210	61	.	.	3	.	6	.	.	13	8	30	20
117	Appendicitis	61	124	42	22	.	1	1	.	.	1	1	3	1	7	4
122	Cirrhosis of the Liver ...	37	69	22	43	.	.	1	1	1	.	.	1	1	5	5
128–9	Acute and Chronic Nephritis	399	718	294	248	5	13	5	2	14	2	1	12	18	54	26
146	Puerperal Sepsis ...	24	53	11	7	.	.	.	.	.	.	.	.	.	.	1
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	58	136	32	36	1	2	.	.	1	2	.	.	3	6	7
159-161	Congenital Debility and Malformation: Premature Birth	681	1,017	478	354	2	15	10	4	16	2	1	18	15	66	43
165-174	Suicide	34	62	24	18	.	3	1	.	2	.	1	2	3	9	3
175-203	Other Deaths from Violence	250	499	169	171	5	12	5	1	7	2	.	9	14	38	24
—	Other Defined Diseases ...	3,026	10,946	1,767	2,863	16	149	38	8	65	14	8	74	135	342	244
204–205a	Causes Ill-defined or Unknown	124	892	62	245	.	12	1	1	3	.	1	4	1	11	13
Deaths under one year of age ...		2,045	2,209	1,447	713	12	24	15	8	38	6	2	59	52	180	129
„ 65 years and upwards		4,213	15,497	2,631	4,404	24	217	68	28	117	15	15	139	253	635	346
Uncertified Deaths		578	10,338	186	2,169	5	99	.	2	3	2	2	6	4	19	37
Number of Births		20,661	39,393	13,393	11,444	179	573	168	74	398	70	32	666	727	2,135	1,452
Population (Census 1926) ...		861,611	2,110,381	546,652	602,440	7,163	27,313	9,934	4,129	18,987	4,029	2,061	33,383	39,984	112,507	76,454

* Including County Boroughs. † Including Dublin County Borough (see page 31).

CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1927, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

ter ional ist os.	CAUSES OF DEATH, ETC.	KILDARE COUNTY.				KILKENNY COUNTY.		LAOIGHIS COUNTY.	LONGFORD COUNTY.				LOUTH COUNTY.			
		Athy U.D.	Naas U.D.	Total U.D.'s	Total R.D.'s	Kilkenny U.D.	Total R.D.'s	Total R.D.'s	Granard U.D.	Longford U.D.	Total U.D.'s	Total R.D.'s	Drogheda U.D.	Dundalk U.D.	Total U.D.'s	Total R.D.'s
	ALL CAUSES ...	59	60	119	690	170	937	794	31	56	87	538	187	178	365	591
1	Enteric Fever	.	.	.	.	.	3	.	.	.	.	4	.	.	.	.
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	1	2	.	.	.	3	.	.	.	2
8	Scarlet Fever	.	.	.	.	.	4	1	.	.	.	1	.	.	.	2
9	Whooping-cough ...	.	1	1	1	.	3	4	.	.	.	1	8	3	11	11
10	Diphtheria	.	1	1	2	.	4	3	.	1	1	.	.	8	8	3
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	4	.	4	21	9	57	30	7	3	10	57	2	9	11	19
23	Encephalitis Lethargica	.	.	.	4	.	.	.	.	1	1	.	.	.	.	2
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	3	3	6	60	20	63	67	2	5	7	26	16	23	39	43
32–37	Other Tuberculosis ...	1	2	3	15	8	16	10	.	.	.	4	3	7	10	11
43–49	Cancer, Malignant Disease	3	5	8	49	7	42	72	1	4	5	43	24	16	40	53
51	Rheumatic Fever ...	.	1	1	1	.	2	.	.	.	.	.	1	.	1	2
57	Diabetes	2	.	2	6	1	4	3	.	1	1	2	1	1	2	4
74	Cerebral Hæmorrhage ...	1	1	2	26	6	35	28	3	2	5	8	2	5	7	24
87–90	Heart Disease	13	4	17	126	30	128	111	3	5	8	50	24	26	50	75
91b	Arterio-sclerosis ...	.	.	.	7	1	4	3	.	1	1	1	.	2	2	7
99	Bronchitis	10	3	13	50	13	50	30	.	3	3	21	7	2	9	41
100–1	Pneumonia (all forms) ...	3	8	11	47	12	39	50	.	3	3	26	9	12	21	26
97–8 102–7	Other Diseases of Respiratory System	.	3	3	8	.	6	4	.	1	1	5	4	2	6	13
111	Ulcer of Stomach or Duodenum	.	.	.	2	1	11	4	1	.	1	4	1	1	2	1
113	Diarrhœa and Enteritis under 2 years ...	.	.	.	4	2	2	4	.	.	.	.	3	5	8	8
117	Appendicitis	1	.	1	1	2	3	1	.	1	1	1	2	1	3	2
122	Cirrhosis of the Liver ...	.	1	1	8	1	5	3	.	1	1	1	.	.	.	3
128–9	Acute and Chronic Nephritis	1	3	4	19	2	20	19	4	2	6	10	4	9	13	17
146	Puerperal Sepsis ...	.	.	.	.	.	1	3	.	1	1	.	1	.	1	.
43b–5 47–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	1	1	2	2	2	6	.	.	.	2	.	4	4	3
59-161	Congenital Debility and Malformation: Premature Birth	4	6	10	25	10	51	28	.	3	3	17	4	7	11	16
65-174	Suicide	.	.	.	.	1	1	.	.	.	.	.	.	1	1	1
75-203	Other Deaths from Violence	1	.	1	17	.	18	10	1	1	2	6	6	4	10	13
—	Other Defined Diseases ...	11	16	27	180	40	331	273	9	14	23	221	62	30	92	179
204–205a	Causes Ill-defined or Unknown	1	1	2	9	2	31	25	.	3	3	24	3	.	3	10
	Deaths under one year of age ...	7	12	19	53	19	80	53	2	5	7	30	32	20	52	46
	" 65 years and upwards ...	23	20	43	309	70	475	392	15	17	32	301	69	47	116	318
	Uncertified Deaths	.	3	3	48	15	313	228	6	15	21	293	5	5	10	92
	Number of Births	83	93	176	1,010	237	1,222	919	32	88	120	624	254	284	538	635
	Population (Census 1926)	3,460	3,442	6,902	51,126	10,046	60,944	51,540	1,269	3,685	4,954	34,893	12,716	13,996	26,712	36,027

CAUSES OF DEATH, &c., by Administrative Counties during the year 1927, Distinguishing Urban and Rural Districts, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Meath County.					Offaly.				Westmeath County.		Wexford County.				
		An Uaimh U.D.	Ceannanus Mor U.D.	Trim U.D.	Total U.D.'s	Total R.D.'s	Birr U.D.	Tullamore U.D.	Total U.D.'s	Total R.D.'s	Athlone U.D.	Total R.D.'s	Ennis-corthy U.D.	New Ross U.D.	Wex-ford U.D.	Total U.D.'s	Total R.D.'s
	All Causes ...	65	37	29	131	896	48	79	127	549	78	654	90	104	200	394	1,309
1	Enteric Fever	.	.	.	.	.	.	.	.	.	1	1	.	.	1	1	2
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	5	5	7	1	4	.	.	.	.	2
8	Scarlet Fever	.	.	.	.	1	.	.	.	1	.	.	.	.	2	2	7
9	Whooping-cough ...	.	.	.	.	3	.	.	.	.	.	1	.	3	.	3	5
10	Diphtheria	1	1	.	2	.	.	1	1	.	1	2	.	1	.	1	9
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	Influenza	6	1	2	9	32	.	2	2	15	2	30	8	4	17	29	88
23	Encephalitis Lethargica	.	.	.	.	1	.	1	1	1	.	2	.	.	.	.	.
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	7	.	2	9	57	7	7	14	48	8	40	11	17	13	41	96
32–37	Other Tuberculosis ...	2	1	.	3	22	1	3	4	5	1	16	1	3	8	12	28
43–49	Cancer, Malignant Disease	8	3	6	17	92	4	6	10	40	4	41	4	7	10	21	68
51	Rheumatic Fever ...	.	.	.	.	3	.	1	1	1	.	.	.	.	.	.	4
57	Diabetes	.	.	.	.	10	.	.	.	1	.	5	.	.	.	.	8
74	Cerebral Hæmorrhage ...	.	.	1	1	30	3	8	11	13	2	28	4	4	6	14	34
87–90	Heart Disease	11	4	7	22	147	6	3	9	53	11	82	11	10	28	49	164
91b	Arterio-sclerosis ...	.	.	.	.	4	1	.	1	1	1	3	.	.	1	1	1
99	Bronchitis	2	3	.	5	34	1	5	6	42	8	28	8	15	32	55	88
100–1	Pneumonia (all forms) ...	1	5	3	9	51	5	12	17	25	2	33	5	5	12	22	78
97–8 102–7	Other Diseases of Respiratory System	1	3	.	4	12	.	1	1	6	1	6	2	2	3	7	27
111	Ulcer of Stomach or Duodenum	.	.	.	.	7	1	1	2	5	.	5	1	.	.	1	9
113	Diarrhœa and Enteritis under 2 years ...	1	.	.	1	2	.	.	.	3	.	8	1	2	.	3	7
117	Appendicitis	.	.	1	1	4	.	.	.	.	1	2	.	.	1	1	2
122	Cirrhosis of the Liver ...	1	.	.	1	.	.	.	.	3	.	4	1	.	1	2	8
128–9	Acute and Chronic Nephritis	4	2	3	9	26	2	.	2	11	1	18	6	.	9	15	51
146	Puerperal Sepsis ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	1	.	.	1	2	.	.	.	.	.	4	.	.	2	2	5
159-161	Congenital Debility and Malformation: Premature Birth	1	.	2	3	47	4	.	4	28	1	21	4	2	11	17	46
165-174	Suicide	.	.	.	.	.	.	.	.	4	.	1	.	.	.	.	1
175-203	Other Deaths from Violence	.	1	.	1	17	.	2	2	5	4	15	1	.	1	2	25
—	Other Defined Diseases ...	16	13	2	31	268	13	20	33	211	25	221	22	29	39	90	417
204–205a	Causes Ill-defined or Unknown	2	.	.	2	23	.	1	1	20	3	33	.	.	3	3	33
Deaths under one year of age ...		10	2	2	14	78	5	9	14	38	9	43	9	16	22	47	98
„ 65 years and upwards ...		16	15	9	40	445	17	28	45	285	32	336	19	34	84	137	662
Uncertified Deaths		3	.	1	4	150	5	7	12	175	11	217	3	2	25	30	419
Number of Births		51	91	36	178	1,061	71	123	194	826	164	958	130	114	277	521	1,358
Population (Census 1926)		3,652	2,196	1,325	7,173	55,796	3,402	4,930	8,332	44,260	7,540	49,278	5,543	5,011	11,879	22,433	73,415

CAUSES OF DEATH, &c., by Administrative Counties during the year 1927, Distinguishing Urban and Rural Districts, arranged by Provinces.

Inter-ational List Nos.	Causes of Death, etc.	Wicklow County.					Province of Munster.*		Clare County.				Cork County.			
		Arklow U.D.	Bray U.D.	Wicklow U.D.	Total U.D.'s	Total R.D.'s	Total U.D.'s	Total R.D.'s	Ennis U.D.	Kilrush U.D.	Total U.D.'s	Total R.D.'s	Clonakilty U.D.	Cobh U.D.	Fermoy U.D.	Kinsale U.D.
	All Causes ...	65	150	50	265	634	3,801	10,211	117	67	184	1,170	55	99	71	48
1	Enteric Fever	.	.	.	.	1	7	37	1	.	1	3	.	.	.	.
2	Typhus	.	.	.	.	.	.	4	.	.	.	1	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	2	11	35	.	1	1	4	.	.	.	.
8	Scarlet Fever	.	1	.	1	.	13	27	.	.	.	5	.	.	1	.
9	Whooping-cough ...	.	1	.	1	8	10	48	.	.	.	.	.	.	.	.
10	Diphtheria	.	1	.	1	.	28	42	.	.	.	12	.	.	.	.
16	Dysentery	.	.	.	.	.	4	4	1	.	1	.	.	1	.	.
11	Influenza	4	4	3	11	63	143	542	2	4	6	30	6	4	2	3
23	Encephalitis Lethargica	1	.	.	1	1	7	8	.	.	.	.	.	.	.	2
24	Meningococcal Meningitis	.	.	.	.	1	2	3	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	6	13	7	26	42	379	734	16	4	20	84	5	9	9	5
32–37	Other Tuberculosis ...	2	2	1	5	7	104	182	2	1	3	23	5	.	2	3
43–49	Cancer, Malignant Disease	8	9	4	21	55	292	720	8	5	13	81	3	8	6	6
51	Rheumatic Fever ...	.	.	.	.	1	13	16	.	.	.	1	.	.	.	.
57	Diabetes	1	.	.	1	5	14	67	2	.	2	6	.	2	.	.
74	Cerebral Hæmorrhage ...	6	11	1	18	26	168	261	3	4	7	18	4	3	3	1
87–90	Heart Disease	7	25	7	39	76	497	1,178	12	8	20	110	4	18	14	13
91b	Arterio-sclerosis ...	1	.	.	1	2	16	37	.	.	.	1	.	2	.	.
99	Bronchitis	4	6	1	11	29	273	505	7	.	7	63	3	4	4	2
100–1	Pneumonia (all forms) ...	1	24	9	34	61	206	564	8	6	14	62	1	10	1	1
97–8 102–7	Other Diseases of Respiratory System	.	9	2	11	12	51	136	1	2	3	16	1	3	.	.
111	Ulcer of Stomach or Duodenum	1	.	.	1	5	27	69	.	1	1	6	1	2	1	.
113	Diarrhœa and Enteritis under 2 years ...	.	1	.	1	3	95	82	2	.	2	3	2	1	1	.
117	Appendicitis	.	1	.	1	1	16	53	.	.	.	9	.	.	.	.
122	Cirrhosis of the Liver ...	.	1	.	1	3	10	12	.	.	.	.	.	.	.	1
128–9	Acute and Chronic Nephritis	2	2	1	5	18	88	221	1	1	2	29	.	4	2	.
146	Puerperal Sepsis ...	.	.	.	.	.	11	19	1	1	2	2	.	.	.	.
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	.	1	1	1	19	48	.	.	.	9	.	.	1	1
159-161	Congenital Debility and Malformation: Premature Birth	2	4	.	6	17	161	374	3	9	12	41	.	5	1	.
165-174	Suicide	.	1	.	1	4	8	24	.	.	.	1	.	.	.	.
175-203	Other Deaths from Violence	1	2	3	6	9	62	178	3	.	3	21	1	.	2	1
—	Other Defined Diseases ...	17	32	10	59	169	1,026	3,728	41	18	59	488	18	21	20	9
204–205a	Causes Ill-defined or Unknown	1	.	.	1	12	40	253	3	2	5	41	1	2	1	.
	Deaths under one year of age ...	2	11	1	14	41	485	842	12	13	25	81	4	9	6	2
	" 65 years and upwards ...	37	60	14	111	318	1,274	5,120	45	24	69	624	21	35	28	23
	Uncertified Deaths	8	.	1	9	98	265	3,154	8	12	20	408	4	4	4	1
	Number of Births	108	177	64	349	806	5,833	13,554	141	97	238	1,602	46	129	85	44
	Population (Census 1926)	4,535	8,637	3,025	16,197	41,394	249,022	720,880	5,518	3,345	8,863	86 201	2,770	7,077	4,510	2,747

* Including the County Boroughs of Cork, Limerick, and Waterford (see pp. 44, 47 and 51).

CAUSES OF DEATH, &c., by ADMINISTRATIVE COUNTIES during the year 1927, DISTINGUISHING URBAN AND RURAL DISTRICTS, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Cork County—*continued.*								Kerry County.					Limerick County.
		Macroom U.D.	Mallow U.D.	Middleton U.D.	Passage West U.D.	Skibbereen U.D.	Youghal U.D.	Total U.D.'s	Total R.D.'s	Killarney U.D.	Listowel U.D.	Tralee U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s
	All Causes ...	25	77	41	28	28	81	552	3,509	58	47	141	246	1,797	1,439
1	Enteric Fever	.	.	.	.	1	.	1	9	.	.	1	1	10	6
2	Typhus	.	.	.	.	.	.	.	1	.	.	.	.	2	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	2	1	.	1	4	20	.	2	.	2	3	3
8	Scarlet Fever	.	.	.	.	.	2	3	9	.	.	.	.	7	1
9	Whooping-cough ...	1	.	.	.	.	.	1	23	.	1	3	4	8	11
10	Diphtheria	.	.	2	1	.	1	4	10	.	.	.	.	8	9
16	Dysentery	.	.	.	.		.	1	.	.	.	.	.	.	8
11	Influenza	2	2	6	1	1	5	32	191	2	2	13	17	130	80
23	Encephalitis Lethargica	.	.	.	.	.	.	2	7	.	.	.	.	.	.
24	Meningococcal Meningitis	.	.	1	.	.	.	1	1	.	.	.	.	1	1
31	Tuberculosis of Respiratory System	3	7	2	3	1	7	51	268	6	3	15	24	136	97
32–37	Other Tuberculosis ...	.	1	.	.	.	6	17	62	3	1	2	6	29	29
43–49	Cancer, Malignant Disease	6	6	5	4	1	1	46	282	11	4	10	25	95	102
51	Rheumatic Fever ...	.	1	.	.	.	.	1	3	.	.	.	.	6	2
57	Diabetes	.	.	1	.	.	.	3	31	.	2	1	3	5	12
7	Cerebral Hæmorrhage ...	2	3	3	1	1	3	24	93	1	3	3	7	46	35
87–90	Heart Disease	2	16	4	7	5	22	105	438	11	5	15	31	195	139
91b	Arterio-sclerosis ...	.	.	.	.	.	1	3	15	.	.	.	.	2	6
99	Bronchitis	.	3	1	.	4	3	24	151	2	3	12	17	81	87
100–1	Pneumonia (all forms) ...	1	1	4	3	1	6	29	193	1	5	6	12	106	92
97–8 102–7	Other Diseases of Respiratory System	.	2	.	.	.	.	6	44	.	.	1	1	35	12
111	Ulcer of Stomach or Duodenum	.	3	.	1	.	1	9	29	1	.	.	1	14	7
113	Diarrhœa and Enteritis under 2 years ...	.	4	.	1	.	1	10	26	1	.	5	6	25	12
117	Appendicitis	.	1	.	.	.	.	1	19	.	.	1	1	11	7
122	Cirrhosis of the Liver ...	.	.	.	.	.	2	3	3	.	.	.	.	3	1
128–9	Acute and Chronic Nephritis	2	5	.	.	.	2	15	75	1	1	4	6	29	30
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	3	.	.	.	.	2	7
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	1	.	.	.	.	.	3	20	.	1	1	2	9	4
159-161	Congenital Debility and Malformation: Premature Birth	.	5	2	.	1	1	15	102	.	6	4	10	66	76
165-174	Suicide	.	1	.	.	.	.	1	11	.	.	2	2	2	4
175-203	Other Deaths from Violence	.	2	1	.	1	.	8	69	1	.	1	2	22	34
—	Other Defined Diseases ...	5	14	7	5	11	16	126	1,235	17	8	38	63	658	497
204–205a	Causes Ill-defined or Unknown	.	.	.	.	.	.	4	66	.	.	3	3	51	33
Deaths under one year of age ...		.	12	4	2	1	4	44	259	2	10	16	28	150	149
„ 65 years and upwards ...		12	24	13	11	14	29	210	1,719	34	13	42	89	861	709
Uncertified Deaths		2	13	3	2	6	1	40	933	6	6	15	27	752	402
Number of Births		40	104	55	47	45	109	704	4,225	86	82	270	438	2,673	2,126
Population (Census 1926)		2,413	4,562	2,732	3,019	2,627	5,339	37,796	249,461	5,328	2,917	10,533	18,778	130,393	100,895

CAUSES OF DEATH, &c., by Administrative Counties during the year 1927, Distinguishing Urban and Rural Districts, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Tipperary North Riding.					Tipperary South Riding.						Waterford County.		Province of Connaught.	
		Nenagh U.D.	Templemore U.D.	Thurles U.D.	Total U.D.'s	Total R.D.'s	Carrick-on-Suir U.D.	Cashel U.D.	Clonmel U.D.	Tipperary U.D.	Total U.D.'s	Total R.D.'s	Dungarvan U.D.	Total R.D.'s	Total U.D.'s	Total R.D.'s
	All Causes ...	73	24	60	157	704	79	56	130	93	358	895	94	697	605	6,791
1	Enteric Fever	.	.	.	.	1	.	.	.	.	.	6	.	2	2	19
2	Typhus	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	2	.	2	1	.	4	4	13
8	Scarlet Fever	.	.	.	.	1	.	.	.	.	.	2	3	2	.	5
9	Whooping-cough ...	2	.	.	2	5	.	.	2	1	3	1	.	.	10	50
10	Diphtheria	.	.	.	.	1	.	.	.	1	1	.	1	2	2	18
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1
11	Influenza	11	1	4	16	47	7	.	.	2	9	42	1	22	21	342
23	Encephalitis Lethargica	2	.	.	2	1	.	.	.	.	.	.	.	.	2	11
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
31	Tuberculosis of Respiratory System	8	1	4	13	43	12	6	11	5	34	58	8	48	63	458
32–37	Other Tuberculosis ...	.	1	1	2	12	1	5	5	4	15	18	1	9	16	112
43–49	Cancer, Malignant Disease	6	2	4	12	42	7	5	12	13	37	67	11	51	48	426
51	Rheumatic Fever ...	.	.	.	.	1	.	.	.	.	.	3	1	.	.	24
57	Diabetes	.	.	.	.	6	.	1	.	.	1	6	.	1	2	38
74	Cerebral Hæmorrhage ...	1	1	1	3	9	2	3	9	9	23	31	10	29	29	122
87–90	Heart Disease	7	2	5	14	82	11	11	23	9	54	111	5	103	57	550
91b	Arterio-sclerosis ...	.	1	.	1	1	.	.	.	.	.	5	.	7	1	17
99	Bronchitis	2	2	8	12	40	7	3	2	8	20	55	2	28	27	300
100–1	Pneumonia (all forms) ...	1	.	2	3	30	4	.	10	4	18	48	7	33	51	318
97–8 102–7	Other Diseases of Respiratory System	.	.	1	1	11	.	.	1	1	2	9	.	9	18	123
111	Ulcer of Stomach or Duodenum	1	.	.	1	3	.	.	2	.	2	4	.	6	3	35
113	Diarrhœa and Enteritis under 2 years ...	4	1	1	6	1	3	.	.	5	8	8	6	7	12	19
117	Appendicitis	.	.	1	1	3	.	.	.	.	.	4	.	.	1	34
122	Cirrhosis of the Liver ...	.	1	.	1	1	.	.	1	.	1	3	.	1	3	11
128–9	Acute and Chronic Nephritis	1	1	1	3	18	1	1	5	1	8	23	5	17	9	130
146	Puerperal Sepsis ...	.	.	.	.	.	.	.	.	.	.	4	1	1	.	16
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	1	.	1	3	1	.	1	.	2	1	.	2	5	32
159-161	Congenital Debility and Malformation: Premature Birth	5	.	4	9	29	3	5	4	8	20	34	3	26	28	167
165-174	Suicide	.	.	.	.	2	.	.	.	.	.	2	.	2	2	15
175-203	Other Deaths from Violence	1	.	2	3	7	1	.	1	2	4	17	.	8	15	97
—	Other Defined Diseases ...	21	9	21	51	284	19	15	36	19	89	309	29	257	158	3,017
204–205a	Causes Ill-defined or Unknown	.	.	.	.	20	.	1	3	1	5	23	.	19	16	265
Deaths under one year of age ...		11	4	10	25	55	9	7	12	16	44	83	8	65	78	297
„ 65 years and upwards ...		27	12	29	68	391	27	17	36	23	103	460	38	356	204	3,872
Uncertified Deaths		5	5	12	22	221	4	6	4	3	17	254	5	184	92	3,477
Number of Births		129	48	105	282	939	128	47	212	134	521	1,131	130	858	984	9,344
Population (Census 1926)		4,524	2,233	4,815	11,572	48,073	4,657	2,953	9,056	5,555	22,221	59,149	5,207	46,708	43,536	509,371

CAUSES OF DEATH, &c., by Administrative Counties during the year 1927, Distinguishing Urban and Rural Districts, arranged by Provinces.

International List Nos.	Causes of Death, etc.	Galway County.				Leitrim County.	Mayo County.					Ros-common County.	Sligo County.		Province of Ulster (pt. of)	
		Ballinasloe U.D.	Galway U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s	Ballina U.D.	Castlebar U.D.	Westport U.D.	Total U.D.'s	Total R.D.'s	Total R.D.'s	Sligo U.D.	Total R.D.'s	Total U.D.'s	Total R.D.'s
	All Causes ...	51	244	295	1,879	795	73	39	32	144	2,072	1,145	166	900	283	3,922
1	Enteric Fever	.	1	1	7	1	.	.	1	1	5	6	.	.	1	11
2	Typhus	.	.	.	2	.	.	.	.	.	1	.	.	.	1	2
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	4	4	7	2	.	.	.	.	.	3	.	1	.	10
8	Scarlet Fever	.	.	.	1	2	.	.	.	.	2	.	.	.	.	1
9	Whooping-cough ...	2	8	10	16	2	.	.	.	.	26	2	.	4	4	24
10	Diphtheria	.	2	2	7	4	.	.	.	.	4	1	.	2	.	4
16	Dysentery	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1
11	Influenza	1	7	8	73	42	4	3	.	7	113	64	6	50	14	273
23	Encephalitis Lethargica	.	2	2	8	.	.	.	.	.	3	.	.	.	.	2
24	Meningococcal Meningitis	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.
31	Tuberculosis of Respiratory System	2	22	24	159	51	14	1	2	17	134	58	22	56	21	221
32–37	Other Tuberculosis ...	2	4	6	26	19	1	1	.	2	44	11	8	12	9	68
43–49	Cancer, Malignant Disease	3	16	19	117	53	3	3	7	13	134	60	16	62	23	292
51	Rheumatic Fever ...	.	.	.	3	4	.	.	.	.	6	4	.	7	.	14
57	Diabetes	.	1	1	12	6	.	.	.	.	9	4	1	7	2	22
74	Cerebral Hæmorrhage ...	3	12	15	40	24	3	3	1	7	26	13	7	19	19	145
87–90	Heart Disease	3	27	30	171	59	8	4	1	13	131	112	14	77	33	421
91b	Arterio-sclerosis ...	.	.	.	2	.	.	.	.	.	7	4	1	4	5	37
99	Bronchitis	1	13	14	87	36	4	2	.	6	78	75	7	24	15	239
100–1	Pneumonia (all forms) ...	4	21	25	99	32	9	2	1	12	118	43	14	26	13	220
97–8 102–7	Other Diseases of Respiratory System	2	8	10	28	10	3	.	.	3	34	8	5	43	3	68
111	Ulcer of Stomach or Duodenum	.	.	.	5	7	1	.	.	1	10	11	2	2	2	21
113	Diarrhœa and Enteritis under 2 years ...	.	9	9	3	2	.	.	.	.	6	6	3	2	3	11
117	Appendicitis	.	.	.	12	4	1	.	.	1	11	3	.	4	2	15
122	Cirrhosis of the Liver ...	.	2	2	4	1	.	1	.	1	2	2	.	2	2	3
128–9	Acute and Chronic Nephritis	1	2	3	30	19	1	.	1	2	28	36	4	17	8	119
146	Puerperal Sepsis ...	.	.	.	3	4	.	.	.	.	3	5	.	1	2	11
143b–5 147–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	3	3	10	3	.	.	.	.	12	4	2	3	2	20
159-161	Congenital Debility and Malformation: Premature Birth	2	8	10	43	27	2	4	2	8	52	25	10	20	14	122
165-174	Suicide	1	.	1	3	1	.	.	.	.	2	1	1	8	.	5
175-203	Other Deaths from Violence	2	7	9	29	7	1	1	.	2	32	15	4	14	4	53
—	Other Defined Diseases ...	21	59	80	818	329	18	14	15	47	971	498	31	401	75	1,338
204–205a	Causes Ill-defined or Unknown	1	6	7	53	42	.	.	1	1	67	71	8	32	6	129
Deaths under one year of age ...		6	41	47	115	43	3	4	3	10	122	76	21	41	35	257
„ 65 years and upwards ...		17	72	89	1,032	461	28	17	15	60	1,181	657	55	541	104	2,101
Uncertified Deaths		10	40	50	944	385	16	9	4	29	1,117	576	13	455	35	1,538
Number of Births		99	331	430	3,024	1,006	136	72	68	276	2,774	1,516	278	1,024	451	5,051
Population (Census 1926)		5,245	14,227	19,472	149,894	55,907	4,873	4,266	3,488	12,627	160,063	83,556	11,437	59,951	22,401	277,690

CAUSES OF DEATH, &c., by Administrative Counties during the year 1927, Distinguishing Urban and Rural Districts, arranged by Provinces.

nter-ational List Nos.	Causes of Death, etc.	Cavan County.					Donegal County.					Monaghan County.					
		Belturbet U.D.	Cavan U.D.	Cootehill U.D.	Total U.D.'s	Total R.D.'s	Buncrana U.D.	Bundoran U.D.	Letterkenny U.D.	Total U.D.'s	Total R.D.'s	Carrickmacross U.D.	Castleblayney U.D.	Clones U.D.	Monaghan U.D.	Total U.D.'s	Total R.D.'s
	All Causes ...	24	35	24	83	1,053	18	22	46	86	2,024	25	22	21	46	114	845
1	Enteric Fever	.	.	.	.	6	.	.	1	1	3	.	.	.	.	.	2
2	Typhus	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.
6	Small-pox	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	Measles	.	.	.	.	.	.	.	.	.	9	.	.	.	.	.	1
8	Scarlet Fever	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
9	Whooping-cough ...	.	.	.	.	2	1	.	.	1	13	.	.	.	3	3	9
10	Diphtheria	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1
16	Dysentery	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
11	Influenza	.	1	2	3	59	.	.	5	5	133	.	2	2	2	6	81
23	Encephalitis Lethargica	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
24	Meningococcal Meningitis	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
31	Tuberculosis of Respiratory System	3	2	1	6	48	3	.	3	6	136	3	.	1	5	9	37
32–37	Other Tuberculosis ...	.	3	.	3	14	1	.	1	2	41	1	.	.	3	4	13
43–49	Cancer, Malignant Disease	2	5	3	10	95	3	1	3	7	145	3	.	.	3	6	52
51	Rheumatic Fever ...	.	.	.	.	4	.	.	.	.	10	.	.	.	.	.	.
57	Diabetes	.	.	1	1	8	.	.	1	1	8	.	.	.	.	.	6
74	Cerebral Hæmorrhage ...	3	1	1	5	40	1	1	1	3	64	4	2	3	2	11	41
87–90	Heart Disease	2	3	2	7	110	2	3	4	9	217	2	2	4	9	17	94
91b	Arterio-sclerosis ...	.	.	.	.	5	.	.	5	5	30	.	.	.	.	.	2
99	Bronchitis	2	3	1	6	55	1	.	.	1	106	3	.	2	3	8	78
100–1	Pneumonia (all forms) ...	.	.	1	1	58	2	.	2	4	113	1	3	4	.	8	49
97–8 102–7	Other Diseases of Respiratory System	.	.	1	1	10	.	1	.	1	30	.	.	1	.	1	28
111	Ulcer of Stomach or Duodenum	1	.	.	1	10	.	.	.	.	7	.	.	1	.	1	4
113	Diarrhœa and Enteritis under 2 years ...	.	.	1	1	.	.	.	.	.	9	.	2	.	.	2	2
117	Appendicitis	.	.	.	.	4	1	1	.	2	8	.	.	.	.	.	3
122	Cirrhosis of the Liver ...	.	.	1	1	1	.	1	.	1	2	.	.	.	.	.	.
128–9	Acute and Chronic Nephritis	2	2	1	5	50	.	1	1	2	49	.	1	.	.	1	20
146	Puerperal Sepsis ...	.	.	.	.	2	.	.	1	1	7	1	.	.	.	1	2
3b–5 47–50	Other Accidents and Diseases of Pregnancy and Parturition ...	.	.	1	1	10	.	.	1	1	7	.	.	.	.	.	3
9-161	Congenital Debility and Malformation: Premature Birth	.	4	1	5	32	1	2	2	5	73	.	2	.	2	4	17
5-174	Suicide	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	2
5-203	Other Deaths from Violence	.	.	.	.	8	.	.	1	1	38	1	.	1	1	3	7
—	Other Defined Diseases ...	8	11	5	24	388	2	9	13	24	683	6	7	2	12	27	267
204–205a	Causes Ill-defined or Unknown	1	.	1	2	33	.	2	.	2	74	.	1	.	1	2	22
aths under one year of age ...		1	6	3	10	57	2	4	4	10	153	.	5	3	7	15	47
,, 65 years and upwards ...		10	10	7	27	592	4	12	14	30	1,051	12	10	8	17	47	458
ncertified Deaths		2	3	2	7	406	1	7	7	15	845	4	3	1	5	13	287
umber of Births		36	60	41	137	1,362	48	28	47	123	2,665	43	35	43	70	191	1,024
pulation (Census 1926)		1,307	2,060	1,532	5,899	76,553	2,309	1,339	2,308	5,956	146,552	1,995	1,550	2,365	4,636	10,546	54,585

I.—Statement showing, by Sexes, the Population at each of the nine Censuses, 1841 to 1926, with the percentage of the Population of Ireland in each Census year.

—	1841.	1851.	1861.	1871.	1881.	1891.	1901.	1911.	1926.
Persons	6,547,652	5,131,761	4,402,111	4,053,187	3,870,020	3,468,694	3,221,823	3,139,688	2,971,992
Males	3,241,338	2,514,681	2,169,042	1,992,468	1,912,438	1,728,601	1,610,085	1,589,509	1,506,889
Females	3,306,314	2,617,080	2,233,069	2,060,719	1,957,582	1,740,093	1,611,738	1,550,179	1,465,103
Percentage of the Population of Ireland.									
Persons	79·9	78·1	75·9	74·9	74·8	73·7	72·3	71·5	70·3
Males	80·2	78·3	76·5	75·5	75·5	74·5	73·2	72·5	71·2
Females	79·6	77·8	75·4	74 3	74·1	72·9	71·4	70·5	69·3

II.—Statement showing, by certain Age-periods, the Population according to the Census of 1911.

Ages	Persons	Males	Females	Ages	Persons	Males	Females	Ages	Persons	Males	Females
Under 5 years ...	307,165	155,887	151,278	30 and under 35 ...	217,919	111,381	106,538	60 and under 65 ...	98,264	47,334	50,930
5 and under 10 ...	310,163	157,597	152,566	35 „ „ 40 ...	204,739	106,205	98,534	65 „ „ 70 ...	108,639	52,799	55,840
10 „ „ 15 ...	303,149	154,182	148,967	40 „ „ 45 ...	175,660	92,166	83,494	70 „ „ 75 ...	126,899	56,347	70,552
15 „ „ 20 ...	303,443	155,523	147,920	45 „ „ 50 ...	141,976	73,690	68,286	75 „ „ 85 ...	82,580	40,172	42,408
20 „ „ 25 ...	269,058	141,288	127,770	50 „ „ 55 ...	137,213	69,189	68,024	85 „ „ 95 ...	10,767	5,171	5,596
25 „ „ 30 ...	236,357	117,352	119,005	55 „ „ 60 ...	104,634	52,776	51,858	95 and upwards ...	1,063	450	613
								TOTAL ...	3,139,688	1,589,509	1,550,179

III.—Statement showing, by sexes, the Estimated Population in the middle of each of the years 1911–27.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1911	3,132,000	1,586,000	1,546,000	1917	3,065,000	1,551,000	1,514,000	1923	3,014,000	1,526,000	1,488,000
1912	3,120,000	1,581,000	1,539,000	1918	3,066,000	1,553,000	1,513,000	1924	3,005,000	1,521,000	1,484,000
1913	3,103,000	1,572,000	1,531,000	1919	3,102,000	1,598,000	1,504,000	1925	2,985,000	1,512,000	1,473,000
1914	3,092,000	1,568,000	1,524,000	1920	3,103,000	1,598,000	1,505,000	1926	2,969,000	1,505,000	1,464,000
1915	3,068,000	1,546,000	1,522,000	1921	3,096,000	1,599,000	1,497,000	1927	2,957,000	1,499,000	1,458,000
1916	3,068,000	1,549,000	1,519,000	1922	3,022,000	1,529,000	1,493,000				

Note.—This Table has been constructed by adding the births registered in each year to the estimated population for the previous year, deducting the deaths and the number of emigrants, and adjusting the results so as to allow for the discrepancy for 1911 and 1926, and the population as shown by the Censuses of each of these years.

INDEX TO SUPERINTENDENT REGISTRARS' DISTRICTS.

[The following Index furnishes a reference to the NUMBER or NUMBERS of each Superintendent Registrar's District in the Tables of Abstracts contained in the Report, in which the numbers run consecutively from 1 to 130.]

A.

Abbeyleix 14
Ardee 19
Athlone 30
Athy 6

B.

Bailieborough 116
Ballina 103
Ballinasloe 90
Ballinrobe 104
Ballymahon 16
Ballyshannon 119
Ballyvaghan 40
Balrothery 2
Baltinglass 37
Bandon 47
Bantry 48
Bawnboy 117
Belmullet 105
Birr 27
Borrisokane 76
Boyle 110

C.

Caherciveen ... 64
Callan 9
Carlow 1
Carrickmacross 127
Carrick-on-Shannon ... 100
Carrick-on-Suir 80
Cashel 81
Castlebar 106
Castleblayney 128
Castlecomer 10
Castlereagh 111
Castletown 49
Cavan 118
Celbridge 7
Claremorris 107
Clifden 91
Clogheen 82
Clonakilty 50
Clones 129
Clonmel 83
Cork 51, 63
Corofin 41
Croom 70

D.

Delvin 31
Dingle 65
Donegal 120
Drogheda 20
Dromore West 113
Dublin 3, 5
Dundalk 21
Dunfanaghy 121
Dungarvan 85
Dunmanway 52
Dunshaughlin 22

E.

Edenderry 28
Ennis 42
Enniscorthy 33
Ennistymon 43

F.

Fermoy 53

G.

Galway 92
Glennamaddy 93
Glenties 122
Gorey 34
Gort 94
Granard 17

I.

Inishowen 123

K.

Kanturk 54
Kells 23
Kenmare 66
Kilkenny 11
Killadysert 44
Killarney 67
Kilmacthomas 86
Kilmallock 71
Kilrush 45
Kinsale 55

L.

Letterkenny 124
Limerick 72, 75
Lismore 87
Listowel 68
Longford 18
Loughrea 95

M.

Macroom 56
Mallow 57
Manorhamilton 101
Middleton 58
Milford 125
Millstreet 59
Mohill 102
Monaghan 130
Mount Bellew 96
Mountmellick 15
Mullingar 32

N.

Naas 8
Navan 24
Nenagh 77
Newcastle 73
New Ross 35

O.

Oldcastle 25
Oughterard 97

P.

Portumna 98

R.

Rathdown 4
Rathdrum 38
Rathkeale 74
Roscommon 112
Roscrea 78

S.

Scarriff 46
Shillelagh 39
Skibbereen 60
Skull 61
Sligo 114
Stranorlar 126
Swineford 108

T.

Thomastown 12
Thurles 79
Tipperary 84
Tobercurry 115
Tralee 69
Trim 26
Tuam 99
Tullamore 29

U.

Urlingford 13

W.

Waterford 88, 89
Westport 109
Wexford 36

Y.

Youghal 62

APPENDIX.

Table showing the number of Searches made, number of Certificates issued, and the total amounts received as Fees for same at the General Register Office, Dublin, during the 64 years 1864-1927.

YEARS.	Annual Number of Searches in the Registers.	Annual Number of Certificates.	Amount received as Fees for Searches and Certificates. £	s.	d.	YEARS.	Annual Number of Searches in the Registers.	Annual Number of Certificates.	Amount received as Fees for Searches and Certificates. £	s.	d.
1864	15	3	1	10	6	1896	4,046	3,103	596	10	6
1865	41	20	4	12	0	1897	3,917	2,960	572	3	0
1866	55	34	7	0	0	1898	4,132	3,207	613	1	2
1867	46	26	5	12	0	1899	4,133	3,201	616	13	6
1868	69	42	9	13	0	1900	4,558	3,481	672	7	6
1869	80	34	8	15	0	1901	4,843	3,733	718	18	0
1870	93	54	11	10	0	1902	4,871	3,719	716	16	6
1871	112	67	14	6	6	1903	4,944	3,796	731	12	6
1872	120	76	15	14	0	1904	5,183	3,958	769	19	7
1873	100	106	21	14	0	1905	5,110	3,954	759	8	5
1874	166	107	22	6	6	1906	5,714	4,409	849	6	0
1875	244	166	33	15	0	1907	5,877	4,544	875	0	2
1876	270	185	36	16	0	1908	5,984	4,670	894	19	7
1877	312	202	42	14	0	1909	6,220	4,761	920	8	0
1878	391	286	55	15	0	1910	6,387	4,903	944	18	4
1879	522	399	78	0	0	1911	6,128	4,778	914	9	11
1880	753	596	114	7	0	1912	6,811	5,160	998	7	2
1881	743	583	111	8	6	1913	6,462	4,972	957	9	0
1882	852	688	129	11	0	1914	7,552	6,140	1,157	10	0
1883	1,036	773	149	1	6	1915	7,398	5,898	1,118	7	0
1884	1,254	966	185	3	0	1916	7,729	6,198	1,172	1	2
1885	1,412	1,116	212	8	0	1917	8,151	6,475	1,225	13	6
1886	1,527	1,173	225	7	4	1918	10,702	8,499	1,611	11	6
1887	1,693	1,307	251	7	0	1919	11,513	8,998	1,712	16	0
1888	1,778	1,404	266	9	0	1920	11,484	8,810	1,688	2	0
1889	1,986	1,561	297	4	6	1921	11,419	8,499	1,646	0	6
1890	2,448	2,042	383	2	9	1922	18,413	7,675	1,892	9	6
1891	2,815	2,297	433	1	6	1923	19,377	8,808	2,076	0	0
1892	3,209	2,534	489	17	0	1924	23,947	14,367	3,003	0	6
1893	3,559	2,733	532	2	2	1925	33,945	45,435	8,940	12	0
1894	3,492	2,678	512	7	0	1926	48,193	77,347	13,493	5	6
1895	3,482	2,618	508	8	0	1927	45,802	72,665	12,391	17	6

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

Printed under the authority of the Stationery Office by A. THOM & CO., LTD., Iona Printing Works, Dublin.
B. 8113. Wt. 1830—1103. 3, 3, 25, 250. 12. 1928.